Environmental Impact Assessment

PUBLIC

July 2026

India: Karnataka Rural Roads Improvement Project

Part 3 of 4 – Appendix 22

Prepared by Karnataka Rural Roads Development Agency, Government of Karnataka for the Asian Development Bank.

This environmental impact assessment is a document of the borrower. The views expressed herein do not necessarily represent those of the Board of Directors, Management, or Staff of the Asian Development Bank (ADB), and may be preliminary in nature. Your attention is directed to the "terms of use" section of ADB's website.

In preparing any country program or strategy, financing any project, or by making any designation of or reference to a particular territory or geographic area in this document, ADB does not intend to make any judgments as to the legal or other status of any territory or area

Appendix 22
Environmental Monitoring Results

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0275
Product or Material	Ambient Monitoring	Report No	NAL/2026/23369
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002569 3F
Sampling Point	**Neelagund to Join Karadigudda in Badami Talluk Bagalkot ROAD ID-125**	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	36.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	26.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	24.4	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	15.2	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0275
Product or Material	Ambient Monitoring	Report No	NAL/2026/23369
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	01.04.2026
Sampling Point	**Neelagund to Join Karadigudda in Badami Talluk Bagalkot ROAD ID-125**	Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0276
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23370
		ULR No	TC173542600002569
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Neelagund to Join Karadigudda in Badami Talluk Bagalkot Dist. ROAD ID-125**	43.2	**65 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0277
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23371
		ULR No	TC173542600002569SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Neelagund to Join Karadigudda in Badami Talluk Bagalkot ROAD ID-125**	44.4	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0278
Product or Material	Ambient Monitoring	Report No	NAL/2026/23372
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002569 6F
Sampling Point	**Sulikeri to join Hangaragi in Badami Talluk BagalkotDist ROAD ID-136**	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	12.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0278
Product or Material	Ambient Monitoring	Report No	NAL/2026/23372
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	01.04.2026
Sampling Point	**Sulikeri to join Hangaragi in Badami Talluk Bagalkot Dist ROAD ID-136**	Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0279
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23373
		ULR No	TC173542600002569 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Sulikeri to join Hangaragi in Badami Talluk Bagalkot Dist ROAD ID-136**	45.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumara H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0280
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23374
		ULR No	TC173542600002569 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	01.04.2026
		Date of sample Receipt	02.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	02.04.2026
Sampling Procedure	In House SOP	Date of Completion	04.04.2026
Page No	1/1	Report Date	04.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Sulikeri to join Hangaragi in Badami Talluk Bagalkot Dist ROAD ID-136**	42.2	55 dB (A) Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0281
Product or Material	Ambient Monitoring	Report No	NAL/2026/23375
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002569 9F
Sampling Point	**Bodanayakanadini to Nagaral Upto T-02 in Badami Talluk Bagalkot Dist ROAD ID-44**	Date of Monitoring	02.04.2026
		Date of sample Receipt	03.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	03.04.2026
Sampling Procedure	In House SOP	Date of Completion	05.04.2026
Page No	1/1	Report Date	05.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	76.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	36.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	15.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	22.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	15.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0281
Product or Material	Ambient Monitoring	Report No	NAL/2026/23375
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	02.04.2026
Sampling Point	**Bodanayakanadini to Nagaral Upto T-02 in Badami Talluk Bagalkot Dist ROAD ID-44**	Date of sample Receipt	03.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	03.04.2026
Sampling Procedure	In House SOP	Date of Completion	05.04.2026
Page No	1/1	Report Date	05.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0282
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23376
		ULR No	TC173542600002570OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	02.04.2026
		Date of sample Receipt	03.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	03.04.2026
Sampling Procedure	In House SOP	Date of Completion	05.04.2026
Page No	1/1	Report Date	05.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bodanayakanadini to Nagaral Upto T-02 in Badami Talluk Bagalkot Dist ROAD ID-44**	45.2	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0283
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23377
		ULR No	TC173542600002570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	02.04.2026
		Date of sample Receipt	03.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	03.04.2026
Sampling Procedure	In House SOP	Date of Completion	05.04.2026
Page No	1/1	Report Date	05.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bodanayakanadini to Nagaral Upto T-02 in Badami Talluk Bagalkot Dist ROAD ID-44**	41.3	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0284
Product or Material	Ambient Monitoring	Report No	NAL/2026/23378
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002570F
Sampling Point	**Gundanapalli RC to Shirur in Badami Talluk Bagalkot Dist ROAD ID-4063**	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore 58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0284
Product or Material	Ambient Monitoring	Report No	NAL/2026/23378
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	03.04.2026
Sampling Point	**Gundanapalli RC to Shirur in Badami Talluk Bagalkot Dist ROAD ID-4063**	Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0285
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23379
		ULR No	TC173542600002570 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Gundanapalli RC to Shirur in Badami Talluk Bagalkot Dist ROAD ID-4063**	45.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0286
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23380
		ULR No	TC173542600002570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Gundanapalli RC to Shirur in Badami Talluk Bagalkot Dist ROAD ID-4063**	43.2	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0287
Product or Material	Ambient Monitoring	Report No	NAL/2026/23381
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002570SF
Sampling Point	**Teggi to Ballur Shed (Inam Hanchinal) Road in Bilgi Talluk Bagalkot Dist ROAD ID-2106**	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bang

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0287
Product or Material	Ambient Monitoring	Report No	NAL/2026/23381
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	03.04.2026
Sampling Point	**Teggi to Ballur Shed (Inam Hanchinal) Road in Bilgi Talluk Bagalkot Dist ROAD ID-2106**	Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0288
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23382
		ULR No	TC173542600002570 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Teggi to Ballur Shed (Inam Hanchinal) Road in Bilgi Talluk Bagalkot Dist ROAD ID-2106**	47.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0289
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23383
		ULR No	TC173542600002570F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Teggi to Ballur Shed (Inam Hanchinal) Road in Bilgi Talluk Bagalkot Dist ROAD ID-2106**	48.7	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari h
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0290
Product or Material	Ambient Monitoring	Report No	NAL/2026/23384
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002570 8F
Sampling Point	**Hoolageri to Join SH via Ganganabhudihal Bilgi Talluk BagalkotDist ROAD ID-117**	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	74.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	32.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.4	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0290
Product or Material	Ambient Monitoring	Report No	NAL/2026/23384
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	03.04.2026
Sampling Point	**Hoolageri to Join SH via Ganganabhudihal Bilgi Talluk BagalkotDist ROAD ID-117**	Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0291
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23385
		ULR No	TC173542600002570 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hoolageri to Join SH via Ganganabhudihal Bilgi Talluk BagalkotDist ROAD ID-117**	54.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangal

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0292
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23386
		ULR No	TC173542600002571OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hoolageri to Join SH via Ganganabhudihal Bilgi Talluk BagalkotDist ROAD ID-117**	44.5	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0293
Product or Material	Ambient Monitoring	Report No	NAL/2026/23387
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002571IF
Sampling Point	**Yandigeri to Join Kaladagi MDR (Excluding Forest stretch of 0.050 km) Bilgi Talluk Bagalkot Dist ROAD ID-24**	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	45.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	19.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	37.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	17.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0293
Product or Material	Ambient Monitoring	Report No	NAL/2026/23387
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	03.04.2026
Sampling Point	**Yandigeri to Join Kaladagi MDR (Excluding Forest stretch of 0.050 km) Bilgi Talluk Bagalkot Dist ROAD ID-24**	Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0294
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23388
		ULR No	TC173542600002571
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Yandigeri to Join Kaladagi MDR (Excluding Forest stretch of 0.050 km) Bilgi Talluk Bagalkot Dist ROAD ID-24**	47.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020) Nct

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0295
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23389
		ULR No	TC173542600002571 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	03.04.2026
		Date of sample Receipt	04.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	04.04.2026
Sampling Procedure	In House SOP	Date of Completion	06.04.2026
Page No	1/1	Report Date	06.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Yandigeri to Join Kaladagi MDR (Excluding Forest stretch of 0.050 km) Bilgi Talluk Bagalkot Dist ROAD ID-24**	42.6	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0296
Product or Material	Ambient Monitoring	Report No	NAL/2026/23390
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002571 4F
Sampling Point	**Hadagali To Timmapur in Hunagund Talluk Bagalkot Dist ROAD ID-3393**	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.5	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	12.2	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0296
Product or Material	Ambient Monitoring	Report No	NAL/2026/23390
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	04.04.2026
Sampling Point	**Hadagali To Timmapur in Hunagund Talluk Bagalkot Dist ROAD ID-3393**	Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0297
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23391
		ULR No	TC173542600002571 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hadagali To Timmapur in Hunagund Talluk Bagalkot Dist ROAD ID-3393**	55.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0298
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23392
		ULR No	TC173542600002571
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hadagali To Timmapur in Hunagund Talluk Bagalkot Dist ROAD ID-3393**	48.8	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0299
Product or Material	Ambient Monitoring	Report No	NAL/2026/23393
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000025717F
Sampling Point	**NH 51 To join Nidasanur Via Amaravati Binjawadagi Gattiganur in Hunagund Talluk Bagalkot Dist ROAD ID-2265**	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.9	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.4	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	11.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0299
Product or Material	Ambient Monitoring	Report No	NAL/2026/23393
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	04.04.2026
Sampling Point	**NH 51 To join Nidasanur Via Amaravati Binjawadagi Gattiganur in Hunagund Talluk Bagalkot Dist ROAD ID-2265**	Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bengaluru

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0300
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23394
		ULR No	TC173542600002571 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**NH 51 To join Nidasanur Via Amaravati Binjawadagi Gattiganur in Hunagund Talluk Bagalkot Dist ROAD ID-2265**	54.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0301
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23395
		ULR No	TC173542600002571
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**NH 51 To join Nidasanur Via Amaravati Binjawadagi Gattiganur in Hunagund Talluk Bagalkot Dist ROAD ID-2265**	45.7	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0302
Product or Material	Ambient Monitoring	Report No	NAL/2026/23396
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002572OF
Sampling Point	**Hirepadasalgi to Chikkapadasalagi-Adihudi Cross MDR via Kamble vasti Road in Jamakhandi Talluk Bagalkot Dist ROAD ID-1372**	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	78.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	35.7	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	14.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	26.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	14.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0302
Product or Material	Ambient Monitoring	Report No	NAL/2026/23396
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	04.04.2026
Sampling Point	**Hirepadasalgi to Chikkapadasalagi-Adihudi Cross MDR via Kamble vasti Road in Jamakhandi Talluk Bagalkot Dist ROAD ID-1372**	Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0303
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23397
		ULR No	TC173542600002572IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hirepadasalgi to Chikkapadasalagi-Adihudi Cross MDR via Kamble vasti Road in Jamakhandi Talluk Bagalkot Dist ROAD ID-1372**	57.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0304
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23398
		ULR No	TC173542600002572 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hirepadasalgi to Chikkapadasalagi-Adihudi Cross MDR via Kamble vasti Road in Jamakhandi Talluk Bagalkot Dist ROAD ID-1372**	44.2	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0305
Product or Material	Ambient Monitoring	Report No	NAL/2026/23399
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000025723F
Sampling Point	**Siddapur to Kulali Road Upto Taluka Border in Jamakhandi Talluk Bagalkot Dist ROAD ID-2160**	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	72.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	36.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	12.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	15.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0305
Product or Material	Ambient Monitoring	Report No	NAL/2026/23399
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	04.04.2026
Sampling Point	**Siddapur to Kulali Road Upto Taluka Border in Jamakhandi Talluk Bagalkot Dist ROAD ID-2160**	Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bengaluru-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0306
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23400
		ULR No	TC173542600002572
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Siddapur to Kulali Road Upto Taluka Border in Jamakhandi Talluk Bagalkot Dist ROAD ID-2160**	48.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-56

Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0307
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23401
		ULR No	TC173542600002572SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	04.04.2026
		Date of sample Receipt	05.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	05.04.2026
Sampling Procedure	In House SOP	Date of Completion	07.04.2026
Page No	1/1	Report Date	07.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Siddapur to Kulali Road Upto Taluka Border in Jamakhandi Talluk Bagalkot Dist ROAD ID-2160**	41.4	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0308
Product or Material	Ambient Monitoring	Report No	NAL/2026/23402
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002572 6F
Sampling Point	**Ontagogi Mirji Road to TQ Border Via Ontagodi RC in Mudhol Taluk Bagalkot Dist ROAD ID-4744**	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	2480	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	19.3	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

****** End of the Report******

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0308
Product or Material	Ambient Monitoring	Report No	NAL/2026/23402
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	05.04.2026
Sampling Point	**Ontagogi Mirji Road to TQ Border Via Ontagodi RC in Mudhol Taluk Bagalkot Dist ROAD ID-4744**	Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0309
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23403
		ULR No	TC173542600002572??
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Ontagogi Mirji Road to TQ Border Via Ontagodi RC in Mudhol Taluk Bagalkot Dist ROAD ID-4744**	56.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bengaluru-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0310
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23404
		ULR No	TC173542600002572 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Ontagogi Mirji Road to TQ Border Via Ontagodi RC in Mudhol Taluk Bagalkot Dist ROAD ID-4744**	45.8	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0311
Product or Material	Ambient Monitoring	Report No	NAL/2026/23405
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002572
Sampling Point	**Yadahalli to Kamata Road in Mudhol Taluk Bagalkot Dist ROAD ID-1972**	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	75.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	12.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	27.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	17.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0311
Product or Material	Ambient Monitoring	Report No	NAL/2026/23405
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	05.04.2026
Sampling Point	**Yadahalli to Kamata Road in Mudhol Taluk Bagalkot Dist ROAD ID-1972**	Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0312
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23406
		ULR No	TC173542600002573OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Yadahalli to Kamata Road in Mudhol Taluk Bagalkot Dist ROAD ID-1972**	56.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0313
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23407
		ULR No	TC173542600002573IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Yadahalli to Kamata Road in Mudhol Taluk Bagalkot Dist ROAD ID-1972**	44.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0314
Product or Material	Ambient Monitoring	Report No	NAL/2026/23408
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002573
Sampling Point	**Belagali to Jagadal Navalagi Road Upto TQ Border in Mudhol Taluk Bagalkot Dist ROAD ID-2085**	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	15.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0314
Product or Material	Ambient Monitoring	Report No	NAL/2026/23408
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	05.04.2026
Sampling Point	**Belagali to Jagadal Navalagi Road Upto TQ Border in Mudhol Taluk Bagalkot Dist ROAD ID-2085**	Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0315
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23409
		ULR No	TC1735426000025733F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Belagali to Jagadal Navalagi Road Upto TQ Border in Mudhol Taluk Bagalkot Dist ROAD ID-2085**	58.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0316
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23410
		ULR No	TC1735426000025734F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Belagali to Jagadal Navalagi Road Upto TQ Border in Mudhol Taluk Bagalkot Dist ROAD ID-2085**	48.4	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0317
Product or Material	Ambient Monitoring	Report No	NAL/2026/23411
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002573SF
Sampling Point	**Chimmad to Handigund Road Upto TQ Border in Terdal Taluk Bagalkot Dist ROAD ID-2337**	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	39.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	29.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	20.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0317
Product or Material	Ambient Monitoring	Report No	NAL/2026/23411
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	05.04.2026
Sampling Point	**Chimmad to Handigund Road Upto TQ Border in Terdal Taluk Bagalkot Dist ROAD ID-2337**	Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0318
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23412
		ULR No	TC173542600002573 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Chimmad to Handigund Road Upto TQ Border in Terdal Taluk Bagalkot Dist ROAD ID-2337**	45.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0319
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23413
		ULR No	TC173542600002573 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	05.04.2026
		Date of sample Receipt	06.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	06.04.2026
Sampling Procedure	In House SOP	Date of Completion	08.04.2026
Page No	1/1	Report Date	08.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Chimmad to Handigund Road Upto TQ Border in Terdal Taluk Bagalkot Dist ROAD ID-2337**	44.1	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0320
Product or Material	Ambient Monitoring	Report No	NAL/2026/23414
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002573
Sampling Point	**Halingali to join koligudda Road in Terdal Taluk Bagalkot Dist ROAD ID-4606**	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.5	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	29.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.2	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0320
Product or Material	Ambient Monitoring	Report No	NAL/2026/23414
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	06.04.2026
Sampling Point	**Halingali to join koligudda Road in Terdal Taluk Bagalkot Dist ROAD ID-4606**	Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0321
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23415
		ULR No	TC173542600002573 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Halingali to join koligudda Road in Terdal Taluk Bagalkot Dist ROAD ID-4606**	41.2	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0322
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23416
		ULR No	TC173542600002574OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Halingali to join koligudda Road in Terdal Taluk Bagalkot Dist ROAD ID-4606**	40.0	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0323
Product or Material	Ambient Monitoring	Report No	NAL/2026/23417
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002574
Sampling Point	**Kulahalli- Jamakhandi inside Road to join Bandigani cross Road in Terdal Taluk Bagalkot Dist ROAD ID-5183**	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.0	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0323
Product or Material	Ambient Monitoring	Report No	NAL/2026/23417
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	06.04.2026
Sampling Point	**Kulahalli- Jamakhandi inside Road to join Bandigani cross Road in Terdal Taluk Bagalkot Dist ROAD ID-5183**	Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0324
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23418
		ULR No	TC173542600002574 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kulahalli- Jamakhandi inside Road to join Bandigani cross Road in Terdal Taluk Bagalkot Dist ROAD ID-5183**	57.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0325
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23419
		ULR No	TC173542600002574 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	06.04.2026
		Date of sample Receipt	07.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	07.04.2026
Sampling Procedure	In House SOP	Date of Completion	09.04.2026
Page No	1/1	Report Date	09.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kulahalli- Jamakhandi inside Road to join Bandigani cross Road in Terdal Taluk Bagalkot Dist ROAD ID-5183**	43.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0326
Product or Material	Ambient Monitoring	Report No	NAL/2026/23420
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002574
Sampling Point	**Hanamasagar to Narasapura via Somanakoppa in Badami Taluk Bagalkot Dist ROAD ID-118**	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	15.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2021)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0326
Product or Material	Ambient Monitoring	Report No	NAL/2026/23420
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	07.04.2026
Sampling Point	**Hanamasagar to Narasapura via Somanakoppa in Badami Taluk Bagalkot Dist ROAD ID-118**	Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0327
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23421
		ULR No	TC173542600002574 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hanamasagar to Narasapura via Somanakoppa in Badami Taluk Bagalkot Dist ROAD ID-118**	55.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0328
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23422
		ULR No	TC173542600002574 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hanamasagar to Narasapura via Somanakoppa in Badami Taluk Bagalkot Dist ROAD ID-118**	46.4	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0329
Product or Material	Ambient Monitoring	Report No	NAL/2026/23423
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002574?F
Sampling Point	**Bankaneri to join SH (Road ID-3644) in Badami Taluk Bagalkot Dist ROAD ID-3644**	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	76.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	35.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	13.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	26.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	16.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0329
Product or Material	Ambient Monitoring	Report No	NAL/2026/23423
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	07.04.2026
Sampling Point	**Bankaneri to join SH (Road ID-3644) in Badami Taluk Bagalkot Dist ROAD ID-3644**	Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0330
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23424
		ULR No	TC173542600002574 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bankaneri to join SH (Road ID-3644) in Badami Taluk Bagalkot Dist ROAD ID-3644**	55.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0331
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23425
		ULR No	TC173542600002574
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	07.04.2026
		Date of sample Receipt	08.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	08.04.2026
Sampling Procedure	In House SOP	Date of Completion	10.04.2026
Page No	1/1	Report Date	10.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bankaneri to join SH (Road ID-3644) in Badami Taluk Bagalkot Dist ROAD ID-3644**	47.7	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0332
Product or Material	Ambient Monitoring	Report No	NAL/2026/23426
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000025750F
Sampling Point	**Neelagund to Aladakatti in Badami Taluk Bagalkot Dist ROAD ID-5251**	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	73.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	17.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	27.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	15.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0332
Product or Material	Ambient Monitoring	Report No	NAL/2026/23426
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	08.04.2026
Sampling Point	**Neelagund to Aladakatti in Badami Taluk Bagalkot Dist ROAD ID-5251**	Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0333
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23427
		ULR No	TC173542600002575IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Neelagund to Aladakatti in Badami Taluk Bagalkot Dist ROAD ID-5251**	58.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0334
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23428
		ULR No	TC173542600002575
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Neelagund to Aladakatti in Badami Taluk Bagalkot Dist ROAD ID-5251**	43.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0335
Product or Material	Ambient Monitoring	Report No	NAL/2026/23429
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002575
Sampling Point	**Hiremyageri to join T-02 in Bagalkot Taluk Bagalkot Dist ROAD ID-166**	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	74.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0335
Product or Material	Ambient Monitoring	Report No	NAL/2026/23429
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	08.04.2026
Sampling Point	**Hiremyageri to join T-02 in Bagalkot Taluk Bagalkot Dist ROAD ID-166**	Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0336
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23430
		ULR No	TC173542600002575 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hiremyageri to join T-02 in Bagalkot Taluk Bagalkot Dist ROAD ID-166**	55.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0337
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23431
		ULR No	TC173542600002575SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hiremyageri to join T-02 in Bagalkot Taluk Bagalkot Dist ROAD ID-166**	44.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0338
Product or Material	Ambient Monitoring	Report No	NAL/2026/23432
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002575 6F
Sampling Point	**Bommanagi (MDR) to join NH in Bagalkot Taluk Bagalkot Dist ROAD ID-1571**	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	78.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	35.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	17.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	26.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	23.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bengalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0338
Product or Material	Ambient Monitoring	Report No	NAL/2026/23432
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	08.04.2026
Sampling Point	**Bommanagi (MDR) to join NH in Bagalkot Taluk Bagalkot Dist ROAD ID-1571**	Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0339
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23433
		ULR No	TC173542600002575 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bommanagi (MDR) to join NH in Bagalkot Taluk Bagalkot Dist ROAD ID-1571**	58.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0340
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23434
		ULR No	TC173542600002575 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bommanagi (MDR) to join NH in Bagalkot Taluk Bagalkot Dist ROAD ID-1571**	42.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0341
Product or Material	Ambient Monitoring	Report No	NAL/2026/23435
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002575
Sampling Point	**Kalasakoppa to Join Kaladagi MDR in Bilgi Taluk Bagalkot Dist ROAD ID-16**	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	78.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	35.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	17.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	17.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0341
Product or Material	Ambient Monitoring	Report No	NAL/2026/23435
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	08.04.2026
Sampling Point	**Kalasakoppa to Join Kaladagi MDR in Bilgi Taluk Bagalkot Dist ROAD ID-16**	Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bengaluru-58

Verified By

Lalitha Kumari H
Technical M...
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0342
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23436
		ULR No	TC173542600002576OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kalasakoppa to Join Kaladagi MDR in Bilgi Taluk Bagalkot Dist ROAD ID-16**	56.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0343
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23437
		ULR No	TC173542600002576I F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	08.04.2026
		Date of sample Receipt	09.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	09.04.2026
Sampling Procedure	In House SOP	Date of Completion	11.04.2026
Page No	1/1	Report Date	11.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kalasakoppa to Join Kaladagi MDR in Bilgi Taluk Bagalkot Dist ROAD ID-16**	46.1	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0344
Product or Material	Ambient Monitoring	Report No	NAL/2026/23438
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002576
Sampling Point	**Hosakote to Nandihal upto Taluk Border in Bilgi Taluk Bagalkot Dist ROAD ID-109**	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	29.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0344
Product or Material	Ambient Monitoring	Report No	NAL/2026/23438
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.04.2026
Sampling Point	**Hosakote to Nandihal upto Taluk Border in Bilgi Taluk Bagalkot Dist ROAD ID-109**	Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0345
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23439
		ULR No	TC173542600002576 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hosakote to Nandihal upto Taluk Border in Bilgi Taluk Bagalkot Dist ROAD ID-109**	58.0	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0346
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23440
		ULR No	TC173542600002576 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hosakote to Nandihal upto Taluk Border in Bilgi Taluk Bagalkot Dist ROAD ID-109**	44.1	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0347
Product or Material	Ambient Monitoring	Report No	NAL/2026/23441
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002576 5
Sampling Point	**Ilkal To hulageri Upto Taluka Border in Hunagund Taluk Bagalkot Dist ROAD ID-3247**	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	78.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	37.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	21.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	18.4	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0347
Product or Material	Ambient Monitoring	Report No	NAL/2026/23441
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.04.2026
Sampling Point	**Ilkal To hulageri Upto Taluka Border in Hunagund Taluk Bagalkot Dist ROAD ID-3247**	Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0348
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23442
		ULR No	TC173542600002576 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Ilkal To hulageri Upto Taluka Border in Hunagund Taluk Bagalkot Dist ROAD ID-3247**	55.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0349
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23443
		ULR No	TC173542600002576 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Ilkal To hulageri Upto Taluka Border in Hunagund Taluk Bagalkot Dist ROAD ID-3247**	41.8	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0350
Product or Material	Ambient Monitoring	Report No	NAL/2026/23444
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002576[illegible]
Sampling Point	**Ilkal To Chikkakodagali in Hunagund Taluk Bagalkot Dist ROAD ID-3407**	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 20[illegible]2)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 20[illegible]4)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19:2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0350
Product or Material	Ambient Monitoring	Report No	NAL/2026/23444
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.04.2026
Sampling Point	**Ilkal To Chikkakodagali in Hunagund Taluk Bagalkot Dist ROAD ID-3407**	Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0351
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23445
		ULR No	TC173542600002576 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Ilkal To Chikkakodagali in Hunagund Taluk Bagalkot Dist ROAD ID-3407**	55.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0352
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23446
		ULR No	TC173542600002577OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.04.2026
		Date of sample Receipt	10.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.04.2026
Sampling Procedure	In House SOP	Date of Completion	12.04.2026
Page No	1/1	Report Date	12.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Ilkal To Chikkakodagali in Hunagund Taluk Bagalkot Dist ROAD ID-3407**	44.3	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0353
Product or Material	Ambient Monitoring	Report No	NAL/2026/23447
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002577
Sampling Point	**Tubachi-Badagi Road to Tungal interior Road in Jamkhandi Taluk Bagalkot Dist ROAD ID-4487**	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	74.9	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

****** End of the Report*******

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0353
Product or Material	Ambient Monitoring	Report No	NAL/2026/23447
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	10.04.2026
Sampling Point	**Tubachi-Badagi Road to Tungal interior Road in Jamkhandi Taluk Bagalkot Dist ROAD ID-4487**	Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0354
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23448
		ULR No	TC1735426000025772F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Tubachi-Badagi Road to Tungal interior Road in Jamkhandi Taluk Bagalkot Dist ROAD ID-4487**	55.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0355
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23449
		ULR No	TC173542600002577 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Tubachi-Badagi Road to Tungal interior Road in Jamkhandi Taluk Bagalkot Dist ROAD ID-4487**	46.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0356
Product or Material	Ambient Monitoring	Report No	NAL/2026/23450
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002577 4F
Sampling Point	**Nagaral To Nagaral Banadavasti Road in Mudhol Taluk Bagalkot Dist ROAD ID-2087**	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	77.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	34.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	17.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	28.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0356
Product or Material	Ambient Monitoring	Report No	NAL/2026/23450
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	10.04.2026
Sampling Point	**Nagaral To Nagaral Banadavasti Road in Mudhol Taluk Bagalkot Dist ROAD ID-2087**	Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0357
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23451
		ULR No	TC173542600002577SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Nagaral To Nagaral Banadavasti Road in Mudhol Taluk Bagalkot Dist ROAD ID-2087**	53.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0358
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23452
		ULR No	TC173542600002577 65
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.04.2026
		Date of sample Receipt	11.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.04.2026
Sampling Procedure	In House SOP	Date of Completion	13.04.2026
Page No	1/1	Report Date	13.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Nagaral To Nagaral Banadavasti Road in Mudhol Taluk Bagalkot Dist ROAD ID-2087**	45.1	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0359
Product or Material	Ambient Monitoring	Report No	NAL/2026/23453
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002577 7F
Sampling Point	**Jeeragal Ingalagi Road to Budni Road in Mudhol Taluk Bagalkot Dist ROAD ID-4582**	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	80.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	32.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	26.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	30.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bengaluru-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0359
Product or Material	Ambient Monitoring	Report No	NAL/2026/23453
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	11.04.2026
Sampling Point	**Jeeragal Ingalagi Road to Budni Road in Mudhol Taluk Bagalkot Dist ROAD ID-4582**	Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0360
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23454
		ULR No	TC173542600002577 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Jeeragal Ingalagi Road to Budni Road in Mudhol Taluk Bagalkot Dist ROAD ID-4582**	44.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0361
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23455
		ULR No	TC173542600002577 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Jeeragal Ingalagi Road to Budni Road in Mudhol Taluk Bagalkot Dist ROAD ID-4582**	42.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0362
Product or Material	Ambient Monitoring	Report No	NAL/2026/23456
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002578O F
Sampling Point	**Terdal to Koligudda Road Upto Taluka Borderin Terdal Taluk Bagalkot Dist ROAD ID-2821**	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0362
Product or Material	Ambient Monitoring	Report No	NAL/2026/23456
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	11.04.2026
Sampling Point	**Terdal to Koligudda Road Upto Taluka Borderin Terdal Taluk Bagalkot Dist ROAD ID-2821**	Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0363
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23457
		ULR No	TC173542600002578IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Terdal to Koligudda Road Upto Taluka Borderin Terdal Taluk Bagalkot Dist ROAD ID-2821**	47.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0364
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23458
		ULR No	TC173542600002578
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Terdal to Koligudda Road Upto Taluka Borderin Terdal Taluk Bagalkot Dist ROAD ID-2821**	44.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0365
Product or Material	Ambient Monitoring	Report No	NAL/2026/23459
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002578
Sampling Point	**Kulahalli-Madarkhandi to join SH 53 Roadin Terdal Taluk Bagalkot Dist ROAD ID-4607**	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0365
Product or Material	Ambient Monitoring	Report No	NAL/2026/23459
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	11.04.2026
Sampling Point	**Kulahalli-Madarkhandi to join SH 53 Roadin Terdal Taluk Bagalkot Dist ROAD ID-4607**	Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0366
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23460
		ULR No	TC173542600002578 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kulahalli-Madarkhandi to join SH 53 Roadin Terdal Taluk Bagalkot Dist ROAD ID-4607**	53.8	**65 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0367
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23461
		ULR No	TC173542600002578 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	11.04.2026
		Date of sample Receipt	12.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	12.04.2026
Sampling Procedure	In House SOP	Date of Completion	14.04.2026
Page No	1/1	Report Date	14.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kulahalli-Madarkhandi to join SH 53 Roadin Terdal Taluk Bagalkot Dist ROAD ID-4607**	47.9	**55 dB (A) Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1598
Product or Material	Ambient Monitoring	Report No	NAL/2026/01598
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011467F
Sampling Point	**Bhairamatti – Near Anganavadi Kendra Bhairamatti**	Date of Monitoring	18.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1599
Product or Material	Noise monitoring	Report No	NAL/2026/01599
		ULR No	TC1342726000011468F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Bhairamatti – Near Anganavadi Kendra Bhairamatti**	71.7	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1600
Product or Material	Ambient Monitoring	Report No	NAL/2026/01600
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011469F
Sampling Point	**Bevinal – Near Beeralingeshwar Temple Behind**	Date of Monitoring	18.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.0	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1601
Product or Material	Noise monitoring	Report No	NAL/2026/01601
		ULR No	TC1342726000011470F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Bevinal – Near Beeralingeshwar Temple Behind**	70.3	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1587
Product or Material	Ground Water	Report No	NAL/2026/01587
Particulars of Sample	Borewell Water	ULR No	TC1342726000011456F
Sampling Point	From Bhairmatti	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.8	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1441.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	865.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	163.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	103.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.14	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.052	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1587
Product or Material	Ground Water	Report No	NAL/2026/01587
Particulars of Sample	Borewell Water	Date of Sample Collection	18.01.2026
Sampling Point	From Bhairmatti	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1587
Product or Material	Ground Water	Report No	NAL/2026/01587
Particulars of Sample	Borewell Water	Date of Sample Collection	18.01.2026
Sampling Point	From Bhairmatti	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.65	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1588
Product or Material	Surface Water	Report No	NAL/2026/01588
Particulars of Sample	Surface Water	ULR No	TC1342726000011457F
Sampling Point	From Bhairmatti	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.3	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2600.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1560.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	349.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	137.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.0	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.44	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	3.1	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	16.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	9.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.059	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1588
Product or Material	Surface Water	Report No	NAL/2026/01588
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From Bhairmatti	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	19	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1588
Product or Material	Surface Water	Report No	NAL/2026/01588
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From Bhairmatti	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.0	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1589
Product or Material	Ground Water	Report No	NAL/2026/01589
Particulars of Sample	Borewell water	ULR No	TC1342726000011458F
Sampling Point	From Bevinal	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.7	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2100.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1260.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	232.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	92.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.1	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.76	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.052	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1589
Product or Material	Ground Water	Report No	NAL/2026/01589
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Bevinal	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1589
Product or Material	Ground Water	Report No	NAL/2026/01589
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Bevinal	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.02	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1590
Product or Material	Ground Water	Report No	NAL/2026/01590
Particulars of Sample	Borewell water	ULR No	TC1342726000011459F
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	5.0	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.3	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2200.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1320.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	105.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	156.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.3	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.91	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.2	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	14.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	13.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.013	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.055	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.1	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1590
Product or Material	Ground Water	Report No	NAL/2026/01590
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	15	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1590
Product or Material	Ground Water	Report No	NAL/2026/01590
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.25	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1591
Product or Material	Surface Water	Report No	NAL/2026/01591
Particulars of Sample	Surface Water	ULR No	TC1342726000011460F
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2800.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1680.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	467.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	78.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.1	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.52	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.2	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	12.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	7.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.010	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.059	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.4	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1591
Product or Material	Surface Water	Report No	NAL/2026/01591
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	16	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1591
Product or Material	Surface Water	Report No	NAL/2026/01591
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ)Sulibhavi	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.34	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1592
Product or Material	Ground Water	Report No	NAL/2026/01592
Particulars of Sample	Borewell water	ULR No	TC1342726000011461F
Sampling Point	From HUNAGUND (TQ) Gorjanal	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1716.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1030.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	75.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	65.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.2	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.011	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.052	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1592
Product or Material	Ground Water	Report No	NAL/2026/01592
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ) Gorjanal	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1592
Product or Material	Ground Water	Report No	NAL/2026/01592
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From HUNAGUND (TQ) Gorjanal	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.51	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1593
Product or Material	Ground Water	Report No	NAL/2026/01593
Particulars of Sample	Borewell water	ULR No	TC1342726000011462F
Sampling Point	BADAMI (TQ) Paruti guledgudda	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.0	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1088.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	653.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	77.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	37.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.47	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	6.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	1.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.032	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1593
Product or Material	Ground Water	Report No	NAL/2026/01593
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	BADAMI (TQ) Paruti guledgudda	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1593
Product or Material	Ground Water	Report No	NAL/2026/01593
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	BADAMI (TQ) Paruti guledgudda	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.83	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1594
Product or Material	Ground Water	Report No	NAL/2026/01594
Particulars of Sample	Borewell water	ULR No	TC1342726000011463F
Sampling Point	From Yaragoppa	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.7	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1373.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	824.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	124.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	28.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.87	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.032	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1594
Product or Material	Ground Water	Report No	NAL/2026/01594
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Yaragoppa	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1594
Product or Material	Ground Water	Report No	NAL/2026/01594
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Yaragoppa	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.41	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1595
Product or Material	Ground Water	Report No	NAL/2026/01595
Particulars of Sample	Borewell water	ULR No	TC1342726000011464F
Sampling Point	From Narenur L T2	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.8	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1201.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	721.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	110.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	46.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.79	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.046	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1595
Product or Material	Ground Water	Report No	NAL/2026/01595
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Narenur L T2	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1595
Product or Material	Ground Water	Report No	NAL/2026/01595
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Narenur L T2	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.3	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

**** End of the Report* ****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1596
Product or Material	Surface Water	Report No	NAL/2026/01596
Particulars of Sample	Surface Water	ULR No	TC1342726000011465F
Sampling Point	From Narenur L T2	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1822.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1093.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	198.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	79.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.39	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.8	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	16.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	7.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.045	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	5.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1596
Product or Material	Surface Water	Report No	NAL/2026/01596
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From Narenur L T2	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	12	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1596
Product or Material	Surface Water	Report No	NAL/2026/01596
Particulars of Sample	Surface Water	Date of Sample Collection	18.01.2026
Sampling Point	From Narenur L T2	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.31	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1597
Product or Material	Ground Water	Report No	NAL/2026/01597
Particulars of Sample	Borewell water	ULR No	TC1342726000011466F
Sampling Point	From Jalageri	Date of Sample Collection	18.01.2026
Sample submitted by	Customer	Date of sample Receipt	19.01.2026
Sample collected by	Our Representative	Date of Analysis Started	19.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	25.0	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.3	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1201.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	721.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	134.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	66.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.65	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	8.2	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	46.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	30.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.039	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	5.2	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1597
Product or Material	Ground Water	Report No	NAL/2026/01597
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Jalageri	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Simple collected by	Our Representative	Date of Completion	20.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	27	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1597
Product or Material	Ground Water	Report No	NAL/2026/01597
Particulars of Sample	Borewell water	Date of Sample Collection	18.01.2026
Sampling Point	From Jalageri	Date of sample Receipt	19.01.2026
Sample submitted by	Customer	Date of Analysis Started	19.01.2026
Sample collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly whitish Colored, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.4	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1675
Product or Material	Ground Water	Report No	NAL/2026/01675
Particulars of Sample	Borewell Water	ULR No	TC1342726000011542F
Sampling Point	From Alagundi	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	4100.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2460.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	755.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	220.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.2	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	2.2	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.026	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.024	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.128	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note:: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE** **Mudhol Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1675
Product or Material	Ground Water	Report No	NAL/2026/01675
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Alagundi	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1675
Product or Material	Ground Water	Report No	NAL/2026/01675
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Alagundi	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.7	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE** **Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1676
Product or Material	Ground Water	Report No	NAL/2026/01676
Particulars of Sample	Borewell Water	ULR No	TC1342726000011543F
Sampling Point	From Shirol	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.6	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	488.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	293.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	26.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	17.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.16	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.018	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.7	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE** **Mudhol Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1676
Product or Material	Ground Water	Report No	NAL/2026/01676
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Shirol	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1676
Product or Material	Ground Water	Report No	NAL/2026/01676
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Shirol	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	0.64	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1677
Product or Material	Surface Water	Report No	NAL/2026/01677
Particulars of Sample	Surface Water	ULR No	TC1342726000011544F
Sampling Point	From Shirol	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.8	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	260.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	156.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	15.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	9.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	BDL(DL=0.1)	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.4	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	12.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	6.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.012	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	5.8	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: Min: Minimum, BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1677
Product or Material	Surface Water	Report No	NAL/2026/01677
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Shirol	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	13	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE Mudhol Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1677
Product or Material	Surface Water	Report No	NAL/2026/01677
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Shirol	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	0.75	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1678
Product or Material	Ground Water	Report No	NAL/2026/01678
Particulars of Sample	Borewell water	ULR No	TC1342726000011545F
Sampling Point	From Savalagi Santi Road	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.5	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	3500.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2100.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	437.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	143.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.48	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.88	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL (DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL (DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.018	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.026	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.143	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1678
Product or Material	Ground Water	Report No	NAL/2026/01678
Particulars of Sample	Borewell water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi Santi Road	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1678
Product or Material	Ground Water	Report No	NAL/2026/01678
Particulars of Sample	Borewell water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi Santi Road	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.83	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1679
Product or Material	Surface Water	Report No	NAL/2026/01679
Particulars of Sample	Surface Water	ULR No	TC1342726000011546F
Sampling Point	From Savalagi Santi Road	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Customer	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Received in PET Bottle		
Description	Slightly yellowish Colored, Odorless, turbid liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	10.0	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.8	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1890.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1288.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	388.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	98.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.44	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	3.1	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	22.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	13.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.065	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.0	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1679
Product or Material	Surface Water	Report No	NAL/2026/01679
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi Santi Road	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Customer	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Slightly yellowish Colored, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	21	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE JAMAKANDI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1679
Product or Material	Surface Water	Report No	NAL/2026/01679
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi Santi Road	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Customer	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly yellowish Colored, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.2	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE TERDAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1680
Product or Material	Ground Water	Report No	NAL/2026/01680
Particulars of Sample	Borewell water	ULR No	TC1342726000011547F
Sampling Point	From Savalagi	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	217.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	130.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	18.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	12.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	BDL(DL=0.1)	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.1	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	10.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	4.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.012	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.4	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Acceptable Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE TERDAL Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1680
Product or Material	Ground Water	Report No	NAL/2026/01680
Particulars of Sample	Borewell water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	12	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. BAGALKOTE DISTRICT PROJECT SITE TERDAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1680
Product or Material	Ground Water	Report No	NAL/2026/01680
Particulars of Sample	Borewell water	Date of Sample Collection	19.01.2026
Sampling Point	From Savalagi	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	0.56	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-1-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	16.02.2026
7.	Date of Sample Receipt	:	17.02.2026
8.	Date of Analysis Started	:	17.02.2026
9.	Date of Analysis Completed	:	18.02.2026
10.	ULR	:	TC135432600000115F
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9880/1
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	72	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	33	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	3.88	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	18.3	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	1.02	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.80	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.43	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m^3, Lead <1ug/m^3, Nickel <3ng/m^3, Arsenic<1ng/m^3

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-1-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	16.02.2026
6.	Date of Sample Receipt	:	17.02.2026
7.	Date of Analysis Started	:	17.02.2026
8.	Date of Analysis Completed	:	18.02.2026
10.	Discipline	:	Chemical
11.	Group	:	Atmospheric Pollution
12.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
13.	Lab code	:	9880/1
14.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-2-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	20.02.2026
7.	Date of Sample Receipt	:	21.02.2026
8.	Date of Analysis Started	:	21.02.2026
9.	Date of Analysis Completed	:	23.02.2026
10.	ULR	:	TC135432600000115F
11.	Test Report Number	:	STLPL/PBSS/AA/2026/02/115
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9880/2
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	70	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	30	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	3.53	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	19.7	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.98	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.6	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.28	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-2-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	20.02.2026
6.	Date of Sample Receipt	:	21.02.2026
7.	Date of Analysis Started	:	21.02.2026
8.	Date of Analysis Completed	:	23.02.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Lab code	:	9880/2
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-3-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	25.02.2026
7.	Date of Sample Receipt	:	26.02.2026
8.	Date of Analysis Started	:	26.02.2026
9.	Date of Analysis Completed	:	27.02.2026
10.	ULR	:	TC135432600000115F
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9880/3
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	74	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	34	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.83	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	15.73	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.6	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	5.2	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.31	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work,Hukkeri
2.	Name of the Location	:	AQ-3-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	25.02.2026
6.	Date of Sample Receipt	:	26.02.2026
7.	Date of Analysis Started	:	26.02.2026
8.	Date of Analysis Completed	:	27.02.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Lab code	:	9880/3
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	µg/m³	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m³	BDL	01

Note: BDL-Below Detectable Limit

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-4-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	27.02.2026
7.	Date of Sample Receipt	:	28.02.2026
8.	Date of Analysis Started	:	28.02.2026
9.	Date of Analysis Completed	:	02.03.2026
10.	ULR	:	TC135432600000115F
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9880/4
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	76	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	36	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	3.01	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	19.2	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.83	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	3.5	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.33	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd., HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-4-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	27.02.2026
6.	Date of Sample Receipt	:	28.02.2026
7.	Date of Analysis Started	:	28.02.2026
8.	Date of Analysis Completed	:	02.03.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/02/115
12.	Lab code	:	9880/4
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	µg/m³	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m³	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

*** End of The Report***

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-5-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	05.03.2026
7.	Date of Sample Receipt	:	06.03.2026
8.	Date of Analysis Started	:	06.03.2026
9.	Date of Analysis Completed	:	07.03.2026
10.	ULR	:	TC135432600000301F
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9690/5
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	78	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	36	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.81	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	17.3	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.95	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.91	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	035	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m^3, Lead <1ug/m^3, Nickel <3ng/m^3, Arsenic<1ng/m^3

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-5-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	05.03.2026
6.	Date of Sample Receipt	:	06.03.2026
7.	Date of Analysis Started	:	06.03.2026
8.	Date of Analysis Completed	:	07.03.2026
19.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Lab code	:	9690/5
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-6-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	06.03.2026
7.	Date of Sample Receipt	:	07.03.2026
8.	Date of Analysis Started	:	07.03.2026
9.	Date of Analysis Completed	:	09.03.2026
10.	ULR	:	TC135432600000301F
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9690/6
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	75	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	34	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.75	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	16.2	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	1.1	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.01	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.28	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-6-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	06.03.2026
6.	Date of Sample Receipt	:	07.03.2026
7.	Date of Analysis Started	:	07.03.2026
8.	Date of Analysis Completed	:	09.03.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Lab code	:	9690/6
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-7-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	10.03.2026
7.	Date of Sample Receipt	:	11.03.2026
8.	Date of Analysis Started	:	11.03.2026
9.	Date of Analysis Completed	:	12.03.2026
10.	ULR	:	TC135432600000301F
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9690/7
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	79	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	40	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	4.2	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	17.7	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.93	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	3.47	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.21	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work,Hukkeri
2.	Name of the Location	:	AQ-7-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	10.03.2026
6.	Date of Sample Receipt	:	11.03.2026
7.	Date of Analysis Started	:	11.03.2026
8.	Date of Analysis Completed	:	12.03.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Lab code	:	9690/7
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-8-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	13.03.2026
7.	Date of Sample Receipt	:	14.03.2026
8.	Date of Analysis Started	:	14.03.2026
9.	Date of Analysis Completed	:	16.03.2026
10.	ULR	:	TC135432600000301F
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9690/8
15.	Report Issued Date	:	20.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	77	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	38	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.85	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	20.1	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.73	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.78	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.25	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m^3, Lead <1ug/m^3, Nickel <3ng/m^3, Arsenic<1ng/m^3

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Avargol Village Road Work ,Hukkeri
2.	Name of the Location	:	AQ-8-Avargol
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	13.03.2026
6.	Date of Sample Receipt	:	14.03.2026
7.	Date of Analysis Started	:	14.03.2026
8.	Date of Analysis Completed	:	16.03.2026
9.	Discipline	:	Chemical
10.	Group	:	Atmospheric Pollution
11.	Test Report Number	:	STLPL/AVR/AA/2026/03/301
12.	Lab code	:	9690/8
13.	Report Issued Date	:	20.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

***End of the report**

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT NOISE LEVEL DATA

1. Name and Address of the Customer : Avargol Village Road Work ,Hukkeri
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
3. Sampling Equipment's ID : SUMSTLPL/NOISE/ENT/01
4. Sampling Method : IS: 9989:1981
5. Discipline : Chemical
6. Group : Atmospheric Pollution
7. ULR : TC135432600000115F
8. Test Report Number : STLPL/AVR/AA/2026/02/115
9. Report Issued Date : 02.03.2026

Sl. No	Sample Location	Lab Code	Date of Sampling	Time Frequency	LEq (in dB(A))	KSPCB Stds (in d BA)
1	Avargol (NQ1)	9690/9	20-02-2026	10:00 AM to 10:15 AM(Day)	50	55
			20-02-2026	09:15 PM to 09:30 PM(Night)	32	45
2	Avargol (NQ2)	9690/10	25-02-2026	10.50 AM to 11:05 AM(Day)	48	55
			25-02-2026	10:00 PM to 10:15 PM(Night)	30	45

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Sums Techno Labs Pvt. Ltd. HOSPET

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT NOISE LEVEL DATA

1. Name and Address of the Customer : Avargol Village Road Work Hukkeri
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
3. Sampling Equipment's ID : SUMSTLPL/NOISE/ENT/01
4. Sampling Method : IS: 9989:1981
5. Discipline : Chemical
6. Group : Atmospheric Pollution
7. Test Report Number : STLPL/AVR/AA/2026/03/301
8. Report Issued Date : 18.03.2026

Sl. No	Sample Location	Lab Code	Date of Sampling	Time Frequency	L Eq (in dB(A))	KSPCB Stds (in d BA)
1	Avargol(NQ3)	9690/11	10-03-2026	11:35 AM to 11:50 AM(Day)	50	55
			10-03-2026	10:50 PM to 11:05PM(Night)	32	45
2	Avargol(NQ4)	9690/12	13.03.2026	12.15 AM to 12:30 AM(Day)	48	55
			13.03.2026	11:35 PM to 1:50 PM(Night)	30	45

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
GROUND WATER QUALITY

1.	Name and Address of the Customer	:	Avargol Village Road Work Hukkeri
2.	Name of the Location	:	
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026 Avargol Village Bore Well Water
7.	Date of Analysis Started	:	17.04.2026
8.	Date of Analysis Completed	:	18.04.2026
9.	ULR Number	:	TC135432600000510F
10.	Test Report Number	:	STLPL/CCSPL/GW/2026/04/510
11.	Discipline	:	Chemical
12.	Group	:	Water and residues in water
13.	Lab code	:	9489/8
14.	Report Issued Date	:	22.04.2026

Sl. NO.	Parameters	Protocol	Unit	Results	Standards As per IS:10500: 2012	
					DL	PL
1.	Colour	APHA 24th Edition-2120 B	Hazen	<10	5	15
2.	pH	APHA 24th Edition-4500 H^+ B	-	7.6	6.5-8.5	NR
3.	Turbidity	APHA 24th Edition-2130 B	-	0.6	1	5
4.	Total Dissolved Solids	APHA 24th Edition-2540 C	mg/l	420	500	2000
5.	Total Alkalinity as $CaCO_3$	APHA 24th Edition- 2320 B	mg/l	92	200	600
6.	Total Hardness as $CaCO_3$	APHA 24th Edition- 2340 C	mg/l	120	200	600
7.	Calcium as Ca	APHA 24th Edition- 3500 Ca B	mg/l	86	75	200
8.	Magnesium as Mg	APHA24th Edition- 3500 Mg B	mg/l	34	30	100
9.	Sulphates as SO_4	APHA 24th Edition-4500 SO_4 E	mg/l	23.5	200	400
10.	Nitrates as NO_3	IS 3025(PART-34) 3B:1988	mg/l	3.9	45	NR
11.	Fluoride as F	APHA 24th Edition-4500 F^- D	mg/l	0.6	1.0	1.5
12.	Iron as Fe	APHA 24th Edition-3500 Fe B	mg/l	0.16	1.0	NR
13.	Chlorides as Cl	APHA 24th Edition- 4500Cl^- B	mg/l	63.9	250	1000

Note: DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation,

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt Ltd HOSPET

Authorized Signatory
Shivashankaraiah.H.M.
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
GROUND WATER QUALITY

1. **Name and Address of the Customer** : **Avargol Village Road Work Hukkeri**
2. **Name of the Location** : **Avargol Village Bore Well Water**
3. **Sample Collected By** : **SUMS Techno Labs Private Limited, Hosapete**
4. **Sampling Method** : **STLPL/SOP/SP/01**
5. **Sampling Date** : **15.04.2026**
6. **Date of Sample Receipt** : **16.04.2026**
7. **Date of Analysis Started** : **17.04.2026**
8. **Date of Analysis Completed** : **18.04.2026**
9. **Test Report Number** : **STLPL/CCSPL/GW/2026/04/510**
10. **Discipline** : **Chemical**
11. **Group** : **Water and residues in water**
12. **Lab code** : **9489/9**
13. **Report Issued Date** : **22.04.2026**

Sl. NO.	Parameters	Protocol	Unit	Results	Standards As per IS:10500:2012	
					DL	PL
1.	Oduor	APHA 24th Edition-2150 B	--	Ag	Ag	Ag
2..	Manganese as Mn	APHA 24th Edition-3111B	mg/l	0.03	0.1	0.3
3.	Copper as Cu	APHA 24th Edition-3111B	mg/l	BDL	0.05	1.5
4.	Zinc as Zn	APHA 24th Edition-3111B	mg/l	BDL	5	15
5.	Aluminum as Al	APHA 24th Edition-3111D	mg/l	BDL	0.03	0.2
6.	Cadmium as Cd	APHA 24th Edition-3111B	mg/l	BDL	0.003	NR
7.	Arsenic as As	APHA 24th Edition-3114B	mg/l	BDL	0.01	NR
8.	Chromium as Cr	APHA 24th Edition-3111B	mg/l	BDL	0.05	NR
9.	Lead as Pb	APHA 24th Edition-3111B	mg/l	BDL	0.01	NR
10.	Mercury as Hg	APHA 24th Edition-3112B	mg/l	BDL	0.001	NR
11.	Nickel as Ni	APHA 24th Edition-3111B	mg/l	BDL	0.02	NR
12.	Selenium as Se	APHA 24th Edition: 3500 Se C	mg/l	BDL	NR	ND
13.	Cyanide as CN	APHA 24th Edition-4500 CN- D	mg/l	BDL	NR	ND
14.	Ecoli	IS:1622: 1981, RA 2010	MFT/100ml	Absent	Shall Not be detectable in any	
15.	Fecal Coliforms	IS: 1662:1981	MPN/100ml	Absent		

Note: DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL-Below Detectable Limit

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:
1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SURFACE WATER QUALITY

1.	Name and Address of the Customer	:	Avargol village road work Hukkeri
2.	Name of the Location	:	Avargol Pond Water
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026
7.	Date of Analysis Started	:	16.04.2026
8.	Date of Analysis Completed	:	17.04.2026
9.	ULR		C135432600000510F
10.	Test Report Number	:	STLPL/MSSL(PP)/SW/2026/04/510
11.	Discipline	:	Chemical
12.	Product group	:	Water & Residues in Water
13.	Lab code	:	9489/7
14.	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl.No	Parameters	Protocol	Unit	Result
1.	pH	APHA 24th Edition -4500 H^+ B	--	6.98
2.	Turbidity	APHA 24th Edition -2130 B	NTU	0.4
3.	Temperature	APHA 24th Edition-2550B	°C	25.2
4	Total Dissolved Solids	APHA 24th Edition -2540 C	mg/l	380
5.	Biological Oxygen Demand 3 days @27°C	IS:3025 (Part-44) 1993	mg/l	1.1
6.	Chemical Oxygen Demand	APHA 24th Edition – 5220 B	mg/l	4
7.	Chlorides as Cl	APHA 24th Edition – 4500Cl^- B	mg/l	96
8.	Sulphates as SO_4	APHA 24th Edition -4500 SO_4 E	mg/l	38.26
9.	Nitrates as NO_3	IS:3025 (PART-34)3B:1988	mg/l	1.3
10.	Total Suspended Solids	APHA 24th Edition-2540 D	mg/l	23
11.	Dissolved Oxygen	IS:3025 (Part-38):1989	mg/l	4.5
12.	Ammonia	IS 3025 (Part 34)	mg/l	ND

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SURFACE WATER QUALITY

1.	Name and Address of the Customer	:	Avargol Village Road Work Hukkeri
2.	Name of the Location	:	Avargol Pond Water
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026
7.	Date of Analysis Started	:	16.04.2026
8.	Date of Analysis Completed	:	17.04.2026
9.	Test Report Number	:	STLPL/MSSL(PP)/SW/2026/04/510
10.	Lab Code	:	9489/7
11.	Discipline	:	Chemical
12.	Product group	:	Water & Residues in Water
13.	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl.No	Parameters	Protocol	Unit	Result
1.	Phenolic Compounds (as C6H5OH)	APHA 24th Edition-5530 D	mg/l	NA
2.	Chromium as Cr	APHA 24th Edition-3111B	mg/l	BDL
3.	Copper as Cu	APHA 24th Edition-3111B	mg/l	BDL
4.	Lead as Pb	APHA 24th Edition-3111B	mg/l	BDL
5.	Zinc as Zn	APHA 24th Edition-3111B	mg/l	BDL
6.	Nickel as Ni	APHA 24th Edition-3111B	mg/l	BDL
7.	Mercury as Hg	APHA 24th Edition-3112B	mg/l	BDL
8.	Arsenic as As	APHA 24th Edition-3114B	mg/l	BDL
9.	Oil &Grease	APHA 24th Edition-5520B	mg/l	BDL
10.	Cadmium as Cd	APHA 24th Edition-3111B	mg/l	BDL
11	Fecal Coliforms	IS: 1662:1981	MPN/100ml	0
12.	Total Coliform	IS 1622:1981	MPN/100ml	2

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:
1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SOIL-QUALITY

1	Name of the Project & Address	:	Avargol Village Road WorkM Hukkeri
2	Name of the Location	:	Near Avargol Road
3	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4	Sampling Method	:	STLPL/SOP/SP/01
5	Sample Received On	:	15.04.2026
6	Analysis Started On	:	16.04.2026
7	Analysis Completed On	:	17.042026
8	Discipline	:	Chemical Testing
9	Group	:	Soil & Rock
10	ULR Number	:	TC135432600000510F
11	Test Report Number	:	STLPL/JMPC/SQ/2026/04/510
12	Lab Code	:	9489/41
13	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl. No	Parameters	Test Method	Unit	Results
1	pH	Cl-2, IS:2720 (Part-26) 1987	-	6.8
2	Conductivity	IS:14767: 2000	mS/m	160
3	Available Potassium as K	SUMSTLPL/SOP/Soil/08 Issued No-02/Date 07.03.2017	mg/kg	60.53
4	Extractable Calcium as Ca	SUMSTLPL/SOP/Soil/10 Issued No-02/Date 07.03.2017	meq/l	55.8
5	Extractable Magnesium as Mg	SUMSTLPL/SOP/Soil/11 Issued No-02/Date 07.03.2017	meq/l	22.2

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorized Signatory
H. M.Shivashankaraiah
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SOIL-QUALITY

1	**Name of the Project & Address**	:	**Avargol Village Road Work Hukkeri**
2	**Name of the Location**	:	Near Avargol Road
3	**Sample Collected By**	:	**SUMS Techno Labs Private Limited, Hosapete**
4	**Sampling Method**	:	**STLPL/SOP/SP/01**
5	**Sample Received On**	:	**15.04.2026**
6	**Analysis Started On**	:	**16.04.2026**
7	**Analysis Completed On**	:	**17.042026**
8	**Discipline**	:	**Chemical Testing**
9	**Group**	:	**Soil & Rock**
11	**Test Report Number**	:	**STLPL/JMPC/SQ/2026/04/510**
12	**Lab Code**	:	**9489/41**
13	**Report Issued Date**	:	**22.04.2026**

TEST RESULTS

Sl. No	Parameters	Test Method	Unit	Results
1	Cation exchange capacity	ICARDA Method	(me q/100g)	32.55
2	**Moisture**	ICARDA Method	(%)	14.4
3	**Sodium Absorption Ratio**	ICARDA Method	-	0.32
4	**Sand**	ICARDA Method	(%)	7
5	**Silt**	ICARDA Method	(%)	37
6	**Clay**	ICARDA Method	(%)	56

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorized Signatory
H. M.Shivashankaraiah
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-1- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	16.02.2026
7.	Date of Sample Receipt	:	17.02.2026
8.	Date of Analysis Started	:	17.02.2026
9.	Date of Analysis Completed	:	18.02.2026
10.	ULR	:	TC135432600000116F
11.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9879/1
15.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	68	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	24	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	1.89	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	8.1	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.15	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.2	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.23	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-1- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	16.02.2026
6.	Date of Sample Receipt	:	17.02.2026
7.	Date of Analysis Started	:	17.02.2026
8.	Date of Analysis Completed	:	18.02.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10	Lab code	:	9879/1
11	Discipline	:	Chemical
12	Group	:	Atmospheric Pollution
13	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-2- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/FPS/CEIS/12
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	20.02.2026
7.	Date of Sample Receipt	:	21.02.2026
8.	Date of Analysis Started	:	21.02.2026
9.	Date of Analysis Completed	:	23.02.2026
10.	ULR	:	TC135432600000116F
11.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9879/2
15.	Report Issued Date	:	27.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	66	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	20	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.35	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	16.3	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.37	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.8	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.12	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1. Name and Address of the Customer : Harugeri Village Road Work Kudachi
2. Name of the Location : AQ-2- Harugeri
3. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
4. Sampling Equipment's ID : SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5. Sampling Date : 20.02.2026
6. Date of Sample Receipt : 21.02.2026
7. Date of Analysis Started : 21.02.2026
8. Date of Analysis Completed : 23.02.2026
9. Test Report Number : STLPL/HVR/AA/2026/02/116
10. Discipline : Chemical
11. Group : Atmospheric Pollution
12. Lab code : 9879/2
13. Report Issued Date : 27.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-3- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/11, SUMSTLPL/FPS/CEIS/12
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	25.02.2026
7.	Date of Sample Receipt	:	26.02.2026
8.	Date of Analysis Started	:	26.02.2026
9.	Date of Analysis Completed	:	27.02.2026
10.	ULR	:	TC135432600000116F
11.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9879/3
15.	Report Issued Date	:	04.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	64	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	22	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	1.8	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	12.62	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.28	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	2.53	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.21	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1. Name and Address of the Customer : Harugeri Village Road Work Kudachi
2. Name of the Location : AQ-3- Harugeri
3. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
4. Sampling Equipment's ID : SUMSTLPL/RDS/CEIS/11, SUMSTLPL/BS/GT/01
5. Sampling Date : 25.02.2026
6. Date of Sample Receipt : 26.02.2026
7. Date of Analysis Started : 26.02.2026
8. Date of Analysis Completed : 27.02.2026
9. Test Report Number : STLPL/HVR/AA/2026/02/116
10. Discipline : Chemical
11. Group : Atmospheric Pollution
12. Lab code : 9879/3
13. Report Issued Date : 04.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-4- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	27.02.2026
7.	Date of Sample Receipt	:	28.02.2026
8.	Date of Analysis Started	:	28.02.2026
9.	Date of Analysis Completed	:	02.03.2026
10.	ULR	:	TC135432600000116F
11.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9879/4
15.	Report Issued Date	:	07.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	63	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	20	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	11.85	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	10.7	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.27	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.8	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.22	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-4- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	27.02.2026
6.	Date of Sample Receipt	:	28.02.2026
7.	Date of Analysis Started	:	28.02.2026
8.	Date of Analysis Completed	:	02.03.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10	Discipline	:	Chemical
11	Group	:	Atmospheric Pollution
12	Lab code	:	9879/4
13	Report Issued Date	:	07.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-5- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	05.03.2026
7.	Date of Sample Receipt	:	06.03.2026
8.	Date of Analysis Started	:	06.03.2026
9.	Date of Analysis Completed	:	07.03.2026
10.	ULR	:	TC135432600000302F
11.	Test Report Number	:	STLPL/HVR/AA/2026/03/302
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9689/5
15.	Report Issued Date	:	13.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	70	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	28	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	1.92	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	10.83	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.43	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.73	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.2	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m^3, Lead <1ug/m^3, Nickel <3ng/m^3, Arsenic<1ng/m^3

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-5- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	05.03.2026
6.	Date of Sample Receipt	:	06.03.2026
7.	Date of Analysis Started	:	06.03.2026
8.	Date of Analysis Completed	:	07.03.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10.	Discipline	:	Chemical
11.	Group	:	Atmospheric Pollution
12.	Lab code	:	9689/5
13.	Report Issued Date	:	13.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-6- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	06.03.2026
7.	Date of Sample Receipt	:	07.03.2026
8.	Date of Analysis Started	:	07.03.2026
9.	Date of Analysis Completed	:	09.03.2026
10.	ULR	:	TC135432600000302F
11.	Test Report Number	:	STLPL/HVR/AA/2026/03/302
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9689/6
15.	Report Issued Date	:	13.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	68	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	26	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	1.75	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	12.5	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.18	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.58	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.3	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-6- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	06.03.2026
6.	Date of Sample Receipt	:	07.03.2026
7.	Date of Analysis Started	:	07.03.2026
8.	Date of Analysis Completed	:	09.03.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10	Discipline	:	Chemical
11	Group	:	Atmospheric Pollution
12	Lab code	:	9689/6
13	Report Issued Date	:	13.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: **BDL**-Below Detectable Limit

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd., HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-7- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	10.03.2026
7.	Date of Sample Receipt	:	11.03.2026
8.	Date of Analysis Started	:	11.03.2026
9.	Date of Analysis Completed	:	13.03.2026
10.	ULR	:	TC135432600000302F
11.	Test Report Number	:	STLPL/HVR/AA/2026/03/302
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9689/7
15.	Report Issued Date	:	18.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	72	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	28	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	1.56	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	13.8	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.23	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.9	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.28	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-7- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	10.03.2026
6.	Date of Sample Receipt	:	11.03.2026
7.	Date of Analysis Started	:	11.03.2026
8.	Date of Analysis Completed	:	13.03.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10.	Discipline	:	Chemical
11.	Group	:	Atmospheric Pollution
12.	Lab code	:	9689/7
13.	Report Issued Date	:	18.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-8- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/01, SUMSTLPL/FPS/CEIS/02
5.	Sampling Method	:	STLPL/SOP/SP/01
6.	Sampling Date	:	13.03.2026
7.	Date of Sample Receipt	:	14.03.2026
8.	Date of Analysis Started	:	14.03.2026
9.	Date of Analysis Completed	:	16.03.2026
10.	ULR	:	TC135432600000302F
11.	Test Report Number	:	STLPL/HVR/AA/2026/03/302
12.	Discipline	:	Chemical
13.	Group	:	Atmospheric Pollution
14.	Lab code	:	9689/8
15.	Report Issued Date	:	23.03.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	PM_{10}	IS: 5182 (Part 23): 2006	$\mu g/m^3$	70	100
2.	$PM_{2.5}$	SUMS/SOP/038 Issued.01/ Dated/ 03.05.2012 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	25	60
3.	SO_2	IS: 5182 (Part 2): 2006	$\mu g/m^3$	2.31	80
4.	NO_2	IS: 5182(Part 6) :2006	$\mu g/m^3$	15.8	80
5.	Ozone(O_3)	IS: 5182 :(Part 9):1974	$\mu g/m^3$	0.21	100
6.	Ammonia (NH_3)	SUMS/SOP/147 Issued No:01 Date 10.06.2015 (Based on CPCB Guidelines volume –I JUNE 2011)	$\mu g/m^3$	1.43	400
7.	Lead (Pb)	IS: 5182: (Part 22):2005	$\mu g/m^3$	BDL	0.5-1.0
8.	Nickel (Ni)	Based on CPCB Guidelines	ng/m^3	BDL	20
9.	Arsenic (As)	Based on CPCB Guidelines	ng/m^3	BDL	06
10.	Carbon Monoxide (CO)	SUMSTLPL/SOP/AA/10 Issued No/ Date: 01/07.03.2017	mg/m^3	0.19	04

Note: BDL-Below Detectable Limit, CO < 1.5mg/m³, Lead <1ug/m³, Nickel <3ng/m³, Arsenic<1ng/m³

Anand

Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd., HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT AIR QUALITY DATA

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	AQ-8- Harugeri
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Equipment's ID	:	SUMSTLPL/RDS/CEIS/09, SUMSTLPL/BS/GT/01
5.	Sampling Date	:	13.03.2026
6.	Date of Sample Receipt	:	14.03.2026
7.	Date of Analysis Started	:	14.03.2026
8.	Date of Analysis Completed	:	16.03.2026
9.	Test Report Number	:	STLPL/HVR/AA/2026/02/116
10.	Discipline	:	Chemical
11.	Group	:	Atmospheric Pollution
12.	Lab code	:	9689/8
13.	Report Issued Date	:	23.02.2026

Sl. No	Parameters	Protocol	Unit	Result	NAAQ STANDARDS (2010)
1.	Benzene (C_6H_6)	IS: 5182: (Part 11):2006	$\mu g/m^3$	BDL	05
2.	Benzo a Pyrene (BaP)	Based on CPCB Guidelines	ng/m^3	BDL	01

Note: BDL-Below Detectable Limit

Anand
Analysed by
Anand N
Environmental Engineer

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT NOISE LEVEL DATA

1. Name and Address of the Customer : Harugeri Village Road Work Kudachi
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
3. Sampling Equipment's ID : SUMSTLPL/NOISE/ENT/01
4. Sampling Method : IS: 9989:1981
5. Discipline : Chemical
6. Group : Atmospheric Pollution
7. ULR : TC135432600000116F
8. Test Report Number : STLPL/CCSPL/AN/2026/02/116
9. Report Issued Date : 05.03.2026

Sl. No	Sample Location	Lab Code	Date of Sampling	Time Frequency	Results	KSPCB Standards dB(A)
1	Harugeri	9879/9	20-02-2026	10:00 AM to 10:15 AM(Day)	46	55
			20-02-2026	09:15 PM to 09:30 PM(Night)	28	45
2	Harugeri	9879/10	25-02-2026	10.50 AM to 11:05 AM(Day)	44	55
			25-02-2026	10:00 PM to 10:15 PM(Night)	25	45
3	Harugeri	9879/11	27-02-2026	11:35 AM to 11:50 AM(Day)	40	55
			27-02-2026	10:50 PM to 11:05 PM(Night)	24	45

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
AMBIENT NOISE LEVEL DATA

1. Name and Address of the Customer : Harugeri Village Road Work Kudachi
2. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
3. Sampling Equipment's ID : SUMSTLPL/NOISE/ENT/01
4. Sampling Method : IS: 9989:1981
5. Discipline : Chemical
6. Group : Atmospheric Pollution
7. ULR : TC135432600000302F
8. Test Report Number : STLPL/CCSPL/AN/2026/03/302
9. Report Issued Date : 11.03.2026

Sl. No	Sample Location	Lab Code	Date of Sampling	Time Frequency	KSPCB Standards dB(A)	KSPCB Standards dB(A)
1	Harugeri	9689/12	05.03.2026	12.15 AM to 12:30 AM(Day)	42	55
			05.03.2026	11:35 PM to 1:50 PM(Night)	26	45

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Sums Techno Labs Pvt. Ltd. HOSPET

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SOIL-QUALITY

1	Name of the Project & Address	:	Harugeri Village Road Work Kudachi
2	Name of the Location	:	Near Badanekayi thota Road
3	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4	Sampling Method	:	STLPL/SOP/SP/01
5	Sample Received On	:	15.04.2026
6	Analysis Started On	:	16.04.2026
7	Analysis Completed On	:	17.042026
8	Discipline	:	Chemical Testing
9	Group	:	Soil & Rock
10	ULR Number	:	TC135432600000511F
11	Test Report Number	:	STLPL/HVR/SQ/2026/04/511
12	Lab Code	:	9488/13
13	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl. No	Parameters	Test Method	Unit	Results
1	pH	Cl-2, IS:2720 (Part-26) 1987	-	6.1
2	Conductivity	IS:14767: 2000	mS/m	1682
3	Available Potassium as K	SUMSTLPL/SOP/Soil/08 Issued No-02/Date 07.03.2017	mg/kg	72.8
4	Extractable Calcium as Ca	SUMSTLPL/SOP/Soil/10 Issued No-02/Date 07.03.2017	meq/l	2438
5	Extractable Magnesium as Mg	SUMSTLPL/SOP/Soil/11 Issued No-02/Date 07.03.2017	meq/l	1051

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorized Signatory
H. M.Shivashankaraiah
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SOIL-QUALITY

1	Name of the Project & Address	:	Harugeri Village Road Work Kudachi
2	Name of the Location	:	Near Badanekayi thota Road
3	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4	Sampling Method	:	STLPL/SOP/SP/01
5	Sample Received On	:	15.04.2026
6	Analysis Started On	:	16.04.2026
7	Analysis Completed On	:	17.042026
8	Discipline	:	Chemical Testing
9	Group	:	Soil & Rock
10	Test Report Number	:	STLPL/HVR/SQ/2026/04/511
11	Lab Code	:	9488/13
12	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl. No	Parameters	Test Method	Unit	Results
6	Cation exchange capacity	ICARDA Method	(me q/100g)	40.05
7	Moisture	ICARDA Method	(%)	8.6
8	Sodium Absorption Ratio	ICARDA Method	-	0.34
9	Sand	ICARDA Method	(%)	50
10	Silt	ICARDA Method	(%)	22
11	Clay	ICARDA Method	(%)	28

Shanthi.P

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorized Signatory
H. M.Shivashankaraiah
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

*****End of the report*****

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
GROUND WATER QUALITY

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	Harugeri Village Bore Well Water
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026
7.	Date of Analysis Started	:	17.04.2026
8.	Date of Analysis Completed	:	18.04.2026
9.	ULR	:	TC135432600000511F
10.	Test Report Number	:	STLPL/HVR/GW/2026/04/511
11.	Discipline	:	Chemical
12.	Group	:	Water and residues in water
13.	Lab code	:	9488/14
14.	Report Issued Date	:	22.04.2026

Sl. NO.	Parameters	Protocol	Unit	Results	Standards As per IS:10500: 2012	
					DL	PL
1.	Colour	APHA 24th Edition-2120 B	Hazen	<1.0	5	15
2.	pH	APHA 24th Edition-4500 H^+ B	-	6.93	6.5-8.5	NR
3.	Turbidity	APHA 24th Edition-2130 B	-	0.9	1	5
4.	Total Dissolved Solids	APHA 24th Edition-2540 C	mg/l	300	500	2000
5.	Total Alkalinity as $CaCO_3$	APHA 24th Edition- 2320 B	mg/l	72	200	600
6.	Total Hardness as $CaCO_3$	APHA 24th Edition- 2340 C	mg/l	98	200	600
7.	Calcium as Ca	APHA 24th Edition- 3500 Ca B	mg/l	60	75	200
8.	Magnesium as Mg	APHA24th Edition- 3500 Mg B	mg/l	38	30	100
9.	Sulphates as SO_4	APHA 24th Edition-4500 SO_4 E	mg/l	15.26	200	400
10.	Nitrates as NO_3	IS 3025(PART-34) 3B:1988	mg/l	3.2	45	NR
11.	Fluoride as F	APHA 24th Edition-4500 F^- D	mg/l	0.3	1.0	1.5
12.	Iron as Fe	APHA 24th Edition-3500 Fe B	mg/l	0.11	1.0	NR
13.	Chlorides as Cl	APHA 24th Edition- 4500Cl^- B	mg/l	48.25	250	1000

Note: DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation,

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorized Signatory
Shivashankaraiah.H.M.
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
GROUND WATER QUALITY

1. Name and Address of the Customer : Harugeri Village Road Work Kudachi
2. Name of the Location : Harugeri Village Bore Well Water
3. Sample Collected By : SUMS Techno Labs Private Limited, Hosapete
4. Sampling Method : STLPL/SOP/SP/01
5. Sampling Date : 15.04.2026
6. Date of Sample Receipt : 16.04.2026
7. Date of Analysis Started : 17.04.2026
8. Date of Analysis Completed : 18.04.2026
9. Test Report Number : STLPL/HVR/GW/2026/04/511
10. Discipline : Chemical
11. Group : Water and residues in water
12. Lab code : 9488/14
13. Report Issued Date : 22.04.2026

Sl. NO.	Parameters	Protocol	Unit	Results	Standards As per IS:10500:2012	
					DL	PL
1.	Oduor	APHA 24th Edition-2150 B	--	Ag	Ag	Ag
2.	Manganese as Mn	APHA 24th Edition-3111B	mg/l	0.05	0.1	0.3
3.	Copper as Cu	APHA 24th Edition-3111B	mg/l	BDL	0.05	1.5
4.	Zinc as Zn	APHA 24th Edition-3111B	mg/l	BDL	5	15
5.	Aluminum as Al	APHA 24th Edition-3111D	mg/l	BDL	0.03	0.2
6.	Cadmium as Cd	APHA 24th Edition-3111B	mg/l	BDL	0.003	NR
7.	Arsenic as As	APHA 24th Edition-3114B	mg/l	BDL	0.01	NR
8.	Chromium as Cr	APHA 24th Edition-3111B	mg/l	BDL	0.05	NR
9.	Lead as Pb	APHA 24th Edition-3111B	mg/l	BDL	0.01	NR
10.	Mercury as Hg	APHA 24th Edition-3112B	mg/l	BDL	0.001	NR
11.	Selenium as Se	APHA 24th Edition: 3500 Se C	mg/l	0.01	NR	ND
12.	Cyanide as CN	APHA 24th Edition-4500 CN⁻ D	mg/l	0.05	NR	ND
13.	Nickel as Ni	APHA 24th Edition-3111B	mg/l	BDL	0.02	NR
14.	Ecoli	IS:1622: 1981, RA 2010	MFT/100ml	Absent	Shall Not be detectable in any	
12.	Fecal Coliforms	IS: 1662:1981	MPN/100ml	Absent		

Note: DL: Desirable Limit, PL: Permissible Limit, NR: No Relaxation, BDL-Below Detectable Limit

Shanthi.

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SURFACE WATER QUALITY

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	Harugeri Pond Water
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026
7.	Date of Analysis Started	:	16.04.2026
8.	Date of Analysis Completed	:	17.04.2026
9.	ULR	:	TC135432600000511F
10.	Test Report Number	:	STLPL/HVR/SW/2026/04/511
11.	Discipline	:	Chemical
12.	Product group	:	Water & Residues in Water
13.	Lab code	:	9488/15
14.	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl.No	Parameters	Protocol	Unit	Result
1.	pH	APHA 24th Edition -4500 H^+ B	--	7.05
2.	Turbidity	APHA 24th Edition -2130 B	NTU	0.3
3.	Temperature	APHA 24th Edition-2550B	°C	26
4	Total Dissolved Solids	APHA 24th Edition -2540 C	mg/l	420
5.	Biological Oxygen Demand 3 days @27°C	IS:3025 (Part-44) 1993	mg/l	0.9
6.	Chemical Oxygen Demand	APHA 24th Edition – 5220 B	mg/l	3
7.	Chlorides as Cl	APHA 24th Edition – 4500Cl^- B	mg/l	78
8.	Sulphates as SO_4	APHA 24th Edition -4500 SO_4 E	mg/l	26.4
9.	Nitrates as NO_3	IS:3025 (PART-34)3B:1988	mg/l	1.1
10.	Total Suspended Solids	APHA 24th Edition-2540 D	mg/l	15
11.	Dissolved Oxygen	IS:3025 (Part-38):1989	mg/l	4.2
12.	Ammonia	IS 3025 (Part 34)	mg/l	BDL

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

TEST REPORT
SURFACE WATER QUALITY

1.	Name and Address of the Customer	:	Harugeri Village Road Work Kudachi
2.	Name of the Location	:	Harugeri Village Pond water
3.	Sample Collected By	:	SUMS Techno Labs Private Limited, Hosapete
4.	Sampling Method	:	STLPL/SOP/SP/01
5.	Sampling Date	:	15.04.2026
6.	Date of Sample Receipt	:	16.04.2026
7.	Date of Analysis Started	:	16.04.2026
8.	Date of Analysis Completed	:	17.04.2026
9.	Lab code	:	9488/15
10.	Test Report Number	:	STLPL/HVR/SW/2026/04/511
11.	Discipline	:	Chemical
12.	Product group	:	Water & Residues in Water
13.	Report Issued Date	:	22.04.2026

TEST RESULTS

Sl.No	Parameters	Protocol	Unit	Result
1.	Phenolic Compounds (as C6H5OH)	APHA 24th Edition-5530 D	mg/l	NA
2.	Chromium as Cr	APHA 24th Edition-3111B	mg/l	BDL
3.	Copper as Cu	APHA 24th Edition-3111B	mg/l	BDL
4.	Lead as Pb	APHA 24th Edition-3111B	mg/l	BDL
5.	Zinc as Zn	APHA 24th Edition-3111B	mg/l	BDL
6.	Nickel as Ni	APHA 24th Edition-3111B	mg/l	BDL
7.	Mercury as Hg	APHA 24th Edition-3112B	mg/l	BDL
8.	Arsenic as As	APHA 24th Edition-3114B	mg/l	BDL
9.	Oil &Grease	APHA 24th Edition-5520B	mg/l	BDL
10.	Cadmium as Cd	APHA 24th Edition-3111B	mg/l	BDL
11.	Phosphate	APHA 24th Edition-4500 -P, D	mg/l	0.24
12.	Fecal Coliforms	IS: 1662:1981	MPN/100ml	0
13.	Total Coliform	IS 1622:1981	MPN/100ml	3

Analysed by
Shanthi.P
Chemist

Sums Techno Labs Pvt. Ltd. HOSPET

Authorised Signatory
Shivashankaraiah H M
Technical Manager

Terms and conditions:

1. The test report shall not be reproduced in full or part without the written approval of SUMS Techno Labs.
2. Ores and minerals, Coal & Coke, and Soil samples shall be retained for a maximum period of three months from the issue of the test report.
3. Water samples will be retained 15 days from the date of issue of the test report.
4. The test results relate only to the items tested as received.
5. The testing activities are performed in permanent facility located at Hosapete.

End of the report

Head Office: 15-DP2, KIADB, Sankalapura Industrial Area, Ballari Road, Hosapete – 583201, Vijayanagara District, Karnataka, Tel/Fax No. 08394-265084, Cell: +91-8884494244/261/250/239,
E-mail: technolabs@sums.org.in, sums.hpt@gmail.com, Website: www.sums.org.in

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0041
		Report No: CRI/25-26/0004
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Lakshmisagara village (Ch:1.20 km) Km) inside Hand pump (Road ID : 1401)
Date of sample Collection	05.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	06.01.2026	
Duration of Test	06.01.2026 – 13.01.2026	**Date of Report:** 13.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25^{0}C	6.89	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	443	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	837	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	27.9	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	298	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	71.52	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	28.97	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	54	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	314	200	600	IS:3025(Part-23)
14.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
15.	Nitrate as NO3, mg/l	0.98	45	No Relaxation	3 of IS:3025(Part-34)
16.	Fluoride as F, mg/l	0.58	1	1.5	7 of IS 3025 (Part 60/Sec 1)
17.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
18.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
19.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
20.	Temperature, ^{0}C	26.9	Not Specified	Not Specified	IS 3025 (Part-09)
21.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
22.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
23.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
24.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
25.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
26.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
27.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
28.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)
29.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
30.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE (P) LTD. BANGALORE 560022

-----End of report-----

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of [illegible]. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0429
		Report No: CRI/26-27/0208
		Group: Pollution & Environment
		Product: Soil
		Sample Location: NH-4 to Hireguntanur - Hosur Road (Road ID: 1401)
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.33	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	397	IS 14767
3.	Potassium (as K) (mg/kg)	85	By AAS Method
4.	Moisture (%)	7.8	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0429
		Report No: CRI/26-27/0208
		Group: Pollution & Environment
		Product: Soil
		Sample Location: NH-4 to Hireguntanur - Hosur Road (Road ID: 1401)
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	246	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	108	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.54	By Calculation Method
5.	Sand, %	78	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bangaluru have exclusive jurisdiction.8. Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0433
		Report No: CRI/26-27/0210
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.053902, 76.567488 (Road ID:1172)
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.17	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	359	IS 14767
3.	Potassium (as K) (mg/kg)	96	By AAS Method
4.	Moisture (%)	8.7	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0433
		Report No: CRI/26-27/0210
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.053902, 76.567488 (Road ID:1172)
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	300	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	148	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.80	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED
BANGALORE
560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0443
		Report No: CRI/26-27/0216
		Group: Water
		Product: Surface Water
		Sample Location: Surface water from lake at 50 m from road (ID 1256)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 3025 Paart-01 **Method**: Grab Samples
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.88	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	532	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.5	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	141	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	75.6	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	10.5	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-8735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0444
		Report No: CRI/26-27/0217
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.409891, 76.621788 (ID 1256)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.98	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	387	IS 14767
3.	Potassium (as K) (mg/kg)	88	By AAS Method
4.	Moisture (%)	8.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0444
		Report No: CRI/26-27/0217
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.409891, 76.621788 (ID 1256)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	368	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	152	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.5	By Calculation Method
5.	Sand, %	82	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	4	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0445
		Report No: CRI/26-27/0218
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.486893, 76.485195 (ID 1266)
Date of sample Collection	25.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.12	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	399	IS 14767
3.	Potassium (as K) (mg/kg)	95	By AAS Method
4.	Moisture (%)	8.7	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0445
		Report No: CRI/26-27/0218
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.486893, 76.485195 (ID 1266)
Date of sample Collection	25.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	324	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	128	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.6	By Calculation Method
5.	Sand, %	78	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	6	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0404
		Report No: CRI/25-26/0176
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Dharmapura-Khanajanahalli road to Hosakere Palya via Bettagondanahalli, Hiriyur, Chitradurga (D). (Road ID: 1537)
		Sampling Location: At Ch:0.750 Km (near Govt higher primary school in HalumadenahalliVillage)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	53.6	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.5	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.4	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.8	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0404
		Report No: CRI/25-26/0176
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Dharmapura-Khanajanahalli road to Hosakere Palya via Bettagondanahalli, Hiriyur, Chitradurga (D). (Road ID: 1537)
		Sampling Location: At Ch:0.750 Km (near Govt higher primary school in HalumadenahalliVillage)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0405 **Report No:** CRI/25-26/0177 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** NA
Date of Evaluation	25.04.2026 – 04.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch:0.750 Km (near Govt higher primary school in HalumadenahalliVillage)	06:00 – 22:00 (4 hrs Interval)	48.9	IS 9989
		Night Time		
1.	At Ch:0.750 Km (near Govt higher primary school in HalumadenahalliVillage)	22:00 – 06:00 (4 hrs Interval)	35.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0406
		Report No: CRI/25-26/0178
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Halumadenahalli Village (Ch:0.800 Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.79	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	440	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	841	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	28.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	280	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	67.2	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	27.22	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	62	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	304	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.98	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.58	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0406
		Report No: CRI/25-26/0178
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Halumadenahalli Village (Ch:0.800 Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	27.1	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0407
		Report No: CRI/25-26/0179
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.744827, 76.58071
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.82	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	375	IS 14767
3.	Potassium (as K) (mg/kg)	80	By AAS Method
4.	Moisture (%)	9.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0407
		Report No: CRI/25-26/0179
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.744827, 76.58071
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	292	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	148	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.1	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.68	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0243
		Report No: CRI/25-26/0205
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at T Yemmeganuru Village (At Ch:8.800 Km) inside Hand pump (ID: 1610)
Date of sample Collection	21.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	22.01.2026	
Duration of Test	23.01.2026 – 31.01.2026	**Date of Report**: 31.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.24	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	521	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1032	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.9	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	40.7	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	322	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	77.28	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	31.30	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	98	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	336	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.4	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.69	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
19.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
20.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
21.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
22.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
23.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
24.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
25.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
26.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
27.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
28.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)
29.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
30.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:
1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report. Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the samples tested are drawn by our institute, the sample/s is/are given by you 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For all legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0434
		Report No: CRI/26-27/0211
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.012638, 76.230732 (ID 1610)
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.69	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	346	IS 14767
3.	Potassium (as K) (mg/kg)	78	By AAS Method
4.	Moisture (%)	9.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0434
		Report No: CRI/26-27/0211
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.012638, 76.230732 (ID 1610)
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	324	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	138	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.7	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.7	By Calculation Method
5.	Sand, %	70	IS 2720 Part-4
6.	Silt, %	20	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0042
		Report No: CRI/25-26/0005
		Group: Pollution & Environment
		Product: Soil
		Sample Location: Jodichikkenahally to Jodichikkenahalli G.hatty upto Taluk border (Balenahalli) (Road ID: 1786)
Date of sample Collection	05.01.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	06.01.2026	
Duration of Test	06.01.2026 – 13.01.2026	**Date of Report**: 13.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	288	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	134	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.1	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.48	By Calculation Method
5.	Sand, %	62	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	22	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0042
		Report No: CRI/25-26/0005
		Group: Pollution & Environment
		Product: Soil
		Sample Location: Jodichikkenahally to Jodichikkenahalli G.hatty upto Taluk border (Balenahalli) (Road ID: 1786)
Date of sample Collection	05.01.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	06.01.2026	
Duration of Test	06.01.2026 – 13.01.2026	**Date of Report**: 13.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.69	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	436	IS 14767
3.	Potassium (as K) (mg/kg)	98	By AAS Method
4.	Moisture (%)	7.5	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0437
		Report No: CRI/26-27/0212
		Group: Water
		Product: Surface Water
		Sample Location: Surface water from river at 20 m from ch: 1.230 Km (ID 1870)
Date of sample Collection	25.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Samples
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.88	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	542	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.5	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	145	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	70.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	9.4	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0436
		Report No: CRI/25-26/0266
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Udevu to Bandethimlapura, Molakalmuru, Chitradurga (D). (Road ID: 1890)
		Sampling Location: At Ch:6.800 Km (near school in Bandethimmalapura Village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	26.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	56.4	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.9	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.9	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N1ZC**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0436
		Report No: CRI/25-26/0266
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Udevu to Bandethimlapura, Molakalmuru, Chitradurga (D). (Road ID: 1890)
		Sampling Location: At Ch:6.800 Km (near school in Bandethimmalapura Village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	26.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0437 **Report No:** CRI/25-26/0267 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** NA
Date of Evaluation	26.04.2026 – 04.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch:6.800 Km (near school in Bandethimmalapura Village)	06:00 – 22:00 (4 hrs Interval)	47.6	IS 9989
		Night Time		
1.	At Ch:6.800 Km (near school in Bandethimmalapura Village)	22:00 – 06:00 (4 hrs Interval)	38.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0438
		Report No: CRI/25-26/0268
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Bandethimmalapura Village (Ch:6.800 Km) inside Hand pump
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.26	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	484	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	946	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	41.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	288	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	69.12	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	27.99	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	94	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	298	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.2	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.69	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0438
		Report No: CRI/25-26/0268
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Bandethimmalapura Village (Ch:6.800 Km) inside Hand pump
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0439
		Report No: CRI/25-26/0269
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.611956, 76.761958
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.52	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	389	IS 14767
3.	Potassium (as K) (mg/kg)	102	By AAS Method
4.	Moisture (%)	9.5	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0439
		Report No: CRI/25-26/0269
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.611956, 76.761958
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	334	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	138	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.1	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.62	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	11	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0048
		Report No: CRI/25-26/0012
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Arehalli village (Ch:0.500 Km) inside Hand pump
Date of sample Collection	06.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	07.01.2026	
Duration of Test	07.01.2026 – 16.01.2026	**Date of Report**: 26.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.98	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	515	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1023	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	27.4	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	46.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	304	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	72.96	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	29.55	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	102	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	320	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.3	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.74	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
19.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
20.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
21.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
22.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
23.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
24.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
25.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
26.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
27.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
28.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)
29.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
30.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report. Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-8735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0446
		Report No: CRI/26-27/0219
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.773748, 76.395798 (ID 2162)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.33	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	382	IS 14767
3.	Potassium (as K) (mg/kg)	98	By AAS Method
4.	Moisture (%)	8.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0446
		Report No: CRI/26-27/0219
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.773748, 76.395798 (ID 2162)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	304	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	128	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.3	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.74	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0048
		Report No: CRI/25-26/0012
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Arehalli village (Ch:0.500 Km) inside Hand pump
Date of sample Collection	06.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	07.01.2026	
Duration of Test	07.01.2026 – 16.01.2026	**Date of Report:** 26.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.98	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	515	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1023	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	27.4	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	46.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	304	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	72.96	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	29.55	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	102	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	320	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.3	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.74	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
19.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
20.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
21.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
22.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
23.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
24.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
25.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
26.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
27.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
28.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)
29.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
30.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

26/01/2026

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report. Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-8735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0447
		Report No: CRI/26-27/0220
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.658809, 76.439904 (ID 2163)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.75	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	347	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	9.7	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0447
		Report No: CRI/26-27/0220
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.658809, 76.439904 (ID 2163)
Date of sample Collection	25.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	360	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	152	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.6	By Calculation Method
5.	Sand, %	68	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	19	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0448
		Report No: CRI/26-27/0221
		Group: Water
		Product: Surface Water
		Sample Location: Surface water in Kumikere lake (500 m from road at Ch 0.00 Km) (ID 2852)
Date of sample Collection	25.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	26.04.2026	**Method:** Grab Samples
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.52	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	488	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.1	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	128	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	60.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	10.4	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0496
		Report No: CRI/25-26/0270
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: KK Road- Suranahally gate to Chowluru, Challakere, Chithradurga (D). (Road ID: 2981).
		Sampling Location: At Ch:3.640 Km (near High school in Chowluru Village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	27.04.2026 – 04.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	59.3	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	24.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.9	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0496
		Report No: CRI/25-26/0270
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: KK Road- Suranahally gate to Chowluru, Challakere, Chithradurga (D). (Road ID: 2981).
		Sampling Location: At Ch:3.640 Km (near High school in Chowluru Village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	27.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0497 **Report No:** CRI/25-26/0271 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** NA
Date of Evaluation	27.04.2026 – 04.05.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch:3.640 Km (near High school in Chowluru Village)	06:00 – 22:00 (4 hrs Interval)	49.3	IS 9989
		Night Time		
1.	At Ch:3.640 Km (near High school in Chowluru Village)	22:00 – 06:00 (4 hrs Interval)	37.9	IS 9989

Limits: **Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.**

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0498
		Report No: CRI/25-26/0272
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Chowluru (Ch. 3.640 km) Village inside Hand pump
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.89	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	483	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	953	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	29.6	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	302	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	72.48	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	29.35	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	74	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	342	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.36	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.74	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE (P) LTD. BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bangaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0498
		Report No: CRI/25-26/0272
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Chowluru (Ch. 3.640 km) Village inside Hand pump
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	3.6	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0499
		Report No: CRI/25-26/0273
		Group: Water
		Product: Surface Water
		Sample Location: Surface water- In Vedavathi Lake at Ch 3.300 Km
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	26.04.2026	**Method:** Grab Sample
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.39	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	4.9	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	512	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.3	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	109	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	60.8	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	9.4	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Sighatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0499
		Report No: CRI/25-26/0273
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.319788, 76.566672
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.22	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	398	IS 14767
3.	Potassium (as K) (mg/kg)	103	By AAS Method
4.	Moisture (%)	8.9	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0499
		Report No: CRI/25-26/0273
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.319788, 76.566672
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	308	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	134	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.0	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.68	By Calculation Method
5.	Sand, %	72	IS 2720 Part-4
6.	Silt, %	20	IS 2720 Part-4
7.	Clay, %	7	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Non perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0413
		Report No: CRI/25-26/0185
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Chikkajajur to Chikkajajur kaval, Holalkere, Chitradurga (D). (Road ID: 3943)
		Sampling Location: At Ch:6.290 Km (Chikkajajur kava Village)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	59.2	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	24.7	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob: 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0413
		Report No: CRI/25-26/0185
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Chikkajajur to Chikkajajur kaval, Holalkere, Chitradurga (D). (Road ID: 3943)
		Sampling Location: At Ch:6.290 Km (Chikkajajur kava Village)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0414 **Report No:** CRI/25-26/0186 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** NA
Date of Evaluation	25.04.2026 – 04.05.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch:6.290 Km (Chikkajajur kava Village)	06:00 – 22:00 (4 hrs Interval)	52.6	IS 9989
		Night Time		
1.	At Ch:6.290 Km (Chikkajajur kava Village)	22:00 – 06:00 (4 hrs Interval)	42.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0415
		Report No: CRI/25-26/0187
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Chikkajajur kaval village (Ch:2.150 Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.96	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	432	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	820	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	26.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	284	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	68.16	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	27.60	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	62	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	302	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.87	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.57	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0415
		Report No: CRI/25-26/0187
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Chikkajajur kaval village (Ch:2.150 Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	27.5	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0416
		Report No: CRI/25-26/0188
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.132432, 76.155405
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.11	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	405	IS 14767
3.	Potassium (as K) (mg/kg)	102	By AAS Method
4.	Moisture (%)	9.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0416
		Report No: CRI/25-26/0188
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.132432, 76.155405
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	342	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	128	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.0	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.6	By Calculation Method
5.	Sand, %	75	IS 2720 Part-4
6.	Silt, %	15	IS 2720 Part-4
7.	Clay, %	9	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0500
		Report No: CRI/25-26/0274
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Muttugadooru to BB Vaddarahatti via ganjigunte & Gyarehalli, Holalkere, Chitradurga (D). (Road ID: 3946)
		Sampling Location: At Ch: 1.260 Km (Shre Ammana temple in Ganjigatte village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	27.04.2026 – 04.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	54.6	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	11.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.6	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0500
		Report No: CRI/25-26/0274
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Muttugadooru to BB Vaddarahatti via ganjigunte & Gyarehalli, Holalkere, Chitradurga (D). (Road ID: 3946)
		Sampling Location: At Ch: 1.260 Km (Shre Ammana temple in Ganjigatte village)
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** Good
Duration of Test	27.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0501 **Report No:** CRI/25-26/0275 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** NA
Date of Evaluation	27.04.2026 – 04.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch: 1.260 Km (Shre Ammana temple in Ganjigatte village)	06:00 – 22:00 (4 hrs Interval)	49.5	IS 9989
		Night Time		
1.	At Ch: 1.260 Km (Shre Ammana temple in Ganjigatte village)	22:00 – 06:00 (4 hrs Interval)	34.7	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0502
		Report No: CRI/25-26/0276
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Ganjigatte Village (At Ch:1.350 Km) inside Hand pump
Date of sample Collection	24.04.2026 to 25.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.92	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	495	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	982	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	34.5	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	306	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	73.44	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	29.74	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	78	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	346	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.14	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.62	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0502
		Report No: CRI/25-26/0276
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Ganjigatte Village (At Ch:1.350 Km) inside Hand pump
Date of sample Collection	24.04.2026 to 25.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	27.6	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0503
		Report No: CRI/25-26/0277
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.237109, 76.108181
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.82	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	359	IS 14767
3.	Potassium (as K) (mg/kg)	85	By AAS Method
4.	Moisture (%)	8.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0503
		Report No: CRI/25-26/0277
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.237109, 76.108181
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	342	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	152	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.8	By Calculation Method
5.	Sand, %	70	IS 2720 Part-4
6.	Silt, %	18	IS 2720 Part-4
7.	Clay, %	12	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0435
		Report No: CRI/26-27/0213
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.106456, 76.869773 (ID 4110)
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.63	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	397	IS 14767
3.	Potassium (as K) (mg/kg)	88	By AAS Method
4.	Moisture (%)	8.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0435
		Report No: CRI/26-27/0213
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.106456, 76.869773 (ID 4110)
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	246	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	120	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.4	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.65	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0417
		Report No: CRI/25-26/0189
		Group: Water
		Product: Surface Water
		Road: Nannivala to Veeradimmanahalli via Gowdarahatti, Doregalahatty, Varavinahatty, Bangaradevarahatty, Todlarahatty , Challakere, Chithradurga (D). (Road ID: 5325)
		Sample Location: Surface water- In lake at Ch 0.000 Km
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.52	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.0	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	562	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.9	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	123	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	58.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	10.4	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0418
		Report No: CRI/25-26/0190
		Group: Pollution & Environment
		Product: Soil
		Road: SH to SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sample Location: 14.330832, 76.575817
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.52	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	341	IS 14767
3.	Potassium (as K) (mg/kg)	92.6	By AAS Method
4.	Moisture (%)	7.6	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0418
		Report No: CRI/25-26/0190
		Group: Pollution & Environment
		Product: Soil
		Road: SH to SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sample Location: 14.330832, 76.575817
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	242	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	148	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.85	By Calculation Method
5.	Sand, %	68	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	16	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0314
		Report No.: CRI/25-26/0335
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Nannivala To Veeradimmanahalli Via Gowdarahatti, Doregalahatty, Varavinahatty, Bangaradevarahatty, Todlarahatty, Challakere (T). (Road ID: 5325)
		Sampling Location: At CH 6.98 Km (22 mtr distance from road center line, Government Kannada higher primary school, Naganur village
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	20.01.2026 to 21.01.2026	**Date of Report:** 04.02.2026
Date of Sample Receipt	22.01.2026	**Sample Condition:** Good
Duration of Test	22.01.2026 – 04.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	53.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.5	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

-----End of report-----

TERMS AND CONDITIONS:
1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0315 **Report No.:** CRI/25-26/0336 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	20.01.2026 to 21.01.2026	**Date of Report:** 04.02.2026
Date of Sample Receipt	22.01.2026	**Sample Condition:** NA
Date of Evaluation	24.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At CH 6.98 Km (22 mtr distance from road center line, Government Kannada higher primary school, Naganur village	06:00 – 22:00 (4 hrs Interval)	48.2	IS 9989
		Night Time		
1.	At CH 6.98 Km (22 mtr distance from road center line, Government Kannada higher primary school, Naganur village	22:00 – 06:00 (4 hrs Interval)	37.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0070
		Report No.: CRI/25-26/0023
		Group: Water
		Product: Ground Water
		Sample Type/Source: Ground Water - Well Near Residential Settlements.
Date of sample Collection	09.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report:** 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.93	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	326	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	658	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	20.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	121	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	32.2	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	9.8	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	54	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	193	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.3	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0408
		Report No: CRI/25-26/0180
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Bheema samudra to Thirumalapura (taluk border) via Mavinahalli Basaveshwara temple, Challakere, Chitradurga (D). (Road ID: 2684)
		Sampling Location: At Ch:3.970 Km (Sri Mavinahalli Basaveshwara Swami Gudi)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report**: 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.8	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.7	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.1	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.4	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0408
		Report No: CRI/25-26/0180
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Bheema samudra to Thirumalapura (taluk border) via Mavinahalli Basaveshwara temple, Challakere, Chitradurga (D). (Road ID: 2684)
		Sampling Location: At Ch:3.970 Km (Sri Mavinahalli Basaveshwara Swami Gudi)
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** Good
Duration of Test	25.04.2026 – 04.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0409
		Report No: CRI/25-26/0181
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	23.04.2026 to 24.04.2026	**Date of Report:** 04.05.2026
Date of Sample Receipt	25.04.2026	**Sample Condition:** NA
Date of Evaluation	25.04.2026 – 04.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch:3.970 Km (Sri Mavinahalli Basaveshwara Swami Gudi)	06:00 – 22:00 (4 hrs Interval)	48.6	IS 9989
		Night Time		
1.	At Ch:3.970 Km (Sri Mavinahalli Basaveshwara Swami Gudi)	22:00 – 06:00 (4 hrs Interval)	38.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0410
		Report No: CRI/25-26/0182
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Thirumalapura village (Ch:4.56 km) Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.74	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	432	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	820	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	24.3	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	284	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	68.16	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	27.60	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	58.9	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	302	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.28	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.65	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0410
		Report No: CRI/25-26/0182
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Thirumalapura village (Ch:4.56 km) Km) inside Hand pump
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	27.5	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0411
		Report No: CRI/25-26/0183
		Group: Water
		Product: Surface Water
		Sample Location: Surface water- In Bheemamudra lake at Ch 0.90 Km
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.66	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.0	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	498	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.1	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	116	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	54.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	12.3	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0412
		Report No: CRI/25-26/0184
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.169558, 76.257533
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.39	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	421	IS 14767
3.	Potassium (as K) (mg/kg)	108	By AAS Method
4.	Moisture (%)	9.7	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0412
		Report No: CRI/25-26/0184
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.169558, 76.257533
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	326	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	162	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.62	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	10	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0024 **Report No.:** CRI/25-26/0012 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Nayakanahatty-Challakere Road To Chikkammanahalli Via Bhatayanahatty, Keremundalahatti And Varavoo, Molakalmuru (D). (Road ID: 1256) **Sampling Location:** At Ch:8.790 Km (Chikkammanahalli Village) **Meteorological Data:** Temperature: 33°C Humidity: 36% Wind Direction/Speed: ENE 19 km/hr
Date of sample Collection	01.01.2026 to 02.01.2026	**Date of Report:** 12.01.2026
Date of Sample Receipt	03.01.2026	**Sample Condition:** Good
Duration of Test	03.01.2026 – 12.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.6	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.7	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

12/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel..080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0025 **Report No.:** CRI/25-26/0013 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	01.01.2026 to 02.01.2026	**Date of Report:** 12.01.2026
Date of Sample Receipt	03.01.2026	**Sample Condition:** NA
Date of Evaluation	05.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:1.160 Km (Mudlabovi hatti Village)	06:00 – 22:00 (4 hrs Interval)	52.3	IS 9989
		Night Time		
1.	At Ch:1.160 Km (Mudlabovi hatti Village)	22:00 – 06:00 (4 hrs Interval)	42.8	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

12/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N1ZC**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0025 **Report No.:** CRI/25-26/0014 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water at Chikkammanahalli Village (Ch:8.790 Km) inside Hand pump
Date of sample Collection	01.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	03.01.2026	
Duration of Test	03.01.2026 – 12.01.2026	**Date of Report:** 12.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.69	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	487	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	970	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	36.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	288	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	69.12	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.99	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	82	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	332	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.08	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.79	1	1.5	7 of IS 3025 (Part 60/Sec 1)

12/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, 1k Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0242
		Report No.: CRI/25-26/0080
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Nayakanahatty-Jagalur Road To Jogihatty Village Via Bheemagondanahally, Hosajogihatty, Molakalmuru (D). (Road ID: 1266)
		Sampling Location: At Ch:0.000 Km (Bheemafondanahalli Village)
		Meteorological Data: Temperature: 33°C Humidity: 36% Wind Direction/Speed: ENE 19 km/hr
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report:** 24.01.2026
Date of Sample Receipt	15.01.2026	**Sample Condition:** Good
Duration of Test	15.01.2026 – 24.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	52.6	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.7	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

24/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0243
		Report No.: CRI/25-26/0081
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report:** 24.01.2026
Date of Sample Receipt	14.01.2026	**Sample Condition:** NA
Date of Evaluation	16.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:0.000 Km (Bheemafondanahalli Village)	06:00 – 22:00 (4 hrs Interval)	51.9	IS 9989
		Night Time		
1.	At Ch:0.000 Km (Bheemafondanahalli Village)	22:00 – 06:00 (4 hrs Interval)	39.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

24/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the samples for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0244 **Report No.:** CRI/25-26/0082 **Group**: Water **Product**: Drinking Water **Sample Type/Source**: Ground Water at Bheemafondanahalli Village (Ch:1.62 Km) inside Hand pump
Date of sample Collection	13.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	15.01.2026	
Duration of Test	15.01.2026 – 24.01.2026	**Date of Report**: 24.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.93	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	478	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	942	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	40.7	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	282	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	67.68	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.41	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	79	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	318	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.16	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.92	1	1.5	7 of IS 3025 (Part 60/Sec 1)

Kumar. A 24/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our Institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@chantonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0046 **Report No.:** CRI/25-26/0006 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** NH-4 Road To Hireguntanur-Hosur Road Via Lakshmisagara, Kodagavalli, Chikkaguntanur, Chitradurga (D). (Road ID: 1401) **Sampling Location:** At Ch:1.080 Km (near school in Lakshmisagara Village) **Meteorological Data:** Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	05.01.2026 to 06.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	07.01.2026	**Sample Condition:** Good
Duration of Test	07.01.2026 – 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	57.3	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.7	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

-----End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0047 **Report No.:** CRI/25-26/0007 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	05.01.2026 to 06.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	07.01.2026	**Sample Condition:** NA
Date of Evaluation	09.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:1.080 Km (near school in Lakshmisagara Village)	06:00 – 22:00 (4 hrs Interval)	47.8	IS 9989
		Night Time		
1.	At Ch:1.080 Km (near school in Lakshmisagara Village)	22:00 – 06:00 (4 hrs Interval)	39.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0048 **Report No.:** CRI/25-26/0008 **Group:** Water **Product:** Surface Water **Sample Type/Source:** Surface water in Lakshmisagara lake (200 m from road at Ch 1.20 Km)
Date of sample Collection	05.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	07.01.2026	
Duration of Test	07.01.2026 – 16.01.2026	**Date of Report:** 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.62	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	455	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	874	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	27.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	32	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	290	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	69.6	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	28.19	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	68	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	308	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	3.47	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.63	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	4.8	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0605 **Report No.:** CRI/25-26/0407 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Mallasinganahalli To T Yammeganuru Via Amte, Holalkere (D). (Road ID: 1610) **Sampling Location:** At Ch:8.680 Km (T Yemmiganur Village) **Meteorological Data:** Temperature: 32°C Humidity: 36% Wind Direction/Speed: ENE 21 km/hr
Date of sample Collection	21.01.2026 to 22.01.2026	**Date of Report:** 04.02.2026
Date of Sample Receipt	23.01.2026	**Sample Condition:** Good
Duration of Test	23.01.2026 – 04.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.2	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.3	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0606 **Report No.:** CRI/25-26/0408 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	21.01.2026 to 22.01.2026	**Date of Report:** 04.02.2026
Date of Sample Receipt	23.01.2026	**Sample Condition:** NA
Date of Evaluation	28.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:8.680 Km (T Yemmiganur Village)	06:00 – 22:00 (4 hrs Interval)	49.3	IS 9989
		Night Time		
1.	At Ch:8.680 Km (T Yemmiganur Village)	22:00 – 06:00 (4 hrs Interval)	39.0	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

4/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0607 **Report No.:** CRI/25-26/0409 **Group:** Water **Product:** Surface Water **Sample Type/Source:** Surface water in Yemmeganuru lake (200 m from road at Ch 9.12 Km)
Date of sample Collection	21.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	23.01.2026	
Duration of Test	23.01.2026 – 04.02.2026	**Date of Report:** 04.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.88	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	498	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	970	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	27.6	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	40.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	326	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	78.24	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	31.69	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	59	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	360	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	3.52	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.78	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	4.8	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0065
		Report No.: CRI/25-26/0018
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Srirampura To Kadavanagere Vajra Via Sadarahalli, Arenahalli, Chikkaullenahalli, Hosadurga (D). (Road ID: 2163)
		Sampling Location: At Ch:3.160 Km (near school in Sadarahalli Village)
		Meteorological Data: Temperature: 33°C Humidity: 35% Wind Direction/Speed: ENE 18 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 22.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 22.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	11.4	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.1	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

22/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:
1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0066 **Report No.:** CRI/25-26/0019 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 22.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	13.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:3.160 Km (near school in Sadarahalli Village)	06:00 – 22:00 (4 hrs Interval)	49.1	IS 9989
		Night Time		
1.	At Ch:3.160 Km (near school in Sadarahalli Village)	22:00 – 06:00 (4 hrs Interval)	38.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

22/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0067 **Report No.:** CRI/25-26/0020 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water at Kalanayakana hatti Village (Ch:3.330 Km) inside Hand pump
Date of sample Collection	09.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 22.01.2026	**Date of Report:** 22.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.89	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	445	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	861	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	26.7	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	282	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	67.68	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.41	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	59	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	320	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.36	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.75	1	1.5	7 of IS 3025 (Part 60/Sec 1)

22/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0024
		Report No.: CRI/25-26/0024
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Dharmapura-Khanajanahalli Road To Hosakere Palya Via Bettagondanahalli, Hiriyur (D). (Road ID: 4110)
		Sampling Location: At Ch:0.900 Km (near school in Bettagondanahalli Village)
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	02.02.2026 to 03.02.2026	**Date of Report:** 12.02.2026
Date of Sample Receipt	04.02.2026	**Sample Condition:** Good
Duration of Test	04.02.2026 – 12.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.6	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

12/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

-----End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0025 **Report No.:** CRI/25-26/0025 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	02.02.2026 to 03.02.2026	**Date of Report:** 12.02.2026
Date of Sample Receipt	04.02.2026	**Sample Condition:** NA
Date of Evaluation	07.02.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:0.900 Km (near school in Bettagondanahalli Village)	06:00 – 22:00 (4 hrs Interval)	47.4	IS 9989
		Night Time		
1.	At Ch:0.900 Km (near school in Bettagondanahalli Village)	22:00 – 06:00 (4 hrs Interval)	39.1	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

12/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0026
		Report No.: CRI/25-26/0026
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water at Bettagondanahalli Village (Ch:1.410 Km) inside Hand pump
Date of sample Collection	02.02.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	04.02.2026	
Duration of Test	04.02.2026 – 12.02.2026	**Date of Report**: 12.02.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.12	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	453	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	885	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	34.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	286	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	68.64	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.80	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	76	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	290	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	0.98	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.53	1	1.5	7 of IS 3025 (Part 60/Sec 1)

Kumar.A 12/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0315
		Report No: CRI/26-27/0188
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Joduthadame to Nerlapadavu Tharemar, Manglore North, Dakshina Kannada (D). (Road ID: 15).
		Sampling Location: At Malai Grama Panchayth Branch Post Office (0.00 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	55.4	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.1	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0315
		Report No: CRI/26-27/0188
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Joduthadame to Nerlapadavu Tharemar, Manglore North, Dakshina Kannada (D). (Road ID: 15).
		Sampling Location: At Malai Grama Panchayth Branch Post Office (0.00 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

TERMS AND CONDITIONS:
1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0316 **Report No:** CRI/26-27/0189 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** NA
Date of Evaluation	11.05.2026 – 16.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Malai Grama Panchayth Branch Post Office (0.00 km)	06:00 – 22:00 (4 hrs Interval)	53.5	IS 9989
		Night Time		
2.	At Malai Grama Panchayth Branch Post Office (0.00 km)	22:00 – 06:00 (4 hrs Interval)	42.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0317
		Report No: CRI/26-27/0190
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Malai Village residentials, Magaru (0.00 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.63	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	521	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1029	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	40.1	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	326	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	78.24	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	31.69	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	96	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	338	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	2.34	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.67	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0317
		Report No: CRI/26-27/0190
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Malai Village residentials, Magaru (0.00 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute; the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0318
		Report No: CRI/26-27/0191
		Group: Water
		Product: Surface Water
		Sample Location: Gurupura River 510m distance from road at 0.400 km
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.59	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	398	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.5	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	67	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	52.2	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	6.2	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0334
		Report No: CRI/26-27/0207
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Vogga to Vamadhapadavu, Bantwala, Dakshina Kannada (D). (Road ID: 259).
		Sampling Location: Near School At kadabettu village (at ch. 0.765 km) & Kadabettu Branch Post Office at ch 1.50 km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	56.2	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	23.5	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.3	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.4	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0334
		Report No: CRI/26-27/0207
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Vogga to Vamadhapadavu, Bantwala, Dakshina Kannada (D). (Road ID: 259).
		Sampling Location: Near School At kadabettu village (at ch. 0.765 km) & Kadabettu Branch Post Office at ch 1.50 km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0335 **Report No:** CRI/26-27/0208 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** NA
Date of Evaluation	11.05.2026 – 16.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	Near School At kadabettu village (at ch. 0.765 km) & Grama panchayat office Chennaithody , Vamadapadavu Village at ch.4.980 km	06:00 – 22:00 (4 hrs Interval)	47.4	IS 9989
		Night Time		
2.	Near School At kadabettu village (at ch. 0.765 km) & Grama panchayat office Chennaithody , Vamadapadavu Village at ch.4.980 km	22:00 – 06:00 (4 hrs Interval)	35.8	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0336
		Report No: CRI/26-27/0209
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Kadabettu village & Vamadapadavu Village Residential at ch 0.765 & 4.980km Respectively
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.23	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	507	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	998	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	37.9	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	320	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	76.8	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	31.10	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	84	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	342	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.75	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.61	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0336
		Report No: CRI/26-27/0209
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Kadabettu village & Vamadapadavu Village Residential at ch 0.765 & 4.980km Respectively
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
3.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
4.	Nitrate as NO3, mg/l	1.75	45	No Relaxation	3 of IS:3025(Part-34)
5.	Fluoride as F, mg/l	0.61	1	1.5	7 of IS 3025 (Part 60/Sec 1)
6.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
7.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
8.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
9.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
10.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0323
		Report No: CRI/26-27/0196
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Mavinakatte-Krandrapady, Sullia, Dakshina Kannada (D). (Road ID: 822).
		Sampling Location: At Achrappady school in Madapadi (1.125 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	57.2	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	23.9	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	11.1	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0323
		Report No: CRI/26-27/0196
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Mavinakatte-Krandrapady, Sullia, Dakshina Kannada (D). (Road ID: 822).
		Sampling Location: At Achrappady school in Madapadi (1.125 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0324 **Report No:** CRI/26-27/0197 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** NA
Date of Evaluation	11.05.2026 – 16.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Achrappady mahavishnu Temple (72 m from road) in Madapadi (1.125 km) & At Achrappady school in Madapadi (1.210 km)	06:00 – 22:00 (4 hrs Interval)	48.3	IS 9989
		Night Time		
2.	At Achrappady mahavishnu Temple (72 m from road) in Madapadi (1.125 km) & At Achrappady school in Madapadi (1.210 km)	22:00 – 06:00 (4 hrs Interval)	36.9	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N1ZC**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0325
		Report No: CRI/26-27/0198
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Madapadi Village Limit residentials (1.210 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.33	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	461	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	888	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	28.6	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	302	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	72.48	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	29.35	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	65.8	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	322	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.68	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.69	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0325
		Report No: CRI/26-27/0198
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Madapadi Village Limit residentials (1.210 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	**Date of Report:** 16.05.2026
Duration of Test	11.05.2026 – 16.05.2026	**Sample Condition:** Satisfactory
Sample Collected by	CRI Representative	

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0326
		Report No: CRI/26-27/0199
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Irde Dumadka- kunzimoole Road, Puttur, Dakshina Kannada (D). (Road ID: 827).
		Sampling Location: Doomadka Primary School in Balnadu Village at ch. 3.830 km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	52.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.5	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0326
		Report No: CRI/26-27/0199
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Irde Dumadka- kunzimoole Road, Puttur, Dakshina Kannada (D). (Road ID: 827).
		Sampling Location: Doomadka Primary School in Balnadu Village at ch. 3.830 km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0327 **Report No:** CRI/26-27/0200 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** NA
Date of Evaluation	11.05.2026 – 16.05.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	Doomadka Primary School in Balnadu Village at ch. 3.830 km	06:00 – 22:00 (4 hrs Interval)	49.7	IS 9989
		Night Time		
2.	Doomadka Primary School in Balnadu Village at ch. 3.830 km	22:00 – 06:00 (4 hrs Interval)	35.8	IS 9989

Limits: **Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.**

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0328
		Report No: CRI/26-27/0201
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Irde Village residentials at ch. 0.930 km
Date of sample Collection	09.05.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	10.05.2026	**Date of Report**: 16.05.2026
Duration of Test	11.05.2026 – 16.05.2026	**Sample Condition**: Satisfactory
Sample Collected by	CRI Representative	

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.89	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	508	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1003	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	33	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	328	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	78.72	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	31.88	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	78	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	358	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.8	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.69	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0328
		Report No: CRI/26-27/0201
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Irde Village residentials at ch. 0.930 km
Date of sample Collection	09.05.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report**: 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0329
		Report No: CRI/26-27/0202
		Group: Water
		Product: Surface Water
		Sample Location: Shiriya River At ch. 4.520km distance 50m from road
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.63	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	512	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.6	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	134	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	75.0	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	12.5	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0340
		Report No: CRI/26-27/0213
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Golithadi Sabaluru, Sullia, Dakshina Kannada (D). (Road ID: 3189).
		Sampling Location: At Sabaloor primary school, koila (2.190 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.3	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.5	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0340
		Report No: CRI/26-27/0213
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Golithadi Sabaluru, Sullia, Dakshina Kannada (D). (Road ID: 3189).
		Sampling Location: At Sabaloor primary school, koila (2.190 km)
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SL No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0341 **Report No:** CRI/26-27/0214 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** NA
Date of Evaluation	11.05.2026 – 16.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Sabaloor primary school, koila (2.190 km)	06:00 – 22:00 (4 hrs Interval)	49.7	IS 9989
		Night Time		
2.	At Sabaloor primary school, koila (2.190 km)	22:00 – 06:00 (4 hrs Interval)	34.8	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0342
		Report No: CRI/26-27/0215
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Sabaloor Village residentials, koila (2.430 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.85	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	479	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	934	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	31.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	308	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	73.92	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	29.94	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	70	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	336	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	2.4	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.57	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0342
		Report No: CRI/26-27/0215
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Sabaloor Village residentials, koila (2.430 km)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N**

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0343
		Report No: CRI/26-27/0216
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Kinnigoli to Thodama road, Moodabidri, Dakshina Kannada (D). (Road ID: 4867).
		Sampling Location: SN Public School in Niddodi Village At ch 4.470km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report**: 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	54.5	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.7	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.8	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0343
		Report No: CRI/26-27/0216
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Kinnigoli to Thodama road, Moodabidri, Dakshina Kannada (D). (Road ID: 4867).
		Sampling Location: SN Public School in Niddodi Village At ch 4.470km
Date of sample Collection	08.05.2026 to 09.05.2026	**Date of Report:** 16.05.2026
Date of Sample Receipt	10.05.2026	**Sample Condition:** Good
Duration of Test	11.05.2026 – 16.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0344 **Report No:** CRI/26-27/0160 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	21.04.2026 to 22.04.2026	**Date of Report:** 30.04.2026
Date of Sample Receipt	23.04.2026	**Sample Condition:** NA
Date of Evaluation	23.04.2026 – 30.04.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.00 km Government Higher Primary School (35 mtr Distance from Road Centerline) in Harudi Village premesis.	06:00 – 22:00 (4 hrs Interval)	48.9	IS 9989
		Night Time		
1.	At Ch. 0.00 km Government Higher Primary School (35 mtr Distance from Road Centerline) in Harudi Village premesis.	22:00 – 06:00 (4 hrs Interval)	37.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@chantonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0345
		Report No: CRI/26-27/0218
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Niddodi & Kinnigoli Village residentials, (4.4 & 0.00km respectively)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	**Date of Report:** 16.05.2026
Duration of Test	11.05.2026 – 16.05.2026	**Sample Condition:** Satisfactory
Sample Collected by	CRI Representative	

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.79	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	439	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	847	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	34.8	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	268	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	64.32	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	26.05	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	61	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	302	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.8	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.75	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/05/0345
		Report No: CRI/26-27/0218
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Niddodi & Kinnigoli Village residentials, (4.4 & 0.00km respectively)
Date of sample Collection	09.05.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	10.05.2026	
Duration of Test	11.05.2026 – 16.05.2026	**Date of Report:** 16.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0239
		Report No.: CRI/25-26/0077
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Bhatrakadi Pedamale Paldane Road, Manglore North, Mangalore. (Road ID: 1211)
		Sampling Location: At Govt School in Neermarga Viilage (0.00 km)
		Meteorological Data: Temperature: 31°C Humidity: 67% Wind Direction/Speed: ENE 13 km/hr
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	15.01.2026	**Sample Condition:** Good
Duration of Test	15.01.2026 – 21.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.7	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	18.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.0	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

-----End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED * BANGALORE 560022

Tel.:080-23479296 Mob : 9448000637
CIN: U73200KA2020PTC134050
E-mail : marketing@charitonindia.com
GST NO: 29AAICC7110N1ZC
Web : www.charitonindia.com
PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0240 **Report No.:** CRI/25-26/0078 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	15.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Govt School in Neermarga Viilage (0.00 km)	06:00 – 22:00 (4 hrs Interval)	49.4	IS 9989
		Night Time		
1.	At Ch: 2.030 Km (Chowdagonahalli Village)	22:00 – 06:00 (4 hrs Interval)	37.7	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0241
		Report No.: CRI/25-26/0079
		Group: Water
		Product: Ground Water
		Sample Type/Source: Ground Water - At CH 0.00 Km At 0.00 km Near Bhatrakadi Village Limit
Date of sample Collection	13.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01)
Date of Sample Receipt	15.01.2026	**Type:** Grab Sample
Duration of Test	15.01.2026 – 21.01.2026	**Date of Report:** 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.93	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	358	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	768	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	20.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	168	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	38.16	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	17.60	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	48	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	196	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.98	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS;

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0068 **Report No.:** CRI/25-26/0021 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Haleyangadi Kadike Bandaramane to Hoigegudde Padupanamburu. Moodabidri (Road ID: 1392) **Sampling Location:** At near Anjaneya Temple Shasihithlu (3.285km) **Meteorological Data:** Temperature: 30°C Humidity: 60% Wind Direction/Speed: ENE 14 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 21.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	48.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0069
		Report No.: CRI/25-26/0022
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	06:00 – 22:00 (4 hrs Interval)	47.2	IS 9989
		Night Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	22:00 – 06:00 (4 hrs Interval)	38.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

—End of Report—

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0070 **Report No.:** CRI/25-26/0023 **Group:** Water **Product:** Ground Water **Sample Type/Source:** Ground Water - Well Near Residential Settlements.
Date of sample Collection	09.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report:** 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.93	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	326	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	658	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	20.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	121	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	32.2	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	9.8	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	54	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	193	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.3	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0366
		Report No: CRI/26-27/0240
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.936417 75.974181 (Road ID: 15)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.22	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	435	IS 14767
3.	Potassium (as K) (mg/kg)	119	By AAS Method
4.	Moisture (%)	6.4	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0366
		Report No: CRI/26-27/0240
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.936417 75.974181 (Road ID: 15)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	384	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	158	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.3	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.6	By Calculation Method
5.	Sand, %	60	IS 2720 Part-4
6.	Silt, %	20	IS 2720 Part-4
7.	Clay, %	20	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0367
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.005956 75.363041 (Road ID: 15)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.89	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	396	IS 14767
3.	Potassium (as K) (mg/kg)	132	By AAS Method
4.	Moisture (%)	6.6	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PVT. LIMITED BANGALORE 560022

Authorized Signatory
V.R. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0367
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.005956 75.363041 (Road ID: 15)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	362	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	178	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.4	By Calculation Method
5.	Sand, %	64	IS 2720 Part-4
6.	Silt, %	24	IS 2720 Part-4
7.	Clay, %	20	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
Y. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0365
		Report No: CRI/26-27/0239
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.833889 75.160413 (Road ID: 259)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.42	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	483	IS 14767
3.	Potassium (as K) (mg/kg)	124	By AAS Method
4.	Moisture (%)	7.4	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:
1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0365
		Report No: CRI/26-27/0239
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.833889 75.160413 (Road ID: 259)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	358	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	174	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.8	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.8	By Calculation Method
5.	Sand, %	72	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	12	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0364
		Report No: CRI/26-27/0238
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.609081, 75.506433 (Road ID: 822)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.96	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	482	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	6.3	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0364
		Report No: CRI/26-27/0238
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.609081, 75.506433 (Road ID: 822)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	346	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	162	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.5	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	6	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0363
		Report No: CRI/26-27/0237
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.675612 75.193345 (Road ID: 827)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.66	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	436	IS 14767
3.	Potassium (as K) (mg/kg)	118	By AAS Method
4.	Moisture (%)	7.2	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0363
		Report No: CRI/26-27/0237
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.675612 75.193345 (Road ID: 827)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	382	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	196	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.6	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0367
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.005956 75.363041 (Road ID: 1040)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.89	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	396	IS 14767
3.	Potassium (as K) (mg/kg)	132	By AAS Method
4.	Moisture (%)	6.6	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
Mr. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0367
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.005956 75.363041 (Road ID: 1040)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	362	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	178	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.4	By Calculation Method
5.	Sand, %	64	IS 2720 Part-4
6.	Silt, %	24	IS 2720 Part-4
7.	Clay, %	20	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0368
		Report No: CRI/26-27/0242
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.804454 74.93581 (Road ID: 3000)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.99	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	403	IS 14767
3.	Potassium (as K) (mg/kg)	136	By AAS Method
4.	Moisture (%)	7.2	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorised Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0368
		Report No: CRI/26-27/0242
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.804454 74.93581 (Road ID: 3000)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	386	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	188	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.3	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.8	By Calculation Method
5.	Sand, %	72	IS 2720 Part-4
6.	Silt, %	22	IS 2720 Part-4
7.	Clay, %	16	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LTD. BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0361
		Report No: CRI/26-27/0235
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.790886 75.322016 (Road ID: 3189)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	8.12	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	408	IS 14767
3.	Potassium (as K) (mg/kg)	106	By AAS Method
4.	Moisture (%)	5.9	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PVT. LIMITED BANGALORE 560022

Authorised Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0361
		Report No: CRI/26-27/0235
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.790886 75.322016 (Road ID: 3189)
Date of sample Collection	21.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	22.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	320	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	144	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	4.3	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.1	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0369
		Report No: CRI/26-27/0243
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.072164 74.859109 (Road ID: 4867)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.63	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	425	IS 14767
3.	Potassium (as K) (mg/kg)	122	By AAS Method
4.	Moisture (%)	6.7	IS 2720 Part-2

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/05/0369
		Report No: CRI/26-27/0243
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 13.072164 74.859109 (Road ID: 4867)
Date of sample Collection	22.05.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.05.2026	
Duration of Test	23.05.2023 – 29.05.2026	**Date of Report**: 29.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	342	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	148	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.3	By Calculation Method
5.	Sand, %	63	IS 2720 Part-4
6.	Silt, %	25	IS 2720 Part-4
7.	Clay, %	15	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0109
		Report No: CRI/25-26/0064
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Bhatrakadi Pedamale Paldane Road, Manglore North, Mnagalore. (Road ID: 1211)
		Sampling Location: At Govt School in Neermarga Viilage (0.00 km)
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report**: 21.01.2026
Date of Sample Receipt	15.01.2026	**Sample Condition:** Good
Duration of Test	15.01.2026 – 21.01.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.7	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	18.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.0	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0110 **Report No:** CRI/25-26/0065 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	13.01.2026 to 14.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	15.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Govt School in Neermarga Viilage (0.00 km)	06:00 – 22:00 (4 hrs Interval)	47.7	IS 9989
		Night Time		
1.	At Ch: 2.030 Km (Chowdagonahalli Village)	22:00 – 06:00 (4 hrs Interval)	37.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PVT. LIMITED BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0111
		Report No: CRI/25-26/0066
		Group: Water
		Product: Surface Water
		Sample Type/Source: At Govt School in Neermarga Village (0.00 km)
Date of sample Collection	14.02.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	15.01.2026	
Duration of Test	15.01.2026 – 21.01.2026	**Date of Report:** 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.22	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	402	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	25.	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	86	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	42.6	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	6.2	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0071 **Report No:** CRI/25-26/0038 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Haleyangadi Kadike Bandaramane to Hoigegudde Padupanamburu. Moodabidri (Road ID: 1392) **Sampling Location:** At near Anjaneya Temple Shasihithlu (3.285km) **Meteorological Data:** Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report**: 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 21.01.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	48.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0072 **Report No:** CRI/25-26/0039 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	06:00 – 22:00 (4 hrs Interval)	49.7	IS 9989
		Night Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	22:00 – 06:00 (4 hrs Interval)	38.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0073
		Report No: CRI/25-26/0040
		Group: Water
		Product: Surface Water
		Sample Type/Source: At near Anjaneya Temple Shasihithlu (3.285km)
Date of sample Collection	10.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01)
Date of Sample Receipt	12.01.2026	**Type**: Grab Sample
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report**: 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.59	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	398	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.5	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	67	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	52.2	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	6.2	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1445
Product or Material	Ambient Monitoring	Report No	NAL/2026/01445
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011322F
Sampling Point	**Navalur – Near Veterinary Hospital**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	29.0	Humidity (%):	52.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	74.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1446
Product or Material	Noise monitoring	Report No	NAL/2026/01446
		ULR No	TC1342726000011323F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Navalur – Near Veterinary Hospital**	71.7	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1447
Product or Material	Ambient Monitoring	Report No	NAL/2026/01447
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011324F
Sampling Point	**Chabbi – Near Sahakari Pattin Sangha Chabbi**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	29.0	Humidity (%):	51.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.5	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1448
Product or Material	Noise monitoring	Report No	NAL/2026/01448
		ULR No	TC1342726000011325F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Chabbi – Near Sahakari Pattin Sangha Chabbi**	71.9	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1449
Product or Material	Ambient Monitoring	Report No	NAL/2026/01449
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011326F
Sampling Point	**Betadur & Kundagol – Near Kuddikeri Hanumanth Temple**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	29.0	Humidity (%):	52.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1450
Product or Material	Noise monitoring	Report No	NAL/2026/01450
		ULR No	TC1342726000011327F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Betadur & Kundagol – Near Kuddikeri Hanumanth Temple**	73.5	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1451
Product or Material	Ambient Monitoring	Report No	NAL/2026/01451
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011328F
Sampling Point	**Mukkal – Near Mukkal Bus Stop**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1452
Product or Material	Noise monitoring	Report No	NAL/2026/01452
		ULR No	TC1342726000011329F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Mukkal – Near Mukkal Bus Stop**	72.7	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1453
Product or Material	Ambient Monitoring	Report No	NAL/2026/01453
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011330F
Sampling Point	**Malkankoppa – Near Govt Primary School**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	50.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.5	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1454
Product or Material	Noise monitoring	Report No	NAL/2026/01454
		ULR No	TC1342726000011331F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Malkankoppa – Near Govt Primary School**	71.0	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1455
Product or Material	Ambient Monitoring	Report No	NAL/2026/01455
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011332F
Sampling Point	**Gamanagatti & Unkal – Near Hanuman Temple**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.0	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1456
Product or Material	Noise monitoring	Report No	NAL/2026/01456
		ULR No	TC1342726000011333F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Gamanagatti & Unkal – Near Hanuman Temple**	72.4	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1457
Product or Material	Ambient Monitoring	Report No	NAL/2026/01457
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011334F
Sampling Point	**Sutagatti & Itigatti – Near Hanumen Temple**	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	80.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1458
Product or Material	Noise monitoring	Report No	NAL/2026/01458
		ULR No	TC1342726000011335F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.01.2026
		Date of sample Receipt	17.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	17.01.2026
Sampling Procedure	In House SOP	Date of Completion	20.01.2026
Page No	1/1	Report Date	20.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Sutagatti & Itigatti – Near Hanumen Temple**	73.1	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1547
Product or Material	Ambient Monitoring	Report No	NAL/2026/01547
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011416F
Sampling Point	**Gongadikoppa – Near Primary School**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	29.0	Humidity (%):	52.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.9	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.0	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1548
Product or Material	Noise monitoring	Report No	NAL/2026/01548
		ULR No	TC1342726000011417F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Gongadikoppa – Near Primary School**	70.3	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1549
Product or Material	Ambient Monitoring	Report No	NAL/2026/01549
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011418F
Sampling Point	**Morab – Near Tirlapur 5km Stone Loss Junction Start Morab**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	48.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.5	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1550
Product or Material	Noise monitoring	Report No	NAL/2026/01550
		ULR No	TC1342726000011419F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Morab – Near Tirlapur 5km Stone Loss Junction Start Morab**	71.5	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1551
Product or Material	Ambient Monitoring	Report No	NAL/2026/01551
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011420F
Sampling Point	**Tirlapur – SH Near Canal**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	48.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	80.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.5	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1552
Product or Material	Noise monitoring	Report No	NAL/2026/01552
		ULR No	TC1342726000011421F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Tirlapur – SH Near Canal**	70.0	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1516
Product or Material	Ground Water	Report No	NAL/2026/01516
Particulars of Sample	Borewell Water	ULR No	TC1342726000011391F
Sampling Point	From Gongadikoppa	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.4	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	3600.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2160.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	633.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	187.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.84	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.96	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.015	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.065	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Biological**	Sample ID	NAL/2026/01/1516
Product or Material	Ground Water	Report No	NAL/2026/01516
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Gongadikoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1516
Product or Material	Ground Water	Report No	NAL/2026/01516
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Gongadikoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.06	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1517
Product or Material	Ground Water	Report No	NAL/2026/01517
Particulars of Sample	Borewell Water	ULR No	TC1342726000011392F
Sampling Point	From Morab	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Customer	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.0	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2611.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1560.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	432.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	110.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.69	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.88	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.018	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.039	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Biological**	Sample ID	NAL/2026/01/1517
Product or Material	Ground Water	Report No	NAL/2026/01517
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Morab	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Customer	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1517
Product or Material	Ground Water	Report No	NAL/2026/01517
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Morab	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Customer	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.9	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1518
Product or Material	Surface Water	Report No	NAL/2026/01518
Particulars of Sample	Surface Water	ULR No	TC1342726000011393F
Sampling Point	From Tiralapur	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	292.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	175.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	20.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	16.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.26	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.2	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	18.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	8.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.015	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.1	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample meets to Acceptable Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Biological**	Sample ID	NAL/2026/01/1518
Product or Material	Surface Water	Report No	NAL/2026/01518
Particulars of Sample	Surface Water	Date of Sample Collection	17.01.2026
Sampling Point	From Tiralapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	08	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. Jalavahini Management Services Pvt Ltd** Jalavahini Tech Park, 9th, cross D. N. Koppa, Kelageri Road, Dharwad-580008		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1518
Product or Material	Surface Water	Report No	NAL/2026/01518
Particulars of Sample	Surface Water	Date of Sample Collection	17.01.2026
Sampling Point	From Tiralapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, turbid liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.11	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1417
Product or Material	Ground Water	Report No	NAL/2026/01417
Particulars of Sample	Borewell Water	ULR No	TC1342726000011304F
Sampling Point	From Navalur	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Customer	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.6	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1810.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1108.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	310.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	56.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.56	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.032	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ (LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.086	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1417
Product or Material	Ground Water	Report No	NAL/2026/01417
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Navalur	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Customer	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1417
Product or Material	Ground Water	Report No	NAL/2026/01417
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Navalur	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Customer	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.2	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1418
Product or Material	Ground Water	Report No	NAL/2026/01418
Particulars of Sample	Borewell Water	ULR No	TC1342726000011305F
Sampling Point	From Chabbi	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.4	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2600.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1560.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	486.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	77.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.55	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.80	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.045	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit;

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1418
Product or Material	Ground Water	Report No	NAL/2026/01418
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Chabbi	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1418
Product or Material	Ground Water	Report No	NAL/2026/01418
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Chabbi	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.46	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1419
Product or Material	Ground Water	Report No	NAL/2026/01419
Particulars of Sample	Borewell Water	ULR No	TC1342726000011306F
Sampling Point	From Betadur & Kundagol	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	983.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	590.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	44.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	22.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.71	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ (LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ (LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.029	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1419
Product or Material	Ground Water	Report No	NAL/2026/01419
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Betadur & Kundagol	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1419
Product or Material	Ground Water	Report No	NAL/2026/01419
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Betadur & Kundagol	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.23	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1420
Product or Material	Ground Water	Report No	NAL/2026/01420
Particulars of Sample	Borewell Water	ULR No	TC1342726000011307F
Sampling Point	From Mukkal	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	794.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	476.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	45.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	37.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.46	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ (LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ (LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.026	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Acceptable Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1420
Product or Material	Ground Water	Report No	NAL/2026/01420
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Mukkal	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1420
Product or Material	Ground Water	Report No	NAL/2026/01420
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Mukkal	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.62	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1421
Product or Material	Ground Water	Report No	NAL/2026/01421
Particulars of Sample	Borewell Water	ULR No	TC1342726000011308F
Sampling Point	From Malakankoppa	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.8	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	888.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	533.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	47.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	39.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.44	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL (DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ (LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.040	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1421
Product or Material	Ground Water	Report No	NAL/2026/01421
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Malakankoppa	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1421
Product or Material	Ground Water	Report No	NAL/2026/01421
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Malakankoppa	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.62	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1422
Product or Material	Ground Water	Report No	NAL/2026/01422
Particulars of Sample	Borewell Water	ULR No	TC1342726000011309F
Sampling Point	From Gamangatti & Unakal	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.7	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	4100.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2460.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	633.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	133.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.47	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	2.2	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	6.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	2.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.019	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.016	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.065	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1422
Product or Material	Ground Water	Report No	NAL/2026/01422
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Gamangatti & Unakal	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1422
Product or Material	Ground Water	Report No	NAL/2026/01422
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Gamangatti & Unakal	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.56	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1423
Product or Material	Ground Water	Report No	NAL/2026/01423
Particulars of Sample	Borewell Water	ULR No	TC1342726000011310F
Sampling Point	From Sutagatti & Itigatti	Date of Sample Collection	16.01.2026
Sample submitted by	Customer	Date of sample Receipt	17.01.2026
Sample collected by	Our Representative	Date of Analysis Started	17.01.2026
Sample Qty	2Ltrs	Date of Completion	23.01.2026
Page No	1/1	Report Date	23.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.4	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2200.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1320.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	344.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	52.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.53	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.36	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	5.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	2.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.013	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.011	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.049	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1423
Product or Material	Ground Water	Report No	NAL/2026/01423
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Sutagatti & Itigatti	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	23.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

Name & Address of the Customer	**M/s. DHARWAD DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1423
Product or Material	Ground Water	Report No	NAL/2026/01423
Particulars of Sample	Borewell Water	Date of Sample Collection	16.01.2026
Sampling Point	From Sutagatti & Itigatti	Date of sample Receipt	17.01.2026
Sample submitted by	Customer	Date of Analysis Started	17.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	23.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.14	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

**** End of the Report*****

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1553
Product or Material	Ambient Monitoring	Report No	NAL/2026/01553
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011422F
Sampling Point	**Hombala End CH Point**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.5	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1554
Product or Material	Noise monitoring	Report No	NAL/2026/01554
		ULR No	TC1342726000011423F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Hombala End CH Point**	71.1	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1555
Product or Material	Ambient Monitoring	Report No	NAL/2026/01555
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011424F
Sampling Point	**Hirekoppa – Near Durga Devi Temple**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	48.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1556
Product or Material	Noise monitoring	Report No	NAL/2026/01556
		ULR No	TC1342726000011425F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Hirekoppa – Near Durga Devi Temple**	68.8	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1557
Product or Material	Ambient Monitoring	Report No	NAL/2026/01557
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011426F
Sampling Point	**Benakankoppa – Near SH Benakanakoppa**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	31.0	Humidity (%):	47.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1558
Product or Material	Noise monitoring	Report No	NAL/2026/01558
		ULR No	TC1342726000011427F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Benakankoppa – Near SH Benakanakoppa**	71.6	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1559
Product or Material	Ambient Monitoring	Report No	NAL/2026/01559
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011428F
Sampling Point	**Kalasapur End CH Point**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	31.0	Humidity (%):	48.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.0	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.7	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1560
Product or Material	Noise monitoring	Report No	NAL/2026/01560
		ULR No	TC1342726000011429F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Kalasapur End CH Point**	71.5	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1561
Product or Material	Ambient Monitoring	Report No	NAL/2026/01561
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011430F
Sampling Point	**Yelishirur – Near Temple** **Yelishirur End CH Point**	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	31.0	Humidity (%):	48.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.4	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.4	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1562
Product or Material	Noise monitoring	Report No	NAL/2026/01562
		ULR No	TC1342726000011431F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.01.2026
		Date of sample Receipt	19.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	19.01.2026
Sampling Procedure	In House SOP	Date of Completion	21.01.2026
Page No	1/1	Report Date	21.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Yelishirur – Near Temple Yelishirur End CH Point**	70.3	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1519
Product or Material	Ground Water	Report No	NAL/2026/01519
Particulars of Sample	Borewell Water	ULR No	TC1342726000011394F
Sampling Point	From Hombal	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.6	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2200.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1320.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	207.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	133.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.63	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.18	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.019	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.058	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.4	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1519
Product or Material	Ground Water	Report No	NAL/2026/01519
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Hombal	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1519
Product or Material	Ground Water	Report No	NAL/2026/01519
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Hombal	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.96	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1520
Product or Material	Ground Water	Report No	NAL/2026/01520
Particulars of Sample	Borewell Water	ULR No	TC1342726000011395F
Sampling Point	From Herekoppa	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.4	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	3800.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2280.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	408.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	139.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.1	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	1.3	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.020	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.015	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.088	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1520
Product or Material	Ground Water	Report No	NAL/2026/01520
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Herekoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1520
Product or Material	Ground Water	Report No	NAL/2026/01520
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Herekoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.8	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1521
Product or Material	Ground Water	Report No	NAL/2026/01521
Particulars of Sample	Borewell Water	ULR No	TC1342726000011396F
Sampling Point	From Benakankoppa	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	538.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	323.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	53.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	34.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.51	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	1.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LOQ=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.021	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Acceptable Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1521
Product or Material	Ground Water	Report No	NAL/2026/01521
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Benakankoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1521
Product or Material	Ground Water	Report No	NAL/2026/01521
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Benakankoppa	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.07	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1522
Product or Material	Ground Water	Report No	NAL/2026/01522
Particulars of Sample	Borewell Water	ULR No	TC1342726000011397F
Sampling Point	From Kalasapur	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1246.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	748.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	149.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	33.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.97	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.015	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.011	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.059	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.7	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1522
Product or Material	Ground Water	Report No	NAL/2026/01522
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Kalasapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1522
Product or Material	Ground Water	Report No	NAL/2026/01522
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Kalasapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.51	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1523
Product or Material	Ground Water	Report No	NAL/2026/01523
Particulars of Sample	Borewell Water	ULR No	TC1342726000011398F
Sampling Point	From Kalasapur	Date of Sample Collection	17.01.2026
Sample submitted by	Customer	Date of sample Receipt	18.01.2026
Sample collected by	Our Representative	Date of Analysis Started	18.01.2026
Sample Qty	2Ltrs	Date of Completion	24.01.2026
Page No	1/1	Report Date	24.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Acceptable Limit**	**Maximum Permissible Limits in The Absence of Alternate Source**	**Test method**
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1671.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1003.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	119.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	65.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.71	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	5.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	1.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.019	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.064	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1523
Product or Material	Ground Water	Report No	NAL/2026/01523
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Kalasapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Simple collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	500 ml	Report Date	24.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. GADAG DISTRICT PROJECT SITE**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1523
Product or Material	Ground Water	Report No	NAL/2026/01523
Particulars of Sample	Borewell Water	Date of Sample Collection	17.01.2026
Sampling Point	From Kalasapur	Date of sample Receipt	18.01.2026
Sample submitted by	Customer	Date of Analysis Started	18.01.2026
Sample collected by	Our Representative	Date of Completion	19.01.2026
Sample Qty	2Ltrs	Report Date	24.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	0.21	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

**** End of the Report*****

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/519-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Rangenahalli to Nittur via Singatgere , Hassan, **Road Id**: 1132 **Package Number**: ADB-KPP16-08	**Customer reference** : CT/25-26/01/519-01 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	54.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	18.9	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/519-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Rangenahalli to Nittur via Singatgere , Hassan, **Road Id**: 1132 **Package Number**: ADB-KPP16-08	**Customer reference** : CT/25-26/01/519-02 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.51	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	BDL	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/519-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Rangenahalli to Nittur via Singatgere , Hassan, **Road Id**: 1132 **Package Number**: ADB-KPP16-08	**Customer reference** : CT/25-26/01/519-03 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 19.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	52.0	44.0	52.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/519-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Rangenahalli to Nittur via Singatgere , Hassan, **Road Id**: 1132 **Package Number**: ADB-KPP16-08	**Customer reference** : CT/25-26/01/519-04 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 02.02.2026 **Calibrated on** : 07.07.2026

Resuts:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	1.0	5
5.	pH	IS:3025(P 11)		7.60	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	154.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	212.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	145.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	42.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	431.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	37.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.21	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	2.6	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	1.2	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	162.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/523-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Shravanabelagola road (SH-08) to Bekka via Bastihalli, Shravanbelagola. **Road Id**: 2373 **Package Number**: ADB-KPP16-14	**Customer reference** : CT/25-26/01/523-01 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	49.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	19.8	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	18.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/523-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Shravanabelagola road (SH-08) to Bekka via Bastihalli, Shravanbelagola. **Road Id**: 2373 **Package Number**: ADB-KPP16-14	**Customer reference** : CT/25-26/01/523-02 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	1.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	1.1	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLI Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/523-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Shravanabelagola road (SH-08) to Bekka via Bastihalli, Shravanbelagola. **Road Id**: 2373 **Package Number**: ADB-KPP16-14	**Customer reference** : CT/25-26/01/523-03 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	52.0	44.0	52.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLL Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/523-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Shravanabelagola road (SH-08) to Bekka via Bastihalli, Shravanbelagola. **Road Id**: 2373 **Package Number**: ADB-KPP16-14	**Customer reference** : CT/25-26/01/523-04 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 02.02.2026 **Calibrated on** : 07.07.2026

Results:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	2.0	5
5.	pH	IS:3025(P 11)		7.20	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	161.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	264.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	180.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	52.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	431.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	54.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.12	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	1.9	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	1.1	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	127.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/522-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR near Maranayakanahalli to Ediganahosur via Kadavinabachalli **Road Id**: 4897 **Package Number**: ADB-KPP16-10	**Customer reference** : CT/25-26/01/522-01 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	51.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	14.8	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	16.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified
2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing. 3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/522-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR near Maranayakanahalli to Ediganahosur via Kadavinabachalli **Road Id**: 4897 **Package Number**: ADB-KPP16-10	**Customer reference** : CT/25-26/01/522-02 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.45	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	2.8	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified
2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing. 3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/522-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR near Maranayakanahalli to Ediganahosur via Kadavinabachalli **Road Id**: 4897 **Package Number**: ADB-KPP16-10	**Customer reference:** CT/25-26/01/522-03 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test** : 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq* Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	48.0	43.0	48.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified
2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing. 3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/522-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR near Maranayakanahalli to Ediganahosur via Kadavinabachalli **Road Id**: 4897 **Package Number**: ADB-KPP16-10	**Customer reference** : CT/25-26/01/522-04 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 30.01.2026 **Sample Particulars** : Surface water **Date of Start of Test** : 20.01.2026 **Calibrated on** : 07.07.2026

Results:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	0.2	5
5.	pH	IS:3025(P 11)		7.30	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	167.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	257.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	177.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	51.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	315.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	43.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.16	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	1.3	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	0.9	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	148.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified
2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing. 3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/520-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to Lingalapura via Siddarahalli, Belur **Road Id**: 3485 **Package Number**: ADB-KPP16-06	**Customer reference** : CT/25-26/01/520-01 **Date of Collection** : 27.01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	53.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	17.5	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	18.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/520-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to Lingalapura via Siddarahalli, Belur **Road Id**: 3485 **Package Number**: ADB-KPP16-06	**Customer reference** : CT/25-26/01/520-02 **Date of Collection** : 27.01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.48	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	BDL	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLL Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/520-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to Lingalapura via Siddarahalli, Belur **Road Id**: 3485 **Package Number**: ADB-KPP16-06	**Customer reference** : CT/25-26/01/520-03 **Date of Collection** : 27.01.2026 **Date of Receipt** : 27.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	50.0	43.0	50.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLL Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/520-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to Lingalapura via Siddarahalli, Belur **Road Id**: 3485 **Package Number**: ADB-KPP16-06	**Customer reference** : CT/25-26/01/520-04 **Date of Collection** : 27.01.2026 **Date of Receipt** : 27.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 02.02.2026 **Calibrated on** : 07.07.2026

Results:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	1.0	5
5.	pH	IS:3025(P 11)		7.80	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	121.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	267.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	184.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	53.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	386.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	45.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.14	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	1.6	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	1.6	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	181.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/518-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to SH via Huliyappana palya, Mavinakere,Hosur, Lakkihalli Kaval, Arasikere **Road Id**: 3772 **Package Number**: ADB-KPP16-03	**Customer reference** : CT/25-26/01/518-01 **Date of Collection** : 13.01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	48.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	14.8	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	16.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/518-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to SH via Huliyappana palya, Mavinakere,Hosur, Lakkihalli Kaval, Arasikere **Road Id**: 3772 **Package Number**: ADB-KPP16-03	**Customer reference** : CT/25-26/01/518-02 **Date of Collection** : 13.01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.36	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	2.1	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/518-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to SH via Huliyappana palya, Mavinakere,Hosur, Lakkihalli Kaval, Arasikere **Road Id**: 3772 **Package Number**: ADB-KPP16-03	**Customer reference** : CT/25-26/01/518-03 **Date of Collection** : 13.01.2026 **Date of Receipt** : 13.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 15.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	47.0	40.0	47.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/518-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to SH via Huliyappana palya, Mavinakere,Hosur, Lakkihalli Kaval, Arasikere **Road Id**: 3772 **Package Number**: ADB-KPP16-03	**Customer reference** : CT/25-26/01/518-04 **Date of Collection** : 13.01.2026 **Date of Receipt** : 13.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 02.02.2026 **Calibrated on** : 07.07.2026

Resuts:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	1.0	5
5.	pH	IS:3025(P 11)		7.40	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	105.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	196.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	133.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	39.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	451.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	67.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.2	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	2.1	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	0.7	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	167.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/521-01	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Hodenur to MDR via Kargal, Arkalgud, Hassan. **Road Id**: 2837 **Package Number**: ADB-KPP16-01	**Customer reference** : CT/25-26/01/521-01 **Date of Collection** : 11. 01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 13.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	41.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	13.4	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	15.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/521-02	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Hodenur to MDR via Kargal, Arkalgud, Hassan. **Road Id**: 2837 **Package Number**: ADB-KPP16-01	**Customer reference** : CT/25-26/01/521-02 **Date of Collection** : 11. 01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 13.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	4.1	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	1.8	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/521-03	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Hodenur to MDR via Kargal, Arkalgud, Hassan. **Road Id**: 2837 **Package Number**: ADB-KPP16-01	**Customer reference** : CT/25-26/01/521-03 **Date of Collection** : 11. 01.2026 **Date of Receipt** : 13.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 13.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	49.0	41.0	49.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/521-04	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: Hodenur to MDR via Kargal, Arkalgud, Hassan. **Road Id**: 2837 **Package Number**: ADB-KPP16-01	**Customer reference** : CT/25-26/01/521-04 **Date of Collection** : 11. 01.2026 **Date of Receipt** : 13.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 20.01.2026 **Calibrated on** : 07.07.2026

Results:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	0.0	5
5.	pH	IS:3025(P 11)		7.70	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	98.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	295.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	200.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	60.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	354.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	35.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.13	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	2.5	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	0.8	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	170.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/516-01	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to MDR via Kallahalli, Malligavalu, Sakaleshpura. **Road Id**: 3817 **Package Number**: ADB-KPP16-12	**Customer reference** : CT/25-26/01/516-01 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	47.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	13.1	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	14.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/516-02	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to MDR via Kallahalli, Malligavalu, Sakaleshpura. **Road Id**: 3817 **Package Number**: ADB-KPP16-12	**Customer reference** : CT/25-26/01/516-02 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	23.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.35	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	1.1	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/516-03	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to MDR via Kallahalli, Malligavalu, Sakaleshpura. **Road Id**: 3817 **Package Number**: ADB-KPP16-12	**Customer reference** : CT/25-26/01/516-03 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 19.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	46.0	39.0	46.0	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/516-04	**Report Date** : 10.02.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: MDR to MDR via Kallahalli, Malligavalu, Sakaleshpura. **Road Id**: 3817 **Package Number**: ADB-KPP16-12	**Customer reference** : CT/25-26/01/516-04 **Date of Collection** : 17.01.2026 **Date of Receipt** : 17.01.2026 **Sample Particulars** : Water Sample **Date of Start of Test**: 19.01.2026 **Calibrated on** : 07.07.2026

Resuts:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	3.0	5
5.	pH	IS:3025(P 11)		6.90	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	147.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	311.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	211.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	63.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	398.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	49.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.18	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	1.7	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	1.3	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	121.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms/100ml	IS:1622-1981	---	Absent	Less than 1
28.	E.coli Bacteria/100ml	IS:1622-1981	---	Absent	Absent

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/26	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: C.S.F To Ayyanur road via Vigneshwara camp,Venkateshwara camp,Annapurna camp,Paparao camp. Sindhanuru, Raichur. **Road Id**: 3794 **Package Number**: ADB-KPP23-07	**Customer reference** : CT/25-26/01/26 **Date of Collection** : 19. 01.2026 **Date of Receipt** : 20.01.2026 **Date of Start of Test** : 20.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	50.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	22.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	16.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/26	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: C.S.F To Ayyanur road via Vigneshwara camp,Venkateshwara camp,Annapurna camp,Paparao camp. Sindhanuru, Raichur. **Road Id**: 3794 **Package Number**: ADB-KPP23-07	**Customer reference** : CT/25-26/01/26 **Date of Collection** : 19.01.2026 **Date of Receipt** : 20.01.2026 **Date of Start of Test** : 20.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.47	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	BDL	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	41.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	BDL	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	BDL	1.0**
08	Arsenic in ug/m3	AAS	BDL	6.0*
09	Nickel in ug/m3	AAS	BDL	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/27	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: C.S.F To Ayyanur road via Vigneshwara camp,Venkateshwara camp,Annapurna camp,Paparao camp. Sindhanuru, Raichur. **Road Id**: 3794 **Package Number**: ADB-KPP23-07	**Customer reference** : CT/25-26/01/27 **Date of Collection** : 19.01.2026 **Date of Receipt** : 20.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 20.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Day/night Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	47.0	43.0	50.3	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/28	**Report Date** : 23.01.2026
Issued To: **M/s. YASHASWI CONSULTANTS** Mysore, **Name of Road**: C.S.F To Ayyanur road via Vigneshwara camp,Venkateshwara , camp,Annapurna camp,Paparao camp. Sindhanuru, Raichur. **Road Id**: 3794 **Package Number**: ADB-KPP23-07	**Customer reference** : CT/25-26/01/28 **Date of Collection** : 19.01.2026 **Date of Receipt** : 20.01.2026 **Sample Particulars** : Surface water **Date of Start of Test**: 20.01.2026 **Calibrated on** : 07.07.2026

Results:

Sl. No	Parameter	Protocol	Unit	Result	IS:10500-2012
1.	Colour, True colour units	IS:3025(P 4)	--	<1.0	5
2.	Odour	IS:3025(P 5)	---	Agreeable	Agreeable
3.	Taste	IS:3025(P 8)	---	Agreeable	Agreeable
4.	Turbidity, NTU	IS:3025(P 10)	NTU	0.2	5
5.	pH	IS:3025(P 11)		7.20	6.5-8.5
6.	Chlorides, as CI	IS:3025(P 32)	mg/l	156.0	250
7.	Total Hardness as CaC03	IS:3025(P 21)	mg/l	305.0	200
8.	Calcium,	IS:3025(P 40)	mg/l	213.0	75
9.	Magnesium,	IS:3025(P 46)	mg/l	67.0	30
10.	Total Dissolved solids	IS:3025(P 16)	mg/l	378.0	500
11.	Sulphates, as SO4	IS:3025(P 24)	mg/l	63.0	200
12.	Copper, as Cu	IS:3025(P 2)	mg/l	BDL	0.05
13.	Iron, as Fe	IS:3025(P 53)	mg/l	0.26	0.3
14.	Manganese, as Mn	IS:3025(P 2)	mg/l	BDL	0.1
15.	Nitrates, as N03	APHA	mg/l	2.1	45
16.	Fluorides, as F	IS:3025(P60)	mg/l	1.0	1.0
17.	Cadmium, as Cd	IS:3025(P 2)	mg/l	BDL	0.01
18.	Selenium, as Se	IS:3025(P 2)	mg/l	BDL	0.01
19.	Arsenic, as As	IS:3025(P 2)	mg/l	BDL	0.01
20.	Lead, as Pb	IS:3025(P 2)	mg/l	BDL	0.05
21.	Zinc, as Zn	IS:3025(P 2)	mg/l	BDL	5
22.	Chromium	IS:3025(P2)	mg/l	BDL	0.05
23.	Residual Free Chlorine	IS:3025(P 26)	mg/l	BDL	Min 0.20
24.	Alkalinity, as CaC03	IS:3025(P 23)	mg/l	151.0	200
25.	Aluminum, as Al	IS:3025(P 2)	mg/l	BDL	0.03
26.	Boron, as B	IS:3025(P 2)	mg/l	BDL	1.00
27.	Coliform Organisms /100ml	IS:1622-1981	---	Absent	Less than 1

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0457
		Report No: CRI/26-27/0229
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.907187, 75.280683
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.63	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	403	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	8.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0457
		Report No: CRI/26-27/0229
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.907187, 75.280683
Date of sample Collection	27.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report**: 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	342	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	168	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.2	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0486 **Report No:** CRI/26-27/0256 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Purapundikoppa to Kalaguddi up to TB road, Hirekerur (D). (Road ID: 954) **Sampling Location:** At Ch. 0.000 km Samudaya Bhavan 0.15 km away From Road Center, Purakondikoppa Village Premises
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report**: 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	57.3	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.1	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.4	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0486
		Report No: CRI/26-27/0256
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Purapundikoppa to Kalaguddi up to TB road, Hirekerur (D). (Road ID: 954)
		Sampling Location: At Ch. 0.000 km Samudaya Bhavan 0.15 km away From Road Center, Purakondikoppa Village Premises
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report**: 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0487
		Report No: CRI/26-27/0257
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report**: 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** NA
Date of Evaluation	01.05.2026 – 08.05.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.000 km Samudaya Bhavan 0.15 km away From Road Center, Purakondikoppa Village Premises	06:00 – 22:00 (4 hrs Interval)	52.8	IS 9989
		Night Time		
1.	At Ch. 0.000 km Samudaya Bhavan 0.15 km away From Road Center, Purakondikoppa Village Premises	22:00 – 06:00 (4 hrs Interval)	42.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0488
		Report No: CRI/26-27/0258
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Purakondikoppa Village premesis Inside Hand Pump
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.72	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	432	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	806	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	24.3	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	274	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	65.76	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	26.63	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	54	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	282	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.96	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.57	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0488
		Report No: CRI/26-27/0258
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Purakondikoppa Village premesis Inside Hand Pump
Date of sample Collection	30.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report**: 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.7	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0489
		Report No: CRI/26-27/0259
		Group: Water
		Product: Surface Water
		Sample Location: At Ch. 3.225 Km (9.0 mtr From Centerline Road) Kalyani at Chandapur Village
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	01.05.2026	**Method**: Grab Samples
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report**: 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.42	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.0	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	488	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.8	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	111	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	65	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	8.7	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0490
		Report No: CRI/26-27/0260
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.589364, 75.227676
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.58	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	423	IS 14767
3.	Potassium (as K) (mg/kg)	135	By AAS Method
4.	Moisture (%)	9.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0490
		Report No: CRI/26-27/0260
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.589364, 75.227676
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	388	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	164	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.7	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.7	By Calculation Method
5.	Sand, %	78	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0463
		Report No: CRI/26-27/0233
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Hirekabbar to Guddadamadapura via maidur road, Hirekerur (D). (Road ID: 997)
		Sampling Location: At Ch. 0.000 km Govt Higher Primary School 0.30 km away From Road Center, Hirekabbar Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 08.05.20266
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	58.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	216	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.4	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0463
		Report No: CRI/26-27/0233
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Hirekabbar to Guddadamadapura via maidur road, Hirekerur (D). (Road ID: 997)
		Sampling Location: At Ch. 0.000 km Govt Higher Primary School 0.30 km away From Road Center, Hirekabbar Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report**: 08.05.20266
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0464 **Report No:** CRI/26-27/0234 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 08.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** NA
Date of Evaluation	01.05.2026 – 08.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.000 km Govt Higher Primary School 0.30 km away From Road Center, Hirekabbar Village Premises	06:00 – 22:00 (4 hrs Interval)	47.5	IS 9989
		Night Time		
1.	At Ch. 0.000 km Govt Higher Primary School 0.30 km away From Road Center, Hirekabbar Village Premises	22:00 – 06:00 (4 hrs Interval)	37.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0465
		Report No: CRI/26-27/0235
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Hirekabbar Village premesis Inside Hand Pump
Date of sample Collection	29.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.20266
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.81	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	424	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	797	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	24.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	280	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	67.2	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	27.22	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	59	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	290	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.3	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.63	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0465
		Report No: CRI/26-27/0235
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Hirekabbar Village premesis Inside Hand Pump
Date of sample Collection	29.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.20266
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.2	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0466
		Report No: CRI/26-27/0236
		Group: Water
		Product: Surface Water
		Sample Location: At Ch. 0.090 Km (7.0 mtr From Centerline road) Tank Bund at Hirkabbar Village
Date of sample Collection	29.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Samples
Date of Sample Receipt	30.04.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.12	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.3	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	476	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.2	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	98	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	46	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	7.5	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0467
		Report No: CRI/26-27/0237
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.56777, 75.460021
Date of sample Collection	29.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.65	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	347	IS 14767
3.	Potassium (as K) (mg/kg)	114	By AAS Method
4.	Moisture (%)	8.7	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0467
		Report No: CRI/26-27/0237
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.56777, 75.460021
Date of sample Collection	29.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	288	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	122	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.2	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.9	By Calculation Method
5.	Sand, %	82	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	6	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0452
		Report No: CRI/26-27/0224
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.932178, 75.58629
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.63	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	452	IS 14767
3.	Potassium (as K) (mg/kg)	118	By AAS Method
4.	Moisture (%)	8.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0452
		Report No: CRI/26-27/0224
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.932178, 75.58629
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	402	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	184	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.5	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0453
		Report No: CRI/26-27/0225
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.553741, 75.693009
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.71	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	399	IS 14767
3.	Potassium (as K) (mg/kg)	104	By AAS Method
4.	Moisture (%)	10.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0453
		Report No: CRI/26-27/0225
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.553741, 75.693009
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	248	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	118	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.7	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.3	By Calculation Method
5.	Sand, %	50	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	34	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0454
		Report No: CRI/26-27/0226
		Group: Water
		Product: Surface Water
		Sample Location: At Ch. 0.900 Km to 1.53 Km (adjacent to road) Valley at Chandapur Village
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	28.04.2026	**Method:** Grab Samples
Duration of Test	28.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.23	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	468	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.3	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	96	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	59	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	8.2	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0455
		Report No: CRI/26-27/0227
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.954973, 75.175163
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.99	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	418	IS 14767
3.	Potassium (as K) (mg/kg)	96	By AAS Method
4.	Moisture (%)	8.6	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0455
		Report No: CRI/26-27/0227
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.954973, 75.175163
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	382	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	164	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.2	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.82	By Calculation Method
5.	Sand, %	74	IS 2720 Part-4
6.	Silt, %	16	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0491 **Report No:** CRI/26-27/0261 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Hesarur to Doddur road upto TB, Haveri, Haveri (D). (Road ID: 2301) **Sampling Location:** At Ch. 0.000 km (990 mtr Distance from Road center Line) Govt Higher Primary School, Hesarur Village.
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report**: 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	52.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	18.7	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.0	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.1	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0491
		Report No: CRI/26-27/0261
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Hesarur to Doddur road upto TB, Haveri, Haveri (D). (Road ID: 2301)
		Sampling Location: At Ch. 0.000 km (990 mtr Distance from Road center Line) Govt Higher Primary School, Hesarur Village.
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report**: 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** Good
Duration of Test	01.05.2026 – 08.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PVT. LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0492
		Report No: CRI/26-27/0262
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	29.04.2026 to 30.04.2026	**Date of Report:** 08.05.2026
Date of Sample Receipt	01.05.2026	**Sample Condition:** NA
Date of Evaluation	01.05.2026 – 08.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.000 km (990 mtr Distance from Road center Line) Govt Higher Primary School, Hesarur Village.	06:00 – 22:00 (4 hrs Interval)	48.6	IS 9989
		Night Time		
1.	At Ch. 0.000 km (990 mtr Distance from Road center Line) Govt Higher Primary School, Hesarur Village.	22:00 – 06:00 (4 hrs Interval)	37.9	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bangaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0493
		Report No: CRI/26-27/0263
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Heasarur Village premesis Hand Pump
Date of sample Collection	30.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report**: 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.14	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	447	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	846	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	28.5	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	296	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	71.04	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	28.77	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	65	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	302	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	2.2	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.69	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0493
		Report No: CRI/26-27/0263
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Heasarur Village premesis Hand Pump
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, °C	25.7	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bangalore have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0494
		Report No: CRI/26-27/0264
		Group: Water
		Product: Surface Water
		Sample Location: At Ch. 0.240 km (10 mtr Distance from Road center Line) Tank Bund
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Samples
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.41	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	48	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.8	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	102	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	58	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	10.5	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0495
		Report No: CRI/26-27/0265
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.032552, 75.49906
Date of sample Collection	30.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report**: 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.41	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	398	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	8.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7 For any legal issues the courts at Bangaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0495
		Report No: CRI/26-27/0265
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.032552, 75.49906
Date of sample Collection	30.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	01.05.2026	
Duration of Test	01.05.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	342	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	168	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.7	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.0	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0456
		Report No: CRI/26-27/0228
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.56777, 75.460021
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 08.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.49	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	398	IS 14767
3.	Potassium (as K) (mg/kg)	147	By AAS Method
4.	Moisture (%)	6.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0456
		Report No: CRI/26-27/0228
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.56777, 75.460021
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 08.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	402	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	198	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.3	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0468 **Report No:** CRI/26-27/0238 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Attigeri to Hireharakuni TB road, Haveri (D). (Road ID: 3663) **Sampling Location:** At Ch. 0.000 km MFC High School 0.35 km away From Road Center, Attigeri Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 07.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 07.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.7	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	17.2	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.3	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.4	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0468
		Report No: CRI/26-27/0238
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Attigeri to Hireharakuni TB road, Haveri (D). (Road ID: 3663)
		Sampling Location: At Ch. 0.000 km MFC High School 0.35 km away From Road Center, Attigeri Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 07.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 07.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0469 **Report No:** CRI/26-27/0239 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report**: 07.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** NA
Date of Evaluation	30.04.2026 – 07.05.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.000 km MFC High School 0.35 km away From Road Center, Attigeri Village Premises	06:00 – 22:00 (4 hrs Interval)	59.3	IS 9989
		Night Time		
1.	At Ch. 0.000 km MFC High School 0.35 km away From Road Center, Attigeri Village Premises	22:00 – 06:00 (4 hrs Interval)	36.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0470
		Report No: CRI/26-27/0240
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Attigeri Village premesis Inside Hand Pump
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.76	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	425	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	805	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	31.7	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	268	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	64.32	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	26.05	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	61	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	284	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.42	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.58	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0470
		Report No: CRI/26-27/0240
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water – Attigeri Village premesis Inside Hand Pump
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0471
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.118428, 75.322422
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.42	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	462	IS 14767
3.	Potassium (as K) (mg/kg)	186	By AAS Method
4.	Moisture (%)	10.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0471
		Report No: CRI/26-27/0241
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.118428, 75.322422
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 07.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	466	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	198	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.5	IS 2720 Part-24
4.	Sodium Absorption Ratio	2.5	By Calculation Method
5.	Sand, %	68	IS 2720 Part-4
6.	Silt, %	20	IS 2720 Part-4
7.	Clay, %	12	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0458
		Report No: CRI/26-27/0230
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Naganur Village premesis Inside Hand Pump
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.33	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	522	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	940	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	27.6	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	320	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	76.8	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	65.00	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	102	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	298	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.6	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.58	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0458
		Report No: CRI/26-27/0230
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Naganur Village premesis Inside Hand Pump
Date of sample Collection	27.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report**: 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0459
		Report No: CRI/26-27/0231
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.82198, 75.320023
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.33	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	423	IS 14767
3.	Potassium (as K) (mg/kg)	124	By AAS Method
4.	Moisture (%)	8.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0459
		Report No: CRI/26-27/0231
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.82198, 75.320023
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	386	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	156	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.3	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.96	By Calculation Method
5.	Sand, %	62	IS 2720 Part-4
6.	Silt, %	23	IS 2720 Part-4
7.	Clay, %	15	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0459
		Report No: CRI/26-27/0231
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.016145, 75.299547
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.25	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	436	IS 14767
3.	Potassium (as K) (mg/kg)	140	By AAS Method
4.	Moisture (%)	9.5	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0459
		Report No: CRI/26-27/0231
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.016145, 75.299547
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	29.04.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	396	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	150	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.4	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.5	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	8	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0460
		Report No: CRI/26-27/0232
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.775581, 75.067424
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.82	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	463	IS 14767
3.	Potassium (as K) (mg/kg)	125	By AAS Method
4.	Moisture (%)	9.1	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0460
		Report No: CRI/26-27/0232
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.775581, 75.067424
Date of sample Collection	27.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	28.04.2026	
Duration of Test	28.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	328	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	148	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.2	By Calculation Method
5.	Sand, %	77	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0472
		Report No: CRI/26-27/0242
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Pala-Arekoppa Road to Gotagodi via Bidarakoppa, Hangal, Haveri (D). (Road ID: 4950)
		Sampling Location: At Ch. 2.100 km (250 mtr Distance from Road center Line) Govt Lower Primary School, Hirekanagi Village.
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 06.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 06.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	56.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	15.7	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0472
		Report No: CRI/26-27/0242
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Pala-Arekoppa Road to Gotagodi via Bidarakoppa, Hangal, Haveri (D). (Road ID: 4950)
		Sampling Location: At Ch. 2.100 km (250 mtr Distance from Road center Line) Govt Lower Primary School, Hirekanagi Village.
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report**: 06.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 06.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0473
		Report No: CRI/26-27/0243
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 06.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** NA
Date of Evaluation	30.04.2026 – 06.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 2.100 km (250 mtr Distance from Road center Line) Govt Lower Primary School, Hirekanagi Village.	06:00 – 22:00 (4 hrs Interval)	58.6	IS 9989
		Night Time		
1.	At Ch. 2.100 km (250 mtr Distance from Road center Line) Govt Lower Primary School, Hirekanagi Village.	22:00 – 06:00 (4 hrs Interval)	37.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0474
		Report No: CRI/26-27/0244
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Ghajipur Village premesis Inside Hirekanagi Village
Date of sample Collection	28.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 06.05.2026	**Date of Report**: 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.33	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	488	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	951	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	27.6	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	320	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	76.8	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	31.10	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	76	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	340	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.36	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.87	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0474
		Report No: CRI/26-27/0244
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water -Ghajipur Village premesis Inside Hirekanagi Village
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0475
		Report No: CRI/26-27/0245
		Group: Water
		Product: Surface Water
		Sample Location: At Ch. 0.300 km (250 mtr Distance from Road center Line) Tank Bund
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01 **Method:** Grab Samples
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.77	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	510	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.3	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	126	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	65	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	12.3	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0476
		Report No: CRI/26-27/0246
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.769669, 75.085023
Date of sample Collection	28.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 06.05.2026	**Date of Report**: 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.65	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	426	IS 14767
3.	Potassium (as K) (mg/kg)	142	By AAS Method
4.	Moisture (%)	9.52	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0476
		Report No: CRI/26-27/0246
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 14.769669, 75.085023
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	388	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	146	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.6	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.4	By Calculation Method
5.	Sand, %	76	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	12	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0482
		Report No: CRI/26-27/0252
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Vanahalli to Shiggaon, Haveri (D). (Road ID: 5324)
		Sampling Location: At Ch. 1.150 km Morarji desai School 1.20 km away From Road Center , Ganjigatti Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 08.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 08.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	53.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.7	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.5	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.8	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0482 **Report No:** CRI/26-27/0252 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Vanahalli to Shiggaon, Haveri (D). (Road ID: 5324) **Sampling Location:** At Ch. 1.150 km Morarji desai School 1.20 km away From Road Center , Ganjigatti Village Premises
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 08.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** Good
Duration of Test	30.04.2026 – 08.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0483 **Report No:** CRI/26-27/0253 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	28.04.2026 to 29.04.2026	**Date of Report:** 08.05.2026
Date of Sample Receipt	30.04.2026	**Sample Condition:** NA
Date of Evaluation	30.04.2026 – 08.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
	Day Time			
1.	At Ch. 1.150 km Morarji desai School 1.20 km away From Road Center , Ganjigatti Village Premises	06:00 – 22:00 (4 hrs Interval)	49.5	IS 9989
	Night Time			
1.	At Ch. 1.150 km Morarji desai School 1.20 km away From Road Center , Ganjigatti Village Premises	22:00 – 06:00 (4 hrs Interval)	37.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0484
		Report No: CRI/26-27/0254
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Vanahalli Village premesis Inside Hand Pump
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.85	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	427	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	806	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	30.4	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	274	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	65.76	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	26.63	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	58	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	290	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.85	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.54	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0484
		Report No: CRI/26-27/0254
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Vanahalli Village premesis Inside Hand Pump
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 08.05.2026	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0485
		Report No: CRI/26-27/0255
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.017695, 75.209934
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 08.05.20266	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.42	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	462	IS 14767
3.	Potassium (as K) (mg/kg)	186	By AAS Method
4.	Moisture (%)	10.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0485
		Report No: CRI/26-27/0255
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 15.017695, 75.209934
Date of sample Collection	28.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	30.04.2026	
Duration of Test	30.04.2026 – 08.05.20266	**Date of Report:** 08.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	466	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	198	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8.5	IS 2720 Part-24
4.	Sodium Absorption Ratio	2.5	By Calculation Method
5.	Sand, %	58	IS 2720 Part-4
6.	Silt, %	12	IS 2720 Part-4
7.	Clay, %	30	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0252
		Report No.: CRI/25-26/0078
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Masanakatti (SH-137) to SH-01 via Aladakatti, Hunasikatti, Badamagatti road, Hangal, Haveri (D). (Road ID: 4038)
		Sampling Location: Ch. 0.00 km (645 mtr Distance from Road center Line) Govt Health Center , Mansanakatti Village
		Meteorological Data: Temperature: 31°C Humidity: 49% Wind Direction/Speed: ENE 18 km/hr
Date of sample Collection	17.01.2026 to 18.01.2026	**Date of Report:** 31.01.2026
Date of Sample Receipt	19.01.2026	**Sample Condition:** Good
Duration of Test	19.01.2026 – 31.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0253 **Report No.:** CRI/25-26/0079 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	17.01.2026 to 18.01.2026	**Date of Report:** 31.01.2026
Date of Sample Receipt	19.01.2026	**Sample Condition:** NA
Date of Evaluation	27.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.00 km (645 mtr Distance from Road center Line) Govt Health Center , Mansanakatti Village	06:00 – 22:00 (4 hrs Interval)	48.9	IS 9989
		Night Time		
1.	At Ch. 0.00 km (645 mtr Distance from Road center Line) Govt Health Center , Mansanakatti Village	22:00 – 06:00 (4 hrs Interval)	36.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested

31/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N1ZC**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0254
		Report No.: CRI/25-26/0080
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Masanakatti Village premesis Inside Hand Pump
Date of sample Collection	17.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	19.01.2026	
Duration of Test	20.01.2026 – 31.01.2026	**Date of Report**: 31.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.89	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	413	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	770	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	23.7	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	278	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	66.72	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.02	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	46	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	296	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	0.96	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.60	1	1.5	7 of IS 3025 (Part 60/Sec 1)

31/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0003
		Report No.: CRI/25-26/0006
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Maagoda to N H (Chalageri) Via Kamadoda -Devagondanakatti road, RaneBennuru, Haveri (D). (Road ID: 1334)
		Sampling Location: At Ch.3.27 to 3.34 km(7.5 mtr Distance from Road center Line) Government Lower Primary School, Devagondanakatti Village
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	30.01.2026 to 31.01.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	02.02.2026	**Sample Condition:** Good
Duration of Test	02.02.2026 – 11.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	48.7	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	18.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.4	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0004 **Report No.:** CRI/25-26/0007 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	30.01.2026 to 31.01.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	02.02.2026	**Sample Condition:** NA
Date of Evaluation	04.02.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch.3.27 to 3.34 km(7.5 mtr Distance from Road center Line) Government Lower Primary School, Devagondanakatti Village	06:00 – 22:00 (4 hrs Interval)	47.3	IS 9989
		Night Time		
1.	At Ch.3.27 to 3.34 km(7.5 mtr Distance from Road center Line) Government Lower Primary School, Devagondanakatti Village	22:00 – 06:00 (4 hrs Interval)	37.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 **GST NO: 29AAICC7110N1ZC** **PAN NO: AAICC7110N1ZC**

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0005 **Report No.:** CRI/25-26/0008 **Group**: Water **Product**: Drinking Water **Sample Type/Source**: Ground Water - Maagoda to Kamadoda Village premesis Inside Hand Pump
Date of sample Collection	30.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	02.02.2026	
Duration of Test	02.02.2026 – 11.02.2026	**Date of Report**: 11.02.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.23	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	489	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	963	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.3	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	42.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	296	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	71.04	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	28.77	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	75	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	332	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.25	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.71	1	1.5	7 of IS 3025 (Part 60/Sec 1)

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, 1k Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0065
		Report No.: CRI/25-26/0018
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Kittur to Halagi Via Maradur road, Haveri, Haveri (D). (Road ID: 1141)
		Sampling Location: Government Lower Primary School, Halagi Village
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 20 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 21.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.3	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	18.5	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	9.8	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.4	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0066
		Report No.: CRI/25-26/0019
		Group: Atmospheric Pollution
		Product: Ambient Noise
		Sample Type: Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report**: 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	Government Lower Primary School, Halagi Village	06:00 – 22:00 (4 hrs Interval)	49.1	IS 9989
		Night Time		
1.	Government Lower Primary School, Halagi Village	22:00 – 06:00 (4 hrs Interval)	36.7	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0067 **Report No.:** CRI/25-26/0020 **Group**: Water **Product**: Drinking Water **Sample Type/Source**: Ground Water - OHT at Ch. 2.700 and 5.470 Km
Date of sample Collection	09.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report**: 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.12	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	422	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	770	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	324.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	278	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	66.72	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.02	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	42	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	290	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.02	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.65	1	1.5	7 of IS 3025 (Part 60/Sec 1)

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters 2 Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified 3 Total liability of our laboratory is limited to the invoice amount 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6 Results given in the certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query in the content of this report can be mailed to kumar@charitonindia.com

Tel: 080 23479296 Mob: 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0533
		Report No.: CRI/25-26/0263
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Vaderanahalli to Guddadahosalli via Yalavadahalli, Babapura, Hirebudihal road, Hirekerur, Haveri (D). (Road ID: 2380)
		Sampling Location: At Ch. 0.980 Km (7.5 mtr Distance from Road center Line) Government Kannada Higher Primary School, Yalavadahalli Village at Ch. 5.350 Km 8 mtr Distance from Road center Line) Government Kannada Higher Primary School, Bavapur Village
		Meteorological Data: Temperature: 32°C Humidity: 48% Wind Direction/Speed: ENE 17 km/hr
Date of sample Collection	29.01.2026 to 30.01.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	31.01.2026	**Sample Condition:** Good
Duration of Test	31.01.2026 – 11.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.7	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.0	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report. Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by the institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of product. 7.For any legal matters the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0534 **Report No.:** CRI/25-26/0264 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	29.01.2026 to 30.01.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	31.01.2026	**Sample Condition:** NA
Date of Evaluation	04.02.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
	Day Time			
1.	At Ch. 0.980 Km (7.5 mtr Distance from Road center Line) Government Kannada Higher Primary School, Yalavadahalli Village at Ch. 5.350 Km 8 mtr Distance from Road center Line) Government Kannada Higher Primary School, Bavapur Village	06:00 – 22:00 (4 hrs Interval)	55.9	IS 9989
	Night Time			
1.	At Ch. 0.980 Km (7.5 mtr Distance from Road center Line) Government Kannada Higher Primary School, Yalavadahalli Village at Ch. 5.350 Km 8 mtr Distance from Road center Line) Government Kannada Higher Primary School, Bavapur Village	22:00 – 06:00 (4 hrs Interval)	37.9	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our Institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0535
		Report No.: CRI/25-26/0265
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - OHT at Ch. 2.530 Km, Water Tank at Ch.0.030 to 0.230 km
Date of sample Collection	29.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	31.01.2026	
Duration of Test	31.01.2026 – 11.02.2026	**Date of Report:** 11.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.82	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	388	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	707	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	27.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	258	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	61.92	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	25.08	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	42	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	266	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	0.92	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.57	1	1.5	7 of IS 3025 (Part 60/Sec 1)

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0536 **Report No.:** CRI/25-26/0266 **Group**: Water **Product**: Drinking Water **Sample Type/Source**: Surface Water - Kalyani is located at Ch. 7.560 Km
Date of sample Collection	29.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	31.01.2026	**Date of Report**: 11.02.2026
Duration of Test	31.01.2026 – 11.02.2026	**Sample Condition**: Satisfactory
Sample Collected by	CRI Representative	

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.03	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	108	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	220	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	15.4	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	96	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	25.4	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	7.8	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	30.6	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	22.4	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	<0.1	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	<0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	5.8	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:
1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0445 **Report No.:** CRI/25-26/0216 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** NH-8 to Kundur road, Shiggon, Haveri (D). (Road ID: 3662) **Sampling Location:** At Ending Ch. Government Lower Primary School, Kundur Village **Meteorological Data:** Temperature: 31°C Humidity: 50% Wind Direction/Speed: ENE 19 km/hr
Date of sample Collection	24.01.2026 to 25.01.2026	**Date of Report:** 04.02.2026
Date of Sample Receipt	26.01.2026	**Sample Condition:** Good
Duration of Test	26.01.2026 – 04.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	52.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.6	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumari@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0446 **Report No.:** CRI/25-26/0217 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	24.01.2026 to 25.01.2026	**Date of Report**: 04.02.2026
Date of Sample Receipt	26.01.2026	**Sample Condition:** NA
Date of Evaluation	28.01.2026	**Instruments Used**: Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ending Ch. Government Lower Primary School, Kundur Village	06:00 – 22:00 (4 hrs Interval)	48.5	IS 9989
		Night Time		
1.	At Ending Ch. Government Lower Primary School, Kundur Village	22:00 – 06:00 (4 hrs Interval)	38.2	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0447 **Report No.:** CRI/25-26/0218 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water - OHT at 0.15 Km from Ch. 3.250 Km .
Date of sample Collection	24.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.01.2026	
Duration of Test	26.01.2026 – 04.02.2026	**Date of Report:** 04.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.78	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	458	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	892	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	27.7	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	292	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	70.08	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	28.38	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	58	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	336	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	0.88	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.72	1	1.5	7 of IS 3025 (Part 60/Sec 1)

04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0448
		Report No.: CRI/25-26/0219
		Group: Water
		Product: Drinking Water
		Sample Type/Source: At Ch. 3.250 Km (85 mtr Distance from Road center Line) Valley at Kundur Village
Date of sample Collection	24.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	26.01.2026	
Duration of Test	26.01.2026 – 04.02.2026	**Date of Report**: 04.02.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.03	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	64	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	130	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.3	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	6.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	72	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	15.2	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	8.2	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	20.5	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	9.2	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	<0.1	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	<0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	6.0	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

Kumar.A 04/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0010 **Report No.:** CRI/25-26/0009 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Mantrodi to Karadagi road, Shiggaon, Haveri (D). (Road ID: 4550) **Sampling Location:** At Ch. 0.00 km Government Lower Primary School, Mantrodi Village **Meteorological Data:** Temperature: 32°C Humidity: 47% Wind Direction/Speed: ENE 16 km/hr
Date of sample Collection	31.01.2026 to 01.02.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	02.02.2026	**Sample Condition:** Good
Duration of Test	02.02.2026 – 11.02.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	50.8	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.9	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	11.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.6	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0011 **Report No.:** CRI/25-26/0010 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	31.01.2026 to 01.02.2026	**Date of Report:** 11.02.2026
Date of Sample Receipt	02.02.2026	**Sample Condition:** NA
Date of Evaluation	05.02.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.00 km Government Lower Primary School, Mantrodi Village	06:00 – 22:00 (4 hrs Interval)	48.0	IS 9989
		Night Time		
1.	At Ch. 0.00 km Government Lower Primary School, Mantrodi Village	22:00 – 06:00 (4 hrs Interval)	37.4	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0012 **Report No.:** CRI/25-26/0011 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water - Mantrodi Village premesis Inside Hand Pump
Date of sample Collection	31.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	02.02.2026	
Duration of Test	02.02.2026 – 11.02.2026	**Date of Report:** 11.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.72	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	429	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	820	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	29.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	268	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	64.32	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	26.05	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	58	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	298	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.24	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.64	1	1.5	7 of IS 3025 (Part 60/Sec 1)

11/02/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI000126045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Surface water At Ch. 0.000 km (KRS Back Water) on Road ID- 4562, Near Belthuru Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0001
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	7.43	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	6.1	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	<3.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	16.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	6.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	346.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.7	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	2.2	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	34.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4, mg/L	11.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3, mg/L	2.65	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.18	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI000126045 **Report Issued date: 05.05.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	21	Not Specified	Not Specified	IS 1622-1981 RA 2019

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI003026015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 30.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	30.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 0.380km in Chikkonahalli Village, (Road ID1093) Health Centre**
Date of sample receipt	:	31.01.2026
Lab Code	:	MI/26/01/5-0030
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	31.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.2	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.2	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	396.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	281.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	286.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	56.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	35.0	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	36.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	7.7	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	6.0	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.10	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Report No: MI003026015

Report Issued date: 06.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

*****END OF REPORT*****

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI003126015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 30.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	30.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 0.030km in Yaladahalli Village, (Road ID1099) Sourashakthi Energy Pvt. Ltd.,/Open Land**
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0031
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	31.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.7	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	552.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	390.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	382.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	80.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	43.7	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	42.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	40.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	26.0	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.12	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Report No: MI003126015 **Report Issued date: 06.02.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI002226015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 29.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 1.560km in Karadikere Village, (Road ID4328) Veterinary Hospital**
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0022
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	<1.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	6.7	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	<0.1	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	40.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	20.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	22.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	5.6	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	1.9	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	8.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	0.7	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.5	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	<0.005	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	<0.1	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002226015

Report Issued date: 06.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No.	:	MI003226021
Issue Date	:	13.02.2026
Your ref.	:	LETTER
Ref.Date	:	04.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	04.02.2026
Particulars of sample collected	:	**2nd sample Tap water At Ch. 0.700km in Aruvinahalli Village, (Road ID2912) Primary School**
Date of sample receipt	:	07.02.2026
Lab Code	:	MI/26/02/1-0032
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	07.02.2026
Date of Completion of testing	:	12.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Dis agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.6	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	1410.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	497.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	764.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	120.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	111.4	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	306.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	180.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	13.6	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.14	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

ARSHIYA KAUSAR
Dy TM - Chemical
Civil Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Report No: MI003226021

Report Issued date: 13.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE: - As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI001226015
Issue Date : 04.02.2026
Your ref. : LETTER
Ref.Date : 28.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.01.2026
Particulars of sample collected	:	**2nd Sample Tap water At Ch. 3.770km in Maragowdanahalli Village, (Road ID3931) High School**
Date of sample receipt	:	29.01.2026
Lab Code	:	MI/26/01/5-0012
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	29.01.2026
Date of Completion of testing	:	03.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	<1.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	6.7	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	<0.1	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	44.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	22.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	20.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	6.4	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	1.0	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	11.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	0.5	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.3	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	<0.005	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	<0.1	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI001226015

Report Issued date: 04.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE: - As per the above tested parameters the water passes the requirements of permissible limits of IS 10500:2012.

END OF REPORT

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI002326015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 29.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 2.930km in Sabbanahalli Village, (Road ID4328) Hydro Electric Power Plant**
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0023
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	<1.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	8.3	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	<0.1	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	184.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	117.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	114.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	27.6	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	10.8	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	19.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	8.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.1	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	<0.005	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	<0.1	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002326015

Report Issued date: 06.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water passes the requirements of permissible limits of IS 10500:2012.

END OF REPORT

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI002826021
Issue Date : 09.02.2026
Your ref. : LETTER
Ref.Date : 31.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	31.01.2026
Particulars of sample collected	:	**2nd Sample Public Tap water At Ch. 0.560km in Nelamane Village, (Road ID4350) Primary High School / Habitation.**
Date of sample receipt	:	02.01.2026
Lab Code	:	MI/26/02/1-0028
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	02.02.2026
Date of Completion of testing	:	07.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	6.8	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	464.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	183.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	212.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	60.8	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	14.3	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	75.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	30.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	37.4	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.10	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002826021

Report Issued date: 09.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE: - As per the above tested parameters the water does not passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI001026015
Issue Date : 04.02.2026
Your ref. : LETTER
Ref.Date : 28.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.01.2026
Particulars of sample collected	:	**2nd Sample Tap water At Ch. 1.660km in Kunduru Village, (Road ID4361) Pickle Factory**
Date of sample receipt	:	29.01.2026
Lab Code	:	MI/26/01/5-0010
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	29.01.2026
Date of Completion of testing	:	03.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	<1.0	5.0	15	IS:3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	6.7	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	<0.1	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	50.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	27.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	24.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	7.2	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	1.4	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	9.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	<1.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.5	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	<0.005	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	<0.1	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI001026015

Report Issued date: 04.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI000926015
Issue Date : 04.02.2026
Your ref. : LETTER
Ref.Date : 28.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 3.010km in Kodagahalli Village, (Road ID4362) School.**
Date of sample receipt	:	29.01.2026
Lab Code	:	MI/26/01/5-0009
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	29.01.2026
Date of Completion of testing	:	03.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.4	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	470.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	289.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	314.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	86.4	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	23.5	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	59.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	13.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.0	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.12	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI000926015 **Report Issued date: 04.02.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the **water does not passes** the requirements of permissible limits of IS 10500:2012.

*****END OF REPORT****

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI002426015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 29.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.01.2026
Particulars of sample collected	:	2nd Sample Tap water At Ch. 1.290km in Yeliyuru Village, (Road ID4369) Primary School & Hospital.
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0024
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.6	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.2	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	446.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	285.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	329.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	68.8	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	37.7	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	31.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	16.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	12.6	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.10	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Report No: MI002426015

Report Issued date: 06.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

END OF REPORT

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No.	:	MI002926021
Issue Date	:	09.02.2026
Your ref.	:	LETTER
Ref.Date	:	31.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	31.01.2026
Particulars of sample collected	:	**2nd Sample Public Tap Water At Ch. 0.175km in Deshvalli Village, (Road ID4482) Habitation .**
Date of sample receipt	:	02.02.2026
Lab Code	:	MI/26/02/1-0029
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	02.02.2026
Date of Completion of testing	:	07.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.4	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	768.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	331.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	461.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	92.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	55.3	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	88.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	59.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	77.4	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.12	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.6	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002926021

Report Issued date: 09.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI002126015
Issue Date : 06.02.2026
Your ref. : LETTER
Ref.Date : 29.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 1.100km in Thimmnahosur Village, (Road ID4516) Ayushman Hospital**
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0021
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Dis agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.3	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	488.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	285.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	294.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	62.4	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	33.1	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	35.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	33.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	30.8	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.12	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002626015

Report Issued date: 04.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water does not passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No.	:	MI001526013
Issue Date	:	23.01.2026
Your ref.	:	LETTER
Ref.Date	:	16.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	16.01.2026
Particulars of sample collected	:	**2nd Sample Public tap water At Ch. 1.350 km in Belathuru Village, (Road ID 4562) Open Area**
Date of sample receipt	:	17.01.2026
Lab Code	:	MI/26/01/3-0015
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	17.01.2026
Date of Completion of testing	:	22.01.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.40	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.2	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	360.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	246.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	259.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	57.6	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	27.6	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	32.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	19.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	4.8	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.10	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI001526013 **Report Issued date: 22.01.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE: - As per the above tested parameters the **water does not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No.	:	MI003026021
Issue Date	:	09.02.2026
Your ref.	:	LETTER
Ref.Date	:	31.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	31.01.2026
Particulars of sample collected	:	**2nd Sample Tap water, At Ch. 1.710km in Natanahalli Village, (Road ID4563) Habitation.**
Date of sample receipt	:	02.02.2026
Lab Code	:	MI/26/02/1-0030
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	02.02.2026
Date of Completion of testing	:	07.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.2	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	656.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	414.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	412.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	88.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	46.0	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	69.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	37.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	35.2	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.12	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Pheriolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI003026021

Report Issued date: 09.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not** passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI000226045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Surface water At Ch. 1.620 km (Pond) on Road ID- 4564, Near Karoti Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0002
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	9.0	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	5.8	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	<3.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	24.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	8.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	480.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.6	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	2.4	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	65.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4, mg/L	24.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3, mg/L	5.5	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.06	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI000226045 **Report Issued date: 05.05.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	23	Not Specified	Not Specified	IS 1622-1981 RA 2019

INFERENCE: - As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012 Specification.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA NOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI001426013
Issue Date : 23.01.2026
Your ref. : LETTER
Ref.Date : 16.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	16.01.2026
Particulars of sample collected	:	**2nd Sample Public tap water At Ch. 0.825km in Kabbaligerepura Village (Road ID4586) School & Temple.**
Date of sample receipt	:	17.01.2026
Lab Code	:	MI/26/01/3-0014
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	17.01.2026
Date of Completion of testing	:	22.01.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.6	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.2	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	410.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	257.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	267.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	43.2	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	38.2	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	54.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	34.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.5	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.4	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.10	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI001426013 **Report Issued date: 23.01.2026**

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the **water dos not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No. : MI001626013
Issue Date : 23.01.2026
Your ref. : LETTER
Ref.Date : 16.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	16.01.2026
Particulars of sample collected	:	**2nd Sample Public tap water At Ch. 2.510km in Kuruhatti Village, (Road ID3807) Habitation**
Date of sample receipt	:	17.01.2026
Lab Code	:	MI/26/01/3-0016
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	17.01.2026
Date of Completion of testing	:	23.01.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Disagreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.50	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.4	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	664.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	351.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	510.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	108.0	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	57.6	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	46.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	32.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	20.2	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.14	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Report No: MI001626013

Report Issued date: 22.01.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not passes** the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Report No.	:	MI002526015
Issue Date	:	06.02.2026
Your ref.	:	LETTER
Ref.Date	:	29.01.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.01.2026
Particulars of sample collected	:	**2nd Sample Tap Water, At Ch. 1.310km in Chikkotthagere Village, (Road ID5070) Primary School**
Date of sample receipt	:	30.01.2026
Lab Code	:	MI/26/01/5-0025
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.01.2026
Date of Completion of testing	:	05.02.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	Colour Hazen units	5.0	5.0	15	IS: 3025 (P 4) 2021
2	Odour	Agreeable	Agreeable	Agreeable	IS:3025 (P 5) 2018
3	Taste	Dis agreeable	Agreeable	Agreeable	IS:3025 (P 8) 2023
4	pH	7.5	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
5	Turbidity as NTU	1.2	1	5	IS:3025 (P 10) 2023
6	Total Dissolved Solids, mg/l	504.0	500	2000	IS:3025 (P 16) 2023
7	Total Alkalinity as $CaCO_3$, mg/l	339.0	200	600	IS:3025 (P 23) 2023
8	Total Hardness as $CaCO_3$, mg/l	298.0	200	600	IS:3025 (P 21) 2009 RA 2023
9	Calcium as Ca, mg/l	75.2	75	200	IS:3025 (P 40) 2024
10	Magnesium as Mg, mg/l	26.4	30	100	IS:3025 (P 46) 2023
11	Chloride as Cl, mg/l	57.0	250	1000	IS:3025 (P 32) 1988
12	Sulphate as SO_4, mg/l	55.0	200	400	IS:3025 (P 24) Sec 1 2022
13	Nitrate as NO_3, mg/l	2.8	45	45	IS:3025 (P-34) Sec 1 2023
14	Iron as Fe, mg/l	0.10	1.0	1.0	IS:3025 (P-65) 2022
15	Fluoride as F, mg/l	0.4	1.0	1.5	IS:3025 (P-60) Sec-1 2023
16	Residual free chlorine, mg/l	<0.1	0.2	1.0	IS:3025 (P 26) 2021
17	Boron (as B), mg/l	<0.1	0.5	2.4	IS:3025 (P 57) 2021
18	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
19	Aluminium (as Al), mg/l	<0.005	0.03	0.2	IS 3025 (P 65) 2022
20	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)
Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Report No: MI002526015

Report Issued date: 06.02.2026

TEST RESULT

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
21	Manganese (as Mn), mg/l	<0.001	0.1	0.3	IS 3025 (P 65) 2022
22	Selenium (as Se), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
23	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
24	Lead (as Pb), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
25	Nickel (as Ni), mg/l	<0.01	0.02	0.02	IS 3025 (P 65) 2022
26	Total arsenic (as As), mg/l	<0.0005	0.01	0.01	IS 3025 (P 65) 2022
27	Total chromium (as Cr), mg/l	<0.001	0.05	0.05	IS 3025 (P 65) 2022
28	Cyanide (as CN), mg/l	<0.01	0.05	0.05	IS:3025 (P 27) Sec 1 2021
29	Mercury (as Hg), mg/l	<0.0005	0.001	0.001	IS:3025 (P 65) 2022
30	Escherichia coli/100ml	Not Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021
31	Total Coliforms/100ml	Detected	Shall Not be Detectable in any 100ml Sample	Shall Not be Detectable in any 100ml Sample	IS:15185:2016 RA 2021

INFERENCE:- As per the above tested parameters the water **does not** passes the requirements of permissible limits of IS 10500:2012.

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-153
Issue Date : 26.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	18.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 0.380km in Chikkonahalli Village, (Road ID1093) Health Centre	51.7	36.5	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy. TM - Chemical
Govt. Analyst & Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-202
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	30.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 0.380km in Chikkonahalli Village, (Road ID1093) Health Centre	50.4	38.2	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-218
Issue Date : 14.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	07.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6.00 am to 10.00 pm)	Night Time (10.00 pm to 06.00 am)	
1	3rd Sample At Ch. 0.380km in Chikkonahalli Village, (Road ID1093) Health Centre	52.5	37.6	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-154
Issue Date : 26.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	18.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 0.030km in Yaladahalli Village, (Road ID1099) Sourashakthi Energy Pvt. Ltd./Open Land	52.8	35.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KAUSAR
Dy. Tal. Chemical

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-203
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	30.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 0.030km in Yaladahalli Village, (Road ID1099) Sourashakthi Energy Pvt. Ltd./Open Land	51.5	36.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-219
Issue Date : 14.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	07.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 0.030km in Yaladahalli Village, (Road ID1099) Sourashakthi Energy Pvt. Ltd./Open Land	49.6	35.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001726045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.880 km (Agricultural Land) on Road ID 2815 Near KP Doddi Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0017
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.3	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	262.0	IS:14767 2016
3	Potassium, mg/kg	138.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	96.4	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	33.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	15.2	ELBLR/SOP/C/5-26
7	Moisture, %	13.8	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.3	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	73.16	ELBLR/SOP/C/5-17
	Silt, %	15.46	ELBLR/SOP/C/5-17
	Clay, %	11.38	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-160
Issue Date : 28.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	20.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 1..560km in Karadikere Village, (Road ID4328) Veterinary Hospital	50.7	38.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-197
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.560km in Karadikere Village, (Road ID4328) Veterinary Hospital	52.4	39.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-214
Issue Date : 12.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	05.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 1..560km in Karadikere Village, (Road ID4328) Veterinary Hospital	51.7	38.2	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KAUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-195
Issue Date : 04.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	28.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 0.700km in Aruvinahalli Village, (Road ID2912) Primary School	51.7	37.6	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-212
Issue Date : 13.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	04.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 0.700km in Aruvinahalli Village, (Road ID2912) Primary School	53.7	34.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy. TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-223
Issue Date : 17.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	10.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 0.700km in Aruvinahalli Village, (Road ID2912) Primary School	52.8	35.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA TOUSAR
By TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002826045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Surface Water sample At Ch. 0.000 km (Pond) on Road ID 2919 Near Kadaluru Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0028
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	8.5	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	5.6	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	3.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	20.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	6.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	370.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.9	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	2.2	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	49.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4, mg/L	31.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3, mg/L	4.13	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.10	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI002826045 **Report Issued date: 06.05.2026**

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	26	Not Specified	Not Specified	IS 1622-1981 RA 2019

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001926045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.570 km (Agricultural Land) on Road ID 2919 Near Kadaluru Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0019
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.0	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	290.0	IS:14767 2016
3	Potassium, mg/kg	130.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	93.2	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	33.6	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	14.2	ELBLR/SOP/C/5-26
7	Moisture, %	11.80	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.30	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	72.44	ELBLR/SOP/C/5-17
	Silt, %	13.86	ELBLR/SOP/C/5-17
	Clay, %	13.70	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI003226045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Surface Water sample At Ch. 3.350 km (Pond) on Road ID 3636 Near H Kodihalli Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0032
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	8.9	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	5.2	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	4.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	24.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	8.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	304.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.8	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	2.8	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	29.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4, mg/L	18.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3, mg/L	5.2	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.08	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA HOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI003226045 **Report Issued date: 06.05.2026**

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	39	Not Specified	Not Specified	IS 1622-1981 RA 2019

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002326045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 3.350 km (Agricultural Land) on Road ID 3636 Near H Kodihalli Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0023
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.9	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	262.0	IS:14767 2016
3	Potassium, mg/kg	124.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	89.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	31.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	12.60	ELBLR/SOP/C/5-26
7	Moisture, %	12.44	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.20	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	75.80	ELBLR/SOP/C/5-17
	Silt, %	13.96	ELBLR/SOP/C/5-17
	Clay, %	10.24	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001426045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 1.580 km (Agricultural Land) On Road ID-3807, Near Thirumalapura Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0014
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.5	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	276.0	IS:14767 2016
3	Potassium, mg/kg	126.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	90.42	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	33.16	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	15.20	ELBLR/SOP/C/5-26
7	Moisture, %	11.50	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.54	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	77.46	ELBLR/SOP/C/5-17
	Silt, %	11.86	ELBLR/SOP/C/5-17
	Clay, %	10.68	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002026045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.000 km (Agricultural Land) on Road ID 3931 Near Thoraikadanahalli Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0020
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.9	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	260.0	IS:14767 2016
3	Potassium, mg/kg	132.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	91.8	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	30.6	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	15.4	ELBLR/SOP/C/5-26
7	Moisture, %	11.40	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.50	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	73.80	ELBLR/SOP/C/5-17
	Silt, %	13.40	ELBLR/SOP/C/5-17
	Clay, %	12.80	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002126045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.435 km (Agricultural Land) on Road ID 3940 Near BG Pura Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0021
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.3	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	242.0	IS:14767 2016
3	Potassium, mg/kg	122.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	91.4	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	30.6	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	12.8	ELBLR/SOP/C/5-26
7	Moisture, %	10.92	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.40	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	75.83	ELBLR/SOP/C/5-17
	Silt, %	14.92	ELBLR/SOP/C/5-17
	Clay, %	9.25	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001626045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 0.950 km (Agricultural Land) On Road ID-4083, Near Mangala Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0016
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.10	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	318.0	IS:14767 2016
3	Potassium, mg/kg	126.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	87.2	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	34.6	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	14.2	ELBLR/SOP/C/5-26
7	Moisture, %	10.98	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.50	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	76.12	ELBLR/SOP/C/5-17
	Silt, %	14.14	ELBLR/SOP/C/5-17
	Clay, %	9.74	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001526045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.4.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 3.760 km (Agricultural Land) On Road ID-4084, Near Induvalu Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0015
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.9	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	250.0	IS:14767 2016
3	Potassium, mg/kg	120.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	88.2	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	31.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	12.80	ELBLR/SOP/C/5-26
7	Moisture, %	12.88	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.20	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	75.66	ELBLR/SOP/C/5-17
	Silt, %	13.14	ELBLR/SOP/C/5-17
	Clay, %	11.20	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001826045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 2.040 km (Agricultural Land) on Road ID 4326 Near Sadolalu Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0018
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.7	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	314.0	IS:14767 2016
3	Potassium, mg/kg	136.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	94.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	35.4	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	13.8	ELBLR/SOP/C/5-26
7	Moisture, %	12.60	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.40	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	71.82	ELBLR/SOP/C/5-17
	Silt, %	14.92	ELBLR/SOP/C/5-17
	Clay, %	13.26	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-159
Issue Date : 28.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	20.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 2.930km in Sabbanahalli Village, (Road ID4328) Hydro Electric Power Plant	51.8	39.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Cert Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-198
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 2.930km in Sabbanahalli Village, (Road ID4328) Hydro Electric Power Plant	50.7	37.5	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-215
Issue Date : 11.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	05.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 2.930km in Sabbanahalli Village, (Road ID4328) Hydro Electric Power Plant	52.4	38.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-149
Issue Date : 24.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	17.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 0.560km in Nelamane Village, (Road ID4350) Primary High School / Habitation.	52.8	35.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Data Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-204
Issue Date : 09.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	31.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 0.560km in Nelamane Village, (Road ID4350) Primary High School / Habitation.	50.8	36.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-221
Issue Date : 17.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	10.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 0.560km in Nelamane Village, (Road ID4350) Primary High School / Habitation.	52.2	37.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-156
Issue Date : 27.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	19.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl.No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time	Night Time	
1	Near Food factory, Kundur, Malavalli Taluk, Mandya.	49.6	35.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy Tal - Chemist
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-193
Issue Date : 04.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	28.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.660km in Kunduru Village, (Road ID4361) Pickle Factory	58.6	44.5	75 dB (A) (During day time) And 70 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Industrial area 75 dB (A) (During day time) and 70 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TC-6172

TEST REPORT

Ambient Noise Level Monitoring Report

Test Report No: M-210
Issue Date : 13.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	04.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 1.660km in Kunduru Village, (Road ID4361) Pickle Factory	60.5	46.7	75 dB (A) (During day time) And 70 dB (A) (During night time)

➢ **Note:** Noise Level Stipulated by KSPCB for Industrial area 75 dB (A) (During day time) and 70 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-155
Issue Date : 27.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	19.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 3.010km in Kodagahalli Village, (Road ID4362) School	50.6	37.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-192
Issue Date : 04.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	28.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 3.010km in Kodagahalli Village, (Road ID4362) School	51.4	36.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-209
Issue Date : 13.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	04.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 3.010km in Kodagahalli Village, (Road ID4362) School	49.7	36.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-150
Issue Date : 24.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	17.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 1.290km in Yeliyuru Village, (Road ID4369) Primary School & Hospital.	53.2	38.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-199
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.290km in Yeliyuru Village, (Road ID4369) Primary School & Hospital.	52.6	37.6	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-216
Issue Date : 13.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	06.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 1.290km in Yeliyuru Village, (Road ID4369) Primary School & Hospital.	53.4	35.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KAUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001326045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 1.560 km (Agricultural Land) On Road ID-4408, Near Haleyelekere Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0013
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.1	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	296.0	IS:14767 2016
3	Potassium, mg/kg	136.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	93.26	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	34.40	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	14.60	ELBLR/SOP/C/5-26
7	Moisture, %	12.44	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.48	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	72.32	ELBLR/SOP/C/5-17
	Silt, %	14.96	ELBLR/SOP/C/5-17
	Clay, %	12.72	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-151
Issue Date : 24.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	17.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 0.175km in Deshvalli Village, (Road ID4482) Habitation	51.2	37.5	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy. TM - Chemical

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-205
Issue Date : 09.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	31.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 0.175km in Deshvalli Village, (Road ID4482) Habitation	52.4	38.6	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-222
Issue Date : 17.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	10.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 0.175km in Deshvalli Village, (Road ID4482) Habitation	50.5	36.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KAUSAR
Dy TM - Chemical
Govt Analyst(National Testing)

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-158
Issue Date : 28.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	20.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 1.100km in Thimmnahosur Village, (Road ID4516) Ayushman Hospital	51.4	38.6	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-196
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.100km in Thimmnahosur Village, (Road ID4516) Ayushman Hospital	49.6	39.2	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-213
Issue Date : 12.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	05.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 1.100km in Thimmnahosur Village, (Road ID4516) Ayushman Hospital	51.6	36.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Accredited Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI000926045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 1.140 km (Agricultural Land) on Road ID- 4562, Near Belthuru Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0009
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.8	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	350.0	IS:14767 2016
3	Potassium, mg/kg	126.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	98.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	36.2	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	14.2	ELBLR/SOP/C/5-26
7	Moisture, %	14.8	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.2	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	73.66	ELBLR/SOP/C/5-17
	Silt, %	14.86	ELBLR/SOP/C/5-17
	Clay, %	11.48	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-152
Issue Date : 26.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	18.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 1.710km in Natanahalli Village, (Road ID4563) Habitation	52.3	38.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARCHIYA KOUSAR
Dy. TM - Chemical
Govt Analyst Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-207
Issue Date : 09.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	31.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.710km in Natanahalli Village, (Road ID4563) Habitation	51.8	37.5	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-220
Issue Date : 14.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	07.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd sample At Ch. 1.710km in Natanahalli Village, (Road ID4563) Habitation	52.4	36.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001026045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 1.580 km (Agricultural Land) on Road ID- 4564, Near Karoti Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0010
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.1	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	282.0	IS:14767 2016
3	Potassium, mg/kg	134.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	94.8	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	34.6	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	13.8	ELBLR/SOP/C/5-26
7	Moisture, %	13.2	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.5	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	70.82	ELBLR/SOP/C/5-17
	Silt, %	16.26	ELBLR/SOP/C/5-17
	Clay, %	12.92	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-132
Issue Date : 07.01.2026

Issued To Customer Name & Address:
M/s. Star CADD
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	01.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl.No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time	Night Time	
1	Kabligerepura Village (K.R Pet Tq)	51.4	38.9	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA TOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-146
Issue Date : 23.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	16.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl.No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time	Night Time	
1	2nd Sample At Ch. 0.825km in Kabbaligerepura Village, (Road ID4586) School & Temple.	50.6	36.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-208
Issue Date : 09.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	31.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 0.825km in Kabbaligerepura Village, (Road ID4586) School & Temple.	53.5	35.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-133
Issue Date : 07.01.2026

Issued To Customer Name & Address:
M/s. Star CADD
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	01.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl.No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time	Night Time	
1	Kurahatti Village (Pandavapura Tq)	52.4	41.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-148
Issue Date : 23.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	16.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time	Night Time	
1	2nd Sample At Ch. 2.510km in Kuruhatti Village, (Road ID3807) Habitation	50.8	36.8	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-201
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No.	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 2.510km in Kuruhatti Village, (Road ID3807) Habitation	49.5	37.7	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI001226045
Issue Date : 05.05.2026
Your ref. : LETTER
Ref.Date : 28.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	28.04.2026
Particulars of sample collected	:	**Soil At Ch. 0.615 km (Agricultural Land) on Road ID- 5030, Near Ramanduru Village.**
Date of sample receipt	:	29.04.2026
Lab Code	:	MI/26/04/5-0012
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	29.04.2026
Date of Completion of testing	:	04.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.83	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	244.0	IS:14767 2016
3	Potassium, mg/kg	118.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	88.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	32.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	13.2	ELBLR/SOP/C/5-26
7	Moisture, %	12.40	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.32	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	76.05	ELBLR/SOP/C/5-17
	Silt, %	12.44	ELBLR/SOP/C/5-17
	Clay, %	11.51	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI003126045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Surface Water sample At Ch. 1.420 km (Canal) on Road ID 5036 Near Dugganahalli Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0031
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	7.7	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	5.8	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	2.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	16.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	6.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	294.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.9	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	2.4	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	25.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4, mg/L	13.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3, mg/L	2.74	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.12	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI003126045 **Report Issued date: 06.05.2026**

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	25	Not Specified	Not Specified	IS 1622-1981 RA 2019

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002226045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 1.420 km (Agricultural Land) on Road ID 5036 Near Dugganahalli Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0022
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	6.89	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	255.0	IS:14767 2016
3	Potassium, mg/kg	130.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	87.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	29.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	13.40	ELBLR/SOP/C/5-26
7	Moisture, %	11.86	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.32	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	73.96	ELBLR/SOP/C/5-17
	Silt, %	13.88	ELBLR/SOP/C/5-17
	Clay, %	12.16	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-161
Issue Date : 28.01.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	20.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	1st Sample At Ch. 1.310km in Chikkotthagere Village, (Road ID5070) Primary School	49.8	37.5	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-200
Issue Date : 06.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	29.01.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	2nd Sample At Ch. 1.310km in Chikkotthagere Village, (Road ID5070) Primary School	51.4	38.2	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

END OF REPORT

M. SACHIN RAJU
TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Accredited by NABL (TC-6172), Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory

Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

TC-6172

Ambient Noise Level Monitoring Report

Test Report No: M-217
Issue Date : 13.02.2026

Issued To Customer Name & Address:
M/s. Star Cadd,
Mysuru.

Sample collected by	:	Environmental Laboratory Representative
Date of collection	:	06.02.2026
Particulars of sample Collected	:	Sound Levels
Model of the Equipment used for monitoring	:	HTC Instrument SL-1352
Serial No. of the Equipment	:	140800417
Calibration done on and due on	:	05.07.2025 to 04.07.2026

TEST RESULT

Sl. No	Sample location	Parameter in dB (A)		
		Results of LEQ dB (A)		Limits dB(A)
		Day Time (6:00 am to 10:00 pm)	Night Time (10:00 pm to 06:00 am)	
1	3rd Sample At Ch. 1.310km in Chikkotthagere Village, (Road ID5070) Primary School	53.2	35.4	55 dB (A) (During day time) And 45 dB (A) (During night time)

Note: Noise Level Stipulated by KSPCB for Residential area 55 dB (A) (During day time) and 45 dB (A) (During night time)
Remarks: The noise monitoring results are within the KSPCB limits.

*****END OF REPORT*****

ARSHIYA HUSAR
Dy TM - Chemical
Env. Analytical Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI003426045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Surface Water sample At Ch. 0.776 km (Pond) on Road ID 5448 Near Muttegere Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0034
Condition of the sample	:	Satisfactory
Sample quantity	:	4 Ltrs
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
1	pH	8.15	6.5 to 8.5	6.5 to 8.5	IS:3025 (P 11) 2022
2	Dissolved Oxygen, mg/L	6.2	Not Specified	Not Specified	IS:3025 (P-38)-1988
3	Biochemical Oxygen Demand (BOD) (5 Days @ 20°C) (mg/L)	2.0	Not Specified	Not Specified	IS:3025 (P-44)
4	Chemical Oxygen Demand (COD) mg/L	16.0	Not Specified	Not Specified	IS 3025(P-58) 2006 (RA-2017)
5	Total Suspended Solids (TSS) mg/L	6.0	Not Specified	Not Specified	IS 3025(P-17) 1983 (RA-2017)
6	Total Dissolved Solids, mg/L	376.0	500	2000	IS:3025 (P 16) 2023
7	Temperature° C	32.8	Not Specified	Not Specified	IS:3025 (P-9)-1984
8	Turbidity as NTU	1.6	1	5	IS:3025 (P 10) 2023
9	Chloride as Cl, mg/L	30.0	250	1000	IS:3025 (P 32) 1988
10	Sulphate as SO_4 mg/L	14.0	200	400	IS:3025 (P 24) Sec 1 2022
11	Nitrate as NO_3 mg/L	4.13	45	45	IS:3025 (P-34) Sec 1 2023
12	Phosphate, mg/L	0.08	Not Specified	Not Specified	IS:3025 (P-31)-1988
13	Ammonia, mg/L	<0.1	0.5	No Relaxation	IS:3025 (P 34) Sec 1
14	Oil & Grease, mg/L	<4.0	Not Specified	Not Specified	IS:3025 (P 39) 1991

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Report No: MI003426045 **Report Issued date: 06.05.2026**

TEST RESULTS

Sl No.	Test parameters	Results	ACCEPTABLE LIMITS AS PER IS: 10500 :2012	PERMISSIBLE LIMITS AS PER IS: 10500 :2012	Test method
15	Phenolic compounds (as C_6H_5OH), mg/l	<0.001	0.001	0.002	IS:3025 (P 43) Sec 1 2022
16	Total arsenic (as As), mg/l	<0.0005	0.01	0.05	IS 3025 (P 65) 2022
17	Lead (as Pb), mg/l	<0.0005	0.01	No Relaxation	IS 3025 (P 65) 2022
18	Mercury (as Hg), mg/l	<0.0005	0.001	No Relaxation	IS:3025 (P 65) 2022
19	Cadmium as Cd, mg/L	<0.0005	0.003	No Relaxation	IS 3025 (P 65) 2022
20	Total chromium (as Cr), mg/l	<0.001	0.05	No Relaxation	IS 3025 (P 65) 2022
21	Nickel (as Ni), mg/l	<0.01	0.02	No Relaxation	IS 3025 (P 65) 2022
22	Zinc (as Zn), mg/l	<0.005	5	15	IS 3025 (P 65) 2022
23	Copper (as Cu), mg/l	<0.0005	0.05	1.5	IS 3025 (P 65) 2022
24	Fecal Coliform MPN/100ml	<2	Not Specified	Not Specified	IS 1622-1981 RA 2019
25	Total Coliforms MPN/100ml	32	Not Specified	Not Specified	IS 1622-1981 RA 2019

***END OF REPORT**

BINU MANI
TM - Microbiology
Govt Analyst/Authorised Signatory

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Office & Lab Address : # 948, 2nd Cross, St. Thomas Town Post, Kammanahalli, Bangalore - 560 084.
Phone : 080-25432969 Tel/fax : 25432968. E-mail : mesbng@gmail.com, www.envtest.in

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No. : MI002526045
Issue Date : 06.05.2026
Your ref. : LETTER
Ref.Date : 29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.980 km (Agricultural Land) on Road ID 5448 Near Muttegere Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0025
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.2	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	312.0	IS:14767 2016
3	Potassium, mg/kg	138.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	94.9	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	35.20	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	13.20	ELBLR/SOP/C/5-26
7	Moisture, %	11.86	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.30	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	75.86	ELBLR/SOP/C/5-17
	Silt, %	12.94	ELBLR/SOP/C/5-17
	Clay, %	11.20	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

ENVIRONMENTAL LABORATORY

(UNIT OF MINERAL ENGINEERING SERVICES LLP)

Recognised by BIS, FSSAI, ISO:45001:2018 Certified Laboratory
Recognised by MoEFCC(CPCB) under E(P) Act 1986 Recognition valid upto 23.05.2028

TEST REPORT

Issued To Customer Name & Address:
M/s. Star Cadd
Mysuru.

Report No.	:	MI002426045
Issue Date	:	06.05.2026
Your ref.	:	LETTER
Ref.Date	:	29.04.2026

Sample Collected by	:	Customer
Date of sample collection	:	29.04.2026
Particulars of sample collected	:	**Soil Sample At Ch. 0.605 km (Agricultural Land) on Road ID 5454 Near Baby Village.**
Date of sample receipt	:	30.04.2026
Lab Code	:	MI/26/04/5-0024
Condition of the sample	:	Satisfactory
Sample quantity	:	1 kg
Date of Commencement of testing	:	30.04.2026
Date of Completion of testing	:	05.05.2026
Sampling Type	:	Grab

TEST RESULTS

Sl No	Tests	Result	Methods
1	pH	7.3	IS:2720 (P-26) 2015
2	Electrical Conductivity, µmhos/cm	289.0	IS:14767 2016
3	Potassium, mg/kg	136.0	ELBLR/SOP/C/5-04
4	Calcium as Ca, mg/kg	93.6	ELBLR/SOP/C/5-07
5	Magnesium as Mg, mg/kg	34.8	ELBLR/SOP/C/5-07
6	Cation Exchange Capacity (CEC), meq/100 g	11.92	ELBLR/SOP/C/5-26
7	Moisture, %	13.40	IS:2720 (P-2) 2015
8	Sodium Absorption Ratio, %	1.50	ELBLR/SOP/C/5-25
9	Soil Texture		
	Sand, %	73.44	ELBLR/SOP/C/5-17
	Silt, %	12.96	ELBLR/SOP/C/5-17
	Clay, %	13.60	ELBLR/SOP/C/5-17

END OF REPORT

ARSHIYA KOUSAR
Dy TM - Chemical
Govt Analyst/Authorised Signatory

Note : This report is subject to the terms and conditions mentioned overleaf.

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0437
		Report No: CRI/26-27/0223
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.796326, 76.672521
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.96	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	462	IS 14767
3.	Potassium (as K) (mg/kg)	82	By AAS Method
4.	Moisture (%)	9.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0437
		Report No: CRI/26-27/0223
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.796326, 76.672521
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 04.05.2026	**Date of Report**: 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	274	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	120	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.5	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.9	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	14	IS 2720 Part-4
7.	Clay, %	6	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0430
		Report No: CRI/26-27/0209
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.680308, 76.700249
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.85	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	463	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	8.2	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0430
		Report No: CRI/26-27/0209
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.680308, 76.700249
Date of sample Collection	24.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	25.04.2026	
Duration of Test	27.04.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	340	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	152	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	4.9	IS 2720 Part-24
4.	Sodium Absorption Ratio	1.4	By Calculation Method
5.	Sand, %	80	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	7	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-8735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0026
		Report No: CRI/25-26/0001
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - At ch 1.210 km Tap Water colleted in Chowdegonalli village
Date of sample Collection	03.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	04.01.2026	
Duration of Test	05.01.2026 – 10.01.2026	**Date of Report**: 10.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.95	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	448	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	806	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	25.8	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	274	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	65.76	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	26.63	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	57	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	286	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.94	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.62	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob: 9448000637 E-mail: marketing@charitonindia.com Web: www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2025-26/01/0026
		Report No: CRI/25-26/0001
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - At ch 1.210 km Tap Water colleted in Chowdegonalli village
Date of sample Collection	03.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	04.01.2026	
Duration of Test	05.01.2026 – 10.01.2026	**Date of Report**: 10.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	26.2	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob: 9448000637 E-mail: marketing@charitonindia.com Web: www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0428
		Report No: CRI/26-27/0207
		Group: Water
		Product: Surface Water
		Sample Location: At Ch 1.130 km Tap Water colleted in Shanubhoganahalli village
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	24.04.2026	**Method:** Grab Samples
Duration of Test	25.04.2026 – 04.05.2026	**Date of Report:** 04.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.52	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	478	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.1	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	120	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	58.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	11.4	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0436
		Report No: CRI/26-27/0222
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Improvements to Road from Nagamangala - Devalapura SH to Devalapura (Via Hombalekoppalu, Gollarahalli, Muttasandra) road in Nagamangala Taluk (Nagamangala Constituency), Mandya District. From CH. 0.000 to 4.870 Km, Nagamangala, Mandya (D). (Road ID: 943)
		Sampling Location: Sri annadani muddulingeshvara swamy temple in mussandra at ch. 3.725 km
Date of sample Collection	24.04.2026 to 25.06.2026	**Date of Report**: 06.05.20266
Date of Sample Receipt	26.06.2026	**Sample Condition:** Good
Duration of Test	27.06.2026 – 06.05.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	55.5	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	21.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.8	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	16.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive juriadiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0436
		Report No: CRI/26-27/0222
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Improvements to Road from Nagamangala - Devalapura SH to Devalapura (Via Hombalekoppalu, Gollarahalli, Muttasandra) road in Nagamangala Taluk (Nagamangala Constituency), Mandya District. From CH. 0.000 to 4.870 Km, Nagamangala, Mandya (D). (Road ID: 943)
		Sampling Location: Sri annadani muddulingeshvara swamy temple in mussandra at ch. 3.725 km
Date of sample Collection	24.04.2026 to 25.06.2026	**Date of Report:** 06.05.20266
Date of Sample Receipt	26.06.2026	**Sample Condition:** Good
Duration of Test	27.06.2026 – 06.05.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel : 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0437 **Report No:** CRI/26-27/0223 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	24.04.2026 to 25.04.2026	**Date of Report:** 06.05.2026
Date of Sample Receipt	26.04.2026	**Sample Condition:** NA
Date of Evaluation	27.04.2026 – 06.05.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	Sri Sri Sri adideva Muddappa Swamy temple in kasalagere at ch. 3.40 km	06:00 – 22:00 (4 hrs Interval)	49.1	IS 9989
		Night Time		
1.	Sri Sri Sri adideva Muddappa Swamy temple in kasalagere at ch. 3.40 km	22:00 – 06:00 (4 hrs Interval)	38.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0438
		Report No: CRI/26-27/0224
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Borewell is in Gollarahalli village at Ch. 2.10km
Date of sample Collection	25.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.04.2026	
Duration of Test	27.04.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.78	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	469	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	910	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	31.2	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	298	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	71.52	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	28.97	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	76	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	316	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	1.6	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.74	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0438
		Report No: CRI/26-27/0224
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Borewell is in Gollarahalli village at Ch. 2.10km
Date of sample Collection	25.06.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	26.06.2026	
Duration of Test	27.06.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
3.	Colour, Hazen	<1.0	5	15	IS 3025 (Part-04)
4.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
5.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
6.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
7.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
8.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
9.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
10.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:
1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0439
		Report No: CRI/26-27/0225
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.804291 76.859083
Date of sample Collection	25.06.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.06.2026	
Duration of Test	27.06.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.96	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	384	IS 14767
3.	Potassium (as K) (mg/kg)	102	By AAS Method
4.	Moisture (%)	8.6	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0439
		Report No: CRI/26-27/0225
		Group: Pollution & Environment
		Product: Soil
		Sample Location: 12.804291 76.859083
Date of sample Collection	25.06.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	26.06.2026	
Duration of Test	27.06.2026 – 06.05.2026	**Date of Report:** 07.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	324	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	168	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	5.2	IS 2720 Part-24
4.	Sodium Absorption Ratio	2.2	By Calculation Method
5.	Sand, %	65	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	22	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0440
		Report No: CRI/26-27/0226
		Group: Water
		Product: Surface Water
		Sample Location: Pond is located at a distance 150m from the Road C/L at ch. 0.675 km
Date of sample Collection	25.06.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	26.06.2026	**Method:** Grab Samples
Duration of Test	27.06.2026 – 06.05.2026	**Date of Report:** 06.05.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.63	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	426	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	26.5	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	84	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	39.6	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	14.5	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0055
		Report No.: CRI/25-26/0029
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: From Handenahally Colony to S. Mallasandra (Via Handenahally, B. Shanubhoganahally) road in Nagamangala Taluk (Nagamangala Constituency), Mandya District. From CH. 0.000 to 2.770 Km. (Road ID: 940)
		Sampling Location: At Ch:0.150 Km (Near Sri Ram Temple in Handenahally Village)
		Meteorological Data: Temperature: 29°C Humidity: 50% Wind Direction/Speed: ENE 13 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 21.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

-----End of report-----

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0056 **Report No.:** CRI/25-26/0030 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch:0.150 Km (Near Sri Ram Temple in Handenahally Village)	06:00 – 22:00 (4 hrs Interval)	46.8	IS 9989
		Night Time		
1.	At Ch:0.150 Km (Near Sri Ram Temple in Handenahally Village)	22:00 – 06:00 (4 hrs Interval)	37.8	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022, INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/02/0057 **Report No.:** CRI/25-26/0031 **Group**: Water **Product**: Surface Water **Sample Type/Source**: Surface water from Pond at 125 m from ch: 0.390 Km
Date of sample Collection	09.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report**: 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.55	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	417	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	809	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	27.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	29.3	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	246	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	59.04	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	23.91	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	54.2	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	298	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	3.66	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.86	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	5.1	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

Kumar.A 21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5. Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6. Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7. For any legal issues the courts at Bengaluru have exclusive jurisdiction. 8. Any query to the content of this report can be mailed to kumar@charitonindia.com

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/43	**Report Date** : 10.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/43 **Date of Collection** : 05.01.2026 **Date of Receipt** : 07.01.2026 **Date of Start of Test** : 07.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/43	**Report Date** : 10.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/43 **Date of Collection** : 05.01.2026 **Date of Receipt** : 07.01.2026 **Date of Start of Test** : 07.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/49A	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/49A **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/49A	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/49A **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/58	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/58 **Date of Collection** : 12.01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/58	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/58 **Date of Collection** : 12.01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/66	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/66 **Date of Collection** : 15.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/66	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/66 **Date of Collection** : 15.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/74	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/74 **Date of Collection** : 19.01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/74	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/74 **Date of Collection** : 19.01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLU Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/80	**Report Date** : 27.01.2026
Issued To: **M/sSarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/80 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/80	**Report Date** : 27.01.2026
Issued To: **M/sSarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/80 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/90	**Report Date** : 31.01.2026
Issued To: **M/s Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/90 **Date of Collection** : 26.01.2026 **Date of Receipt** : 28.01.2026 **Date of Start of Test** : 28.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/90	**Report Date** : 31.01.2026
Issued To: **M/s Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/90 **Date of Collection** : 26.01.2026 **Date of Receipt** : 28.01.2026 **Date of Start of Test** : 28.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/96	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/96 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/96	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/96 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/96-01	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster1** SH 123 to Bedkunda: 2270 Dharajwadi tanda to SH 34: 3161 Dongapur village to Bhalki cross: 3157	**Customer reference** : CT/25-26/01/96-01 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 31.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/45	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/45 **Date of Collection** : 06.01.2026 **Date of Receipt** : 08.01.2026 **Date of Start of Test** : 08.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/45	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/45 **Date of Collection** : 06.01.2026 **Date of Receipt** : 08.01.2026 **Date of Start of Test** : 08.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/60	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/60 **Date of Collection** : 09.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/60	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/60 **Date of Collection** : 09.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/60	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/60 **Date of Collection** : 13.01.2026 **Date of Receipt** : 15.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/60	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/60 **Date of Collection** : 13.01.2026 **Date of Receipt** : 15.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/68	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/68 **Date of Collection** : 16.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/68	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/68 **Date of Collection** : 16.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/76	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/76 **Date of Collection** : 20.01.2026 **Date of Receipt** : 22.01.2026 **Date of Start of Test** : 22.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/76	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/76 **Date of Collection** : 20.01.2026 **Date of Receipt** : 22.01.2026 **Date of Start of Test** : 22.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/84	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/84 **Date of Collection** : 23.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/84	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/84 **Date of Collection** : 23.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/94	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/94 **Date of Collection** : 28.01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/94	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/94 **Date of Collection** : 28.01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/100	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/100 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/100	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/100 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/100-01	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 2** Kamalnagar to Murg (K): 2271 Dongoan (M) to Hakkyal via Randiyal: 2274 Belkoni (BH) to SH 122 via Bopalgad Malegaon: 2276 Nagmarpalli to Chintaki Via Raipalli: 3342	**Customer reference** : CT/25-26/01/100-01 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/47	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/47 **Date of Collection** : 07.01.2026 **Date of Receipt** : 09.01.2026 **Date of Start of Test** : 09.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	54.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/47	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/47 **Date of Collection** : 07.01.2026 **Date of Receipt** : 09.01.2026 **Date of Start of Test** : 09.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/54	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/54 **Date of Collection** : 10.01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/54	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/54 **Date of Collection** : 10.01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

not to be reproduced wholly or in part & cannot be used as an evidence in the court of law. should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/62	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/62 **Date of Collection** : 14.01.2026 **Date of Receipt** : 16.01.2026 **Date of Start of Test** : 16.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/62	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/62 **Date of Collection** : 14.01.2026 **Date of Receipt** : 16.01.2026 **Date of Start of Test** : 16.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/70	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/70 **Date of Collection** : 17. 01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/70	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/70 **Date of Collection** : 17. 01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/78	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/78 **Date of Collection** : 21.01.2026 **Date of Receipt** : 23.01.2026 **Date of Start of Test** : 23.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/78	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/78 **Date of Collection** : 21.01.2026 **Date of Receipt** : 23.01.2026 **Date of Start of Test** : 23.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/86	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/86 **Date of Collection** : 24.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/86	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/86 **Date of Collection** : 24.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/97	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/97 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	55.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/97	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/97 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/104	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/104 **Date of Collection** : 31.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/104	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/104 **Date of Collection** : 31.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/104-01	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 3** Muchlamb to Gadiraipalli: 564 Khandala to Anandwadi: 565 Belur to Khandala Cross: 3294 Devnal to NH 752-K via Machnal Ucha to Warwatti wadi: 3162	**Customer reference** : CT/25-26/01/104-01 **Date of Collection** : 31.01.2026 **Date of Receipt** : 02.02.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/49	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/49 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/49	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/49 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/56	**Report Date** : 16.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/56 **Date of Collection** : 11.01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 13.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/56	**Report Date** : 16.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/56 **Date of Collection** : 11.01.2026 **Date of Receipt** : 13.01.2026 **Date of Start of Test** : 13.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/64	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/64 **Date of Collection** : 15. 01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/64	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/64 **Date of Collection** : 15. 01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/72	**Report Date** : 23.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/72 **Date of Collection** : 18.01.2026 **Date of Receipt** : 20.01.2026 **Date of Start of Test** : 20.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/72	**Report Date** : 23.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/72 **Date of Collection** : 18.01.2026 **Date of Receipt** : 20.01.2026 **Date of Start of Test** : 20.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/81	**Report Date** : 27.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/81 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/81	**Report Date** : 27.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/81 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/88	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/88 **Date of Collection** : 25.01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 27.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/88	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/88 **Date of Collection** : 25.01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 27.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/92	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/92 **Date of Collection** : 27.01.2026 **Date of Receipt** : 29.01.2026 **Date of Start of Test** : 29.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/92	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/92 **Date of Collection** : 27.01.2026 **Date of Receipt** : 29.01.2026 **Date of Start of Test** : 29.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/101	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/101 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/101	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/101 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/101-01	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 4** Hirnagaon to Chiknagaon via Banjara Tanda: 563 Pandergera to MDR: 3444	**Customer reference** : CT/25-26/01/101-01 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/44	**Report Date** : 10.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/44 **Date of Collection** : 05.01.2026 **Date of Receipt** : 07.01.2026 **Date of Start of Test** : 07.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/44	**Report Date** : 10.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/44 **Date of Collection** : 05.01.2026 **Date of Receipt** : 07.01.2026 **Date of Start of Test** : 07.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/50	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/50 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/50	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/50 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/59	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/26-27/01/59 **Date of Collection** : 12.01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/59	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/59 **Date of Collection** : 12.01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/67	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/67 **Date of Collection** : 15.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	62.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/67	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/67 **Date of Collection** : 15.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/75	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/75 **Date of Collection** : 19.01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/75	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/75 **Date of Collection** : 19.01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/82	**Report Date** : 28.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/82 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/82	**Report Date** : 28.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/82 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/91	**Report Date** : 31.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/91 **Date of Collection** : 26.01.2026 **Date of Receipt** : 28.01.2026 **Date of Start of Test** : 28.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/91	**Report Date** : 31.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/91 **Date of Collection** : 26.01.2026 **Date of Receipt** : 28.01.2026 **Date of Start of Test** : 28.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/98	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/98 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/98	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/98 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLI Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/98-01	**Report Date** : 03.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 5** Kitta Cross to Basavakalyan (Rural Police Station Basavakalyan): 4399 MDR to Rajola Tanda: 4499 Gogga to Hulgutti: 4500	**Customer reference** : CT/25-26/01/98-01 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 31.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/46	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/46 **Date of Collection** : 06.01.2026 **Date of Receipt** : 08.01.2026 **Date of Start of Test** : 08.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/46	**Report Date** : 12.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/46 **Date of Collection** : 06. 01.2026 **Date of Receipt** : 08.01.2026 **Date of Start of Test** : 08.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/53	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/53 **Date of Collection** : 09.01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(1st week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/53	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/53 **Date of Collection** : 09. 01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/61	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/61 **Date of Collection** : 13.01.2026 **Date of Receipt** : 15.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/61	**Report Date** : 19.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/61 **Date of Collection** : 13. 01.2026 **Date of Receipt** : 15.01.2026 **Date of Start of Test** : 15.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/69	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/69 **Date of Collection** : 16.01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/69	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/69 **Date of Collection** : 16. 01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLI Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/77	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 6** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/77 **Date of Collection** : 20.01.2026 **Date of Receipt** : 22.01.2026 **Date of Start of Test** : 22.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/77	**Report Date** : 26.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/77 **Date of Collection** : 20. 01.2026 **Date of Receipt** : 22.01.2026 **Date of Start of Test** : 22.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/85	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/85 **Date of Collection** : 23.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/85	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/85 **Date of Collection** : 23. 01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/95	**Report Date** : 04.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/95 **Date of Collection** : 28.01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/95	**Report Date** : 04.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/95 **Date of Collection** : 28. 01.2026 **Date of Receipt** : 30.01.2026 **Date of Start of Test** : 30.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/102	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/102 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/102	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/102 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/102-01	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster** Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR) Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Mehkar to Naradas Sangama (Upto MDR) via Bolegaon **Road Id**: 3751,3164,3163,3747	**Customer reference** : CT/25-26/01/102-01 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 02.02.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 05.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/48	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/48 **Date of Collection** : 07.01.2026 **Date of Receipt** : 09.01.2026 **Date of Start of Test** : 09.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/48	**Report Date** : 13.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/48 **Date of Collection** : 07. 01.2026 **Date of Receipt** : 09.01.2026 **Date of Start of Test** : 09.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/55	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/55 **Date of Collection** : 10.01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/55	**Report Date** : 15.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/55 **Date of Collection** : 10. 01.2026 **Date of Receipt** : 12.01.2026 **Date of Start of Test** : 12.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/63	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road: Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/63 **Date of Collection** : 14.01.2026 **Date of Receipt** : 16.01.2026 **Date of Start of Test** : 16.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/63	**Report Date** : 20.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/63 **Date of Collection** : 14. 01.2026 **Date of Receipt** : 16.01.2026 **Date of Start of Test** : 16.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/71	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/71 **Date of Collection** : 17.01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/71	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/71 **Date of Collection** : 17. 01.2026 **Date of Receipt** : 19.01.2026 **Date of Start of Test** : 19.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/79	**Report Date** : 27.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/79 **Date of Collection** : 21.01.2026 **Date of Receipt** : 23.01.2026 **Date of Start of Test** : 23.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/79	**Report Date** : 27.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/79 **Date of Collection** : 21. 01.2026 **Date of Receipt** : 23.01.2026 **Date of Start of Test** : 23.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLI Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/87	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/87 **Date of Collection** : 24.01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/87	**Report Date** : 29.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/87 **Date of Collection** : 24. 01.2026 **Date of Receipt** : 26.01.2026 **Date of Start of Test** : 26.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/99	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/99 **Date of Collection** : 29.01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/99	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/99 **Date of Collection** : 29. 01.2026 **Date of Receipt** : 31.01.2026 **Date of Start of Test** : 31.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/105	**Report Date** : 06.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/105 **Date of Collection** : 31.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/105	**Report Date** : 06.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/105 **Date of Collection** : 31. 01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLE Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/01/105-01	**Report Date** : 06.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 7** Gadgi to Nandgoan : 627 Benaknalli (SH-122) to Markhal (NH-161 A): 1013 Daddapur to Janwada: 1014 Jeerga (B) to Shembelli Via Jeerga (K): 617	**Customer reference** : CT/25-26/01/105-01 **Date of Collection** : 31. 01.2026 **Date of Receipt** : 02.02.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 02.02.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/51	**Report Date** : 14.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/51 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/51	**Report Date** : 14.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/51 **Date of Collection** : 08.01.2026 **Date of Receipt** : 10.01.2026 **Date of Start of Test** : 10.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/57	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/57 **Date of Collection** : 11.01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/57	**Report Date** : 17.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/57 **Date of Collection** : 11. 01.2026 **Date of Receipt** : 14.01.2026 **Date of Start of Test** : 14.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/65	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda , Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/65 **Date of Collection** : 15.01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/65	**Report Date** : 22.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/65 **Date of Collection** : 15. 01.2026 **Date of Receipt** : 17.01.2026 **Date of Start of Test** : 17.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/73	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/73 **Date of Collection** : 18.01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/73	**Report Date** : 24.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/73 **Date of Collection** : 18. 01.2026 **Date of Receipt** : 21.01.2026 **Date of Start of Test** : 21.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/83	**Report Date** : 28.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road: Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/83 **Date of Collection** : 22.01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/83	**Report Date** : 28.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/83 **Date of Collection** : 22. 01.2026 **Date of Receipt** : 24.01.2026 **Date of Start of Test** : 24.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/93	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/93 **Date of Collection** : 27.01.2026 **Date of Receipt** : 29.01.2026 **Date of Start of Test** : 29.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/93	**Report Date** : 02.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/93 **Date of Collection** : 27. 01.2026 **Date of Receipt** : 29.01.2026 **Date of Start of Test** : 29.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/103	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/103 **Date of Collection** : 30.01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/103	**Report Date** : 05.02.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/103 **Date of Collection** : 30. 01.2026 **Date of Receipt** : 02.02.2026 **Date of Start of Test** : 02.02.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/89	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/89 **Date of Collection** : 25.01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 27.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/01/89	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/89 **Date of Collection** : 25. 01.2026 **Date of Receipt** : 27.01.2026 **Date of Start of Test** : 27.01.2026 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

Report No: CT/25-26/01/89-01	**Report Date** : 30.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd, Jamkhandi,** **Name of Road**: **Cluster 8** Aliamber to Taluk border (Kosam) via vilaspur: 1017 Aliamber - Chandapur MDR road to Yernalli via: Sangvi and Sidhapur:1016 Chondi to Aliamber via Chondi Thanda, Mamdapur : 1019 Aliamber to Shankar Thanda: 3592	**Customer reference** : CT/25-26/01/89-01 **Date of Collection** : 25. 01.2026 **Date of Receipt** : 27.01.2026 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 27.01.2026

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/19	**Report Date** : 08.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/19 **Date of Collection** : 02.12.2025 **Date of Receipt** : 04.12.2025 **Date of Start of Test** : 04.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/19	**Report Date** : 08.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/19 **Date of Collection** : 02. 12.2025 **Date of Receipt** : 04.12.2025 **Date of Start of Test** : 04.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/22	**Report Date** : 11.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/22 **Date of Collection** : 05.12.2025 **Date of Receipt** : 05.12.2025 **Date of Start of Test** : 08.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(1st week 2nd day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/19	**Report Date** : 11.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/19 **Date of Collection** : 05. 12.2025 **Date of Receipt** : 05.12.2025 **Date of Start of Test** : 08.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)
AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/25	**Report Date** : 15.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/25 **Date of Collection** : 09.12.2025 **Date of Receipt** : 11.12.2025 **Date of Start of Test** : 11.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/25	**Report Date** : 15.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/25 **Date of Collection** : 09. 12.2025 **Date of Receipt** : 11.12.2025 **Date of Start of Test** : 11.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLE Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN
TECHNOLOGIES
KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/28	**Report Date** : 18.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/28 **Date of Collection** : 12.12.2025 **Date of Receipt** : 15.12.2026 **Date of Start of Test** : 15.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/28	**Report Date** : 18.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/28 **Date of Collection** : 12. 12.2025 **Date of Receipt** : 15.12.2025 **Date of Start of Test** : 15.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLI Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/31	**Report Date** : 22.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/31 **Date of Collection** : 16.12.2025 **Date of Receipt** : 18.12.2025 **Date of Start of Test** : 18.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/31	**Report Date** : 22.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/31 **Date of Collection** : 16. 12.2025 **Date of Receipt** : 18.12.2025 **Date of Start of Test** : 18.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/34	**Report Date** : 25.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/34 **Date of Collection** : 19.12.2025 **Date of Receipt** : 22.12.2025 **Date of Start of Test** : 22.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT

(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/34	**Report Date** : 25.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/34 **Date of Collection** : 19. 12.2025 **Date of Receipt** : 22.12.2025 **Date of Start of Test** : 22.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/37	**Report Date** : 29.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/37 **Date of Collection** : 23.12.2025 **Date of Receipt** : 25.12.2025 **Date of Start of Test** : 25.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/37	**Report Date** : 29.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/37 **Date of Collection** : 23. 12.2025 **Date of Receipt** : 25.12.2025 **Date of Start of Test** : 25.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/40	**Report Date** : 31.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/40 **Date of Collection** : 26.12.2025 **Date of Receipt** : 27.12.2025 **Date of Start of Test** : 27.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/40	**Report Date** : 31.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/40 **Date of Collection** : 26. 12.2025 **Date of Receipt** : 27.12.2025 **Date of Start of Test** : 27.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLU Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/12/40-01	**Report Date** : 31.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 9** CHANGLERA TO UDAMNALLI VIA KARPAKPALLI AND POLAKPALLI: 1866 NIRNA TO BASHIRAPUR: 3291	**Customer reference** : CT/25-26/12/40-01 **Date of Collection** : 25. 12.2025 **Date of Receipt** : 27.12.2025 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 27.12.2025

Results:

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/20	**Report Date** : 08.12.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/20 **Date of Collection** : 03.12.2025 **Date of Receipt** : 05.12.2025 **Date of Start of Test** : 05.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

(1st week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/20	**Report Date** : 08.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster1** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/20 **Date of Collection** : 03. 12.2025 **Date of Receipt** : 05.12.2025 **Date of Start of Test** : 05.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT

(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/23	**Report Date** : 11.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/23 **Date of Collection** : 06.12.2025 **Date of Receipt** : 08.12.2025 **Date of Start of Test** : 08.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	61.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	23.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

(1st week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/23	**Report Date** : 11.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road: Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/23 **Date of Collection** : 06.12.2025 **Date of Receipt** : 08.12.2025 **Date of Start of Test** : 08.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	28.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	36	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	27.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

ANALYSED BY



AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/26	**Report Date** : 16.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/26 **Date of Collection** : 10.12.2025 **Date of Receipt** : 12.01.2025 **Date of Start of Test** : 12.01.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	60.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	11.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	22.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/26	**Report Date** : 16.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/26 **Date of Collection** : 10.12.2025 **Date of Receipt** : 12.01.2025 **Date of Start of Test** : 12.01.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	27.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	35	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	26.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/29	**Report Date** : 18.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/29 **Date of Collection** : 13.12.2025 **Date of Receipt** : 15.12.2025 **Date of Start of Test** : 15.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	63.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	12.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	24.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(2nd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/29	**Report Date** : 18.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/29 **Date of Collection** : 13.12.2025 **Date of Receipt** : 15.12.2025 **Date of Start of Test** : 15.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	29.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.8	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	37	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	28.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/32	**Report Date** : 23.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/32 **Date of Collection** : 17.12.2025 **Date of Receipt** : 19.12.2025 **Date of Start of Test** : 19.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	59.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/32	**Report Date** : 23.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/32 **Date of Collection** : 17.12.2025 **Date of Receipt** : 19.12.2025 **Date of Start of Test** : 19.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	26.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.7	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMPLT Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/13/35	**Report Date** : 25.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/13/35 **Date of Collection** : 20.12.2025 **Date of Receipt** : 20.12.2025 **Date of Start of Test** : 22.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	57.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(3rd week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/13/35	**Report Date** : 25.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/13/35 **Date of Collection** : 20.12.2025 **Date of Receipt** : 20.12.2025 **Date of Start of Test** : 20.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/38	**Report Date** : 30.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/38 **Date of Collection** : 24.12.2025 **Date of Receipt** : 26.12.2025 **Date of Start of Test** : 26.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	56.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	9.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	19.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 1st day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/38	**Report Date** : 30.12.2025
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/38 **Date of Collection** : 24.12.2025 **Date of Receipt** : 26.12.2025 **Date of Start of Test** : 26.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	24.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	32	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	23.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/41	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/41 **Date of Collection** : 27.12.2025 **Date of Receipt** : 29.12.2025 **Date of Start of Test** : 29.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	20.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Concept to Completion in Environment

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/41	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/41 **Date of Collection** : 27.12.2025 **Date of Receipt** : 29.12.2025 **Date of Start of Test** : 29.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	25.0	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	33	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	24.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 2nd day)

Report No: CT/25-26/12/41	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd** **Jamkhandi,** **Name of Road**: **Cluster 10** MANDAKNALLI TO MANDAKNALLI THANDA: 3285 MANDAKNALLI TO KASHAMPUR(P) VIA MALIK MIRZAPUR: 3290 BAGDAL TO HONNADI: 641	**Customer reference** : CT/25-26/12/41 **Date of Collection** : 27.12.2025 **Date of Receipt** : 29.12.2025 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 29.12.2025

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.2	41.1	46.7	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

TC-13109

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES KEMP LLP
Concept to Completion in Environment
#13 , 4th Floor
St. John's Church Road
Bengaluru - 560 005
Tel : 080-25541318, +91 98456 69830
Mail: labecleantechnologies.co.in
Website : www.cleantechnologies.co.in
LLP No. ACL - 2609

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/42	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road: Cluster 11** Humnabad to Kallur Thanda; 1038 Sindhenkera to Hankuni Towards Itga Walkhindi Junction: 4559 FATHIMAPUR TO WALKHINDI -ITGA JUNCTION (BALANCE LENGTH): 1294	**Customer reference** : CT/25-26/12/42 **Date of Collection** : 26.12.2025 **Date of Receipt** : 29.12.2025 **Date of Start of Test** : 29.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

Sl. No	Parameters	Protocol	Result	Standard
01	PM 10 (ug/m3)	IS 5182(Part-23)	58.0	100.0**
02	SO2(ug/m3)	IS 5182(Part-2)	10.0	80.0**
03	NOx (ug/m3)	IS 5182(Part-6)	21.0	80.0**

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

NOTE: 1. Samples will be destroyed after 15 days from the date of issue of test certificate unless and otherwise specified 2. The report is not to be reproduced wholly or in part & cannot be used as an evidence in the court of law should not be advertised without special permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT
(4th week 2nd day)

AMBIENT AIR QUALITY MONITORING

Report No: CT/25-26/12/42	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road: Cluster 11** Humnabad to Kallur Thanda; 1038 Sindhenkera to Hankuni Towards Itga Walkhindi Junction: 4559 FATHIMAPUR TO WALKHINDI -ITGA JUNCTION (BALANCE LENGTH): 1294	**Customer reference** : CT/25-26/12/42 **Date of Collection** : 26.12.2025 **Date of Receipt** : 29.12.2025 **Date of Start of Test** : 29.12.2025 **Sample Particulars** : Ambient Air Monitoring **Instrument Used** : Enviro Tech **Calibrated Due** : 07.07.2026

Result:

01	PM 2.5 (ug/m3)	Gravimetric	260	60.0**
02	Carbon Monoxide in ug/m3	IS 5182(Part-10)	0.6	4.0***
03	Lead in ug/m3	AAS	BDL	1.0**
04	Ozone in ug/m3	Chemical Method	34	180.0***
05	Ammonia in ug/m3	Indophenol Blue Method	25.0	400.0**
06	Benzene in ug/m3	IS 5182(Part-11)	ND	5.0**
07	Benzo (a) Pyrene(Bap)-particulate Phase only in ug/m3	IS 5182(Part-12)	ND	1.0**
08	Arsenic in ug/m3	AAS	ND	6.0*
09	Nickel in ug/m3	AAS	ND	20.0*

*BDL= Below Detection Level, * ND- Not detected Note: *- Annual Average, **-24 hours,***-1 hour

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LTD Bengaluru

AUTHORIZED SIGNATORY

N
no[illegible] permission in writing.3. Samples are not drawn by us unless otherwise stated.4. Total liability of the laboratory is limited to the invoice amount.

CLEAN TECHNOLOGIES
Recognized by : MoEF & CC, NABL,
OHSAS certified laboratory

CLEAN TECHNOLOGIES
Concept to Completion in Environment

TEST REPORT

Report No: CT/25-26/12/42	**Report Date** : 02.01.2026
Issued To: **M/s. Sarvashri Consultants Pvt Ltd Jamkhandi,** **Name of Road**: **Cluster 11** Humnabad to Kallur Thanda; 1038 Sindhenkera to Hankuni Towards Itga Walkhindi Junction: 4559 FATHIMAPUR TO WALKHINDI -ITGA JUNCTION (BALANCE LENGTH): 1294	**Customer reference** : CT/25-26/12/42 **Date of Collection** : 26.12.2025 **Date of Receipt** : 29.12.2025 **Sample Particulars** : Noise Level Monitoring **Instrument Used** : Integrated Sound Level Meter **Calibrated on** : 07.07.2026 **Date of Start of Test**: 29.12.2025

Sl. No	Location	Results in dB (A) Leq* Day (10Am to 6.PM)	Results in dB (A) Leq* Night(10 PM to 6.AM)	Results in dB (A) Leq* Mean Value	Tolerance Limit in dB (A) Leq*	
					Industrial Area	
					Max Day Time	Max Night Time
01.	Near Road Entrance	51.8	41.6	47.2	75	70

ANALYSED BY

CLEAN TECHNOLOGIES KEMP LLP Bengaluru

AUTHORIZED SIGNATORY

N
n
p
a

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** : 07-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°56'10.14"N, 77° 2'41.47"E**
Name Of Road : Cluster 1 – Devnal to NH 752 k, Muchlamb to Gadirayapalli, Belur to Khandala cross Ucha to Warwatti Wadi Khandala to Anandwadi.	**Date of Receipt :** 02-02-2026 **Date of Test:** 02-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.5	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	334	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	189	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	922	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	287	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	15.2	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.8	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	2	IS 11624:1986	<13
9.	Sand (%)	57	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	25	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	41	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

BIRBAL'S TEST HOUSE

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** : 09-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°50'0.16"N, 77° 1'50.59"E**
Name Of Road : Cluster 2 – MDR to Rajola Tanda, Gogga to Hulgutti Kitta cross to Basavakalyan.	**Date of Receipt :** 03-02-2026 **Date of Test:** 03-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.4	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	330	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	187	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	916	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	285	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	15	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.7	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.9	IS 11624:1986	<13
9.	Sand (%)	58	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :10-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 18° 8'38.49"N, 77°27'44.04"E**
Name Of Road : Cluster 3 – Daddapur to janawada, Gadagi to Nandaganv, Benaknalli to Markhal Jeerga(B) to shembeli via jeerga (k)	**Date of Receipt :** 05-02-2026 **Date of Test:** 05-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.3	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	314	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	180	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	896	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	276	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.5	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.3	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.8	IS 11624:1986	<13
9.	Sand (%)	60	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	23	IS 2720 (part 4):1985	5-50%
11	Clay (%)	17	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

BIRBAL'S TEST HOUSE

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :06-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 18° 2'33.78"N , 77°14'55.27"E**
Name Of Road : Cluster 4– Dongapur village to Bhalki Cross Dharajwadi Tanda to SH-34 SH-123 to Bedkunda	**Date of Receipt :** 02-02-2026 **Date of Test:** 02-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.6	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	342	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	194	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	938	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	294	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	15.6	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	9	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	2.1	IS 11624:1986	<13
9.	Sand (%)	56	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	25	IS 2720 (part 4):1985	5-50%
11	Clay (%)	19	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

BIRBAL'S TEST HOUSE

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :15-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°38'32.52"N , 77°23'25.22"E**
Name Of Road : Cluster 5– Changlera to udamnalli via karpakpalli and polakpalli nirna to bashirapur	**Date of Receipt :** 10-02-2026 **Date of Test:** 10-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.3	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	326	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	186	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	914	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	283	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.9	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.6	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.9	IS 11624:1986	<13
9.	Sand (%)	58	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

BIRBAL'S TEST HOUSE

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :16-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 18° 5'56.28"N , 77° 3'3.86"E**
Name Of Road : Cluster 6– Mehkar to Naradas Sangama (Upto MDR) via Bolegaon Wanjarkheda to Mehkar Halsi (L) to Wagalgaon Srimalli to Alawai (upto MDR)	**Date of Receipt : 1**1-02-2026 **Date of Test:** 11-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.5	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	336	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	190	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	926	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	289	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	15.3	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.8	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	2	IS 11624:1986	<13
9.	Sand (%)	57	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	25	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :21-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°50'30.71"N , 77°25'32.56"E**
Name Of Road : Cluster 7– Mandaknalli to mandaknalli thanda. Mandaknalli to kashampur(p) via malik mirzapur bagdal to honnadi	**Date of Receipt :** 16-02-2026 **Date of Test:** 16-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.3	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	320	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	183	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	904	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	279	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.7	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.4	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.8	IS 11624:1986	<13
9.	Sand (%)	59	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	17	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :24-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°45'14.69"N , 77° 6'59.08"E**
Name Of Road : Cluster 8– Fathimapur to walkhindi -itga junction sindhenkera to hankuni towards itga walkhindi junction humnabad to kallur thanda	**Date of Receipt :** 18-02-2026 **Date of Test:** 18-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.4	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	324	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	184	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	908	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	281	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.8	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.5	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.9	IS 11624:1986	<13
9.	Sand (%)	58	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :21-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°58'14.97"N , 77°27'28.36"E -02**
Name Of Road : Cluster 9– Aliambar to Taluka border(kosam), Aliambar to chandapur MDR to yarnalli via Sangavi and siddapur, Chondi to alimbar via chondi thanda and mamdapur, Aliambar to shankar thanda.	**Date of Receipt : 17-**02-2026 **Date of Test:** 17-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.3	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	318	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	182	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	902	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	278	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.6	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.4	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.8	IS 11624:1986	<13
9.	Sand (%)	59	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	17	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :21-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 17°40'25.16"N, 76°56'35.24"E**
Name Of Road : Cluster 10– Hirnagaon to Chiknagaon , Pandergera to MDR.	**Date of Receipt :** 16-02-2026 **Date of Test:** 16-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.4	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	332	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	188	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	918	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	286	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	15	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.7	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.9	IS 11624:1986	<13
9.	Sand (%)	57	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	25	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	-	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

7899999396, 6363696850
C/o S I Padasalagi, CTS47-5-345A
Near APJ Abdul Kalam School,
Royal Colony, Jambagi Road
Jamkhandi- 587301 KARNATAKA
E-mail :- birbalstesthouse@gmail.com

Test Report

Format no: BTH/FF/7.8.2

Report No: BTH/25-26/06/61	**Report Date** :27-02-2026
Issued To: M/s. SARVASHRI CONSULTANTS PVT LTD C/O Smita Nivas, Vijayamahantesh Nagar, Jamkhandi-587301 Contact: 7899999396 GST No: 29AAHCB3373K1ZB	**Customer Reference**: BTH/25-26/06/61 **Sample Collected At : 18°17'33.05"N , 77°17'49.80"E**
Name Of Road : Cluster 11– Kamalnagar to Murg(K) Dongoan (M) to Hakkyal via Randiyal Belkoni (BH) to SH 122 via Bopalgad malegaon. Nagmarpalli to Chintaki Via Raipalli.	**Date of Receipt :** 23-02-2026 **Date of Test:** 23-02-2026 **Sample Particulars** : Soil Sample **Collected By :** Birbal Test House **Date of Collection :**

Results

Sl.No	Parameters	Result	Protocol	Acceptable Range
1.	PH	7.4	IS 2720 (part 26):1987	6.5-8.5
2.	Electrical Conductivity (µs/cm)	328	IS 14767:2000	0-1000 µs/cm
3.	Potassium (as K) (Mg/Kg)	186	IS 2720 (part 40):1977	80-280 mg/kg
4.	Calcium (as Ca) (mg/kg)	912	IS 2720 (part 40):1977	1000-5000 mg/kg
5.	Magnesium (as Ca) (mg/kg)	284	IS 2720 (part 40):1977	100-1000 mg/kg
6.	Cation exchange capacity (meq/100g)	14.8	IS 2720 (part 24):1976	5-40 meq/100g
7.	Moisture (%)	8.6	IS 2720 (part 2):1973	5-30 %
8.	Sodium Absorption Ratio	1.9	IS 11624:1986	<13
9.	Sand (%)	58	IS 2720 (part 4):1985	20-80%
10.	Silt (%)	24	IS 2720 (part 4):1985	5-50%
11	Clay (%)	18	IS 2720 (part 4):1985	5-60%
12.	Clay(%)	18	IS 2720 (part 4):1985	5-60%

BIRBAL'S TEST HOUSE JAMKHANDI 587301

ANALYSED BY

AUTHORIZEDSIGNATORY

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/2911
Product or Material	Ambient Monitoring	Report No	NAL/2026/19755
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000022381F
Sampling Point	At Chainage 0.100 km Near School in Nichadi Village	Date of Monitoring	25.06.2026
		Date of sample Receipt	26.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	26.06.2026
Sampling Procedure	In House SOP	Date of Completion	30.06.2026
Page No	1/1	Report Date	30.06.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	46.0
Climate:	Clear Sky	Wind Flow:	Normal

DETAILS OF INSTRUMENT USED		
Instrument Name:	PM 2.5 Fine Particulate Sampler	PM 10 Respirable Dust Sampler
Make & Model	(Ecotech Instruments)/16-l-627	ETCL/ APM-415 BL
Sl No	J16C804	141-DTF-2023
Calibrated Date	16.02.2026	15.02.2026
calibration due Date	15.02.2027	14.02.2027

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	72.0	100.0 Max	IS 5182: Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	30.0	60.0 Max	IS 5182: Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	5.8	80.0 Max	IS 5182: Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	12.0	80.0 Max	IS 5182: Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/2912
Product or Material	Noise monitoring	Report No	NAL/2026/19756
		ULR No	TC1735426000022382F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	25.06.2026
		Date of sample Receipt	26.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	26.06.2026
Sampling Procedure	In House SOP	Date of Completion	30.06.2026
Page No	1/1	Report Date	30.06.2026

DETAILS OF INSTRUMENT USED			
Instrument Name:	Sound level meter	Calibrated Date	19.06.2026
Make, Model &Sr. No.	Lutron SL-4033 SD Q694256	Calibration due Date	18.06.2027

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	Min	Max	NOISE LEVEL RESULTS IN LEQ dB (A)	KSPCB Standards (Commercial Area)	METHOD
1	At Chainage 0.100 km Near School in Nichadi Village	42.9	48.5	45.8	65 dB (A) Leq Max	IS 9989:1981 (Reaffirmed-2020)

Note: - Max: Maximum
Remarks: The sample meets to KSPCB limit as per within tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/2913
Product or Material	Ground Water	Report No	NAL/2026/19757
Particulars of Sample	Borewell Water	ULR No	TC1735426000022383F
Sampling Point	From Borewell Water Tap (At Chainage 0.100 km Near School in Nichadi Village)	Date of sample Receipt	26.06.2026
Sample submitted by	Customer	Date of Analysis Started	26.06.2026
Sample collected by	Customer	Date of Completion	30.06.2026
Sample Qty	2Ltrs	Report Date	30.06.2026
Page No	1/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
01	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
02	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
03	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-07)-2017
04	pH value	---	7.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
05	Turbidity	NTU	1.0	1.0	5.0	IS:3025(Part-10)-2023
06	Conductivity	µS/cm	1010.0	---	---	IS:3025(Part-14)-2013
07	Total Dissolved Solids	mg/L	650.0	500	2000	IS:3025(Part-16)-2023
08	Total Alkalinity as $CaCO_3$	mg/L	230.0	200	600	IS:3025(Part-23)-2023
09	Total Hardness as $CaCO_3$	mg/L	400.0	200	600	IS:3025(Part-21)-2009
10	Calcium as Ca	mg/L	80.0	75	200	IS:3025(Part-40)-1991
11	Magnesium as Mg	mg/L	48.0	30	100	IS:3025(Part-46)-2023
12	Chloride as Cl	mg/L	112.0	250	1000	IS:3025(Part-32)-1988
13	Sulphate as SO_4	mg/L	28.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
14	Nitrates as NO_3	mg/L	10.0	45	No relaxation	IS:3025(Part-34)-1988
15	Fluoride as F	mg/L	0.76	1.0	1.5	APHA 4500-F 24th Edtionn 2023
16	Iron as Fe	mg/L	0.06	1.0	No relaxation	APHA 24th edition3500Fe B: 2023
17	Residual free chlorine	mg/L	BDL (DL=0.2)	Min 0.2	Min 1.0	IS:3025(Part-26)-2021
18	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023

Note: Min: Minimum, BDL: Below detection Limit DL: Detection Limit.
Note: The Test Residual free Chlorine is applicable only when water is chlorinated.

NAL LABS LLP Bangalore-58

Verified By

Hanumantha Raju C K
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/2913
Product or Material	Ground Water	Report No	NAL/2026/19757
Particulars of Sample	Borewell Water	ULR No	TC1735426000022383F
Sampling Point	From Borewell Water Tap (At Chainage 0.100 km Near School in Nichadi Village)	Date of sample Receipt	26.06.2026
Sample submitted by	Customer	Date of Analysis Started	26.06.2026
Sample collected by	Customer	Date of Completion	30.06.2026
Sample Qty	2Ltrs	Report Date	30.06.2026
Page No	2/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
19	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
20	Barium (as Ba)	mg/L	0.040	0.7	No relaxation	IS 3025 P-02: 2019
21	Copper (as Cu)	mg/L	0.018	0.05	1.5	IS 3025 P-02: 2019
22	Manganese (as Mn)	mg/L	0.020	0.1	0.3	IS 3025 P-02: 2019
23	Selenium (as Se)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
24	Zinc (as Zn)	mg/L	0.044	5.0	15.0	IS 3025 P-02: 2019
25	Lead (as Pb)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
26	Nickel (as Ni)	mg/L	BLQ (LOQ=0.01)	0.02	No relaxation	IS 3025 P-02: 2019
27	Total arsenic (as As)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
28	Total chromium (as Cr)	mg/L	BLQ (LOQ=0.01)	0.05	No relaxation	IS 3025 P-02: 2019
Note: BLQ; Below Limit of Quantification; LOQ: Limit of Quantification						
Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests						

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/2913
Product or Material	Ground Water	Report No	NAL/2026/19757
Particulars of Sample	Borewell Water	ULR No	TC1735426000022383F
Sampling Point	From Borewell Water Tap (At Chainage 0.100 km Near School in Nichadi Village)	Date of sample Receipt	26.06.2026
Sample submitted by	Customer	Date of Analysis Started	26.06.2026
Sample collected by	Customer	Date of Completion	27.06.2026
Sample Qty	500 ml	Report Date	30.06.2026
Page No	3/3		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
29	Escherichia coli	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
30	Total Coliforms	CFU/100 ml	<1		IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

**** End of the Report*****

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr. Microbiologist
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/2914
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/19758
Particulars of Sample	Lake Water	ULR No	TC1735426000022384F
Sampling Point	1.400 km Near Pond in Doddabyalu Village	Date of sample Receipt	26.06.2026
Sample submitted by	Customer	Date of Analysis Started	26.06.2026
Sample collected by	Customer	Date of Completion	01.07.2026
Sample Qty	2Ltrs	Report Date	01.07.2026
Page No	1/2		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Color	Hazen Units	10.0	IS 3025(P-11) 2021
pH Value	--	7.7	IS 3025(P-17) 2022
Turbidity	NTU	10.0	IS 3025 (P-10)1984 RA 2017
Conductivity	µS/cm	740.0	IS 3025 (P-14)1984 RA 2019
Total Dissolved Solids	mg/L	480.0	IS 3025 (P-16)1984 RA 2017
Chloride as Cl	mg/L	98.0	IS 3025 (P-32)1988 RA 2019
Iron as Fe	mg/L	0.10	APHA 24th Edition **3500**-Fe B
Nitrate as NO_3	mg/L	10.0	APHA 24th Edition 4500NO3 B
Sulphate as SO_4	mg/L	20.0	APHA 24th Edition4500SO_4^{2-}E
Total Hardness as $CaCO_3$	mg/L	120.0	IS 3025 (P-21)2009 RA 2019
Chemical Oxygen Demand	mg/L	96.0	IS 3025(P-58) 2006 (RA-2017)
Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	14.0	APHA 24thEdition5210 BOD B

**** End of the Report* ****

Verified By

NAL LABS LLP Bangalore-58

Hanumantha Raju C N
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/2914
Particulars of Sample	Lake Water	Report No	NAL/2026/19758
Sampling Point	1.400 km Near Pond in Doddabyalu Village	ULR No	TC1735426000022384F
Sample submitted by	Customer	Date of sample Receipt	26.06.2026
Sample collected by	Customer	Date of Analysis Started	26.06.2026
Sample Qty	2Ltrs	Date of Completion	02.07.2026
Page No	2/2	Report Date	02.07.2026
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Result	Test Method
Faecal Coliform,	MPN/100ml	280	IS 1622-1981 RA 2019
Total coliform Bacteria	MPN/100ml	350	IS 1622-1981 RA 2019

Verified By

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr Microbiologist
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/2914
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/19758
Particulars of Sample	Lake Water	Date of sample Receipt	26.06.2026
Sampling Point	1.400 km Near Pond in Doddabyalu Village	Date of Analysis Started	26.06.2026
Sample submitted by	Customer	Date of Completion	01.07.2026
Sample collected by	Customer	Report Date	01.07.2026
Sample Qty	2Ltrs		
Page No	1/1		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
Note: BDL: Below Detection Limit, DL: Detection Limit			

**** End of the Report*****

Verified By

NAL LABS LLP * Bangalore-58 *

Hanumantha Raju C N
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/3469
Product or Material	Ambient Monitoring	Report No	NAL/2026/20313
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000022881F
Sampling Point	At Chainage 0.00 km in Balligavi Village	Date of Monitoring	29.06.2026
		Date of sample Receipt	30.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	30.06.2026
Sampling Procedure	In House SOP	Date of Completion	02.07.2026
Page No	1/1	Report Date	02.07.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	46.0
Climate:	Clear Sky	Wind Flow:	Normal

DETAILS OF INSTRUMENT USED		
Instrument Name:	PM 2.5 Fine Particulate Sampler	PM 10 Respirable Dust Sampler
Make & Model	(Ecotech Instruments)/16-l-627	ETCL/ APM-415 BL
Sl No	J16C804	141-DTF-2023
Calibrated Date	16.02.2026	15.02.2026
calibration due Date	15.02.2027	14.02.2027

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	86.0	100.0 Max	IS 5182: Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	32.4	60.0 Max	IS 5182: Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	5.9	80.0 Max	IS 5182: Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	14.0	80.0 Max	IS 5182: Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/3470
Product or Material	Noise monitoring	Report No	NAL/2026/20314
		ULR No	TC1735426000022882F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	29.06.2026
		Date of sample Receipt	30.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	30.06.2026
Sampling Procedure	In House SOP	Date of Completion	02.07.2026
Page No	1/1	Report Date	02.07.2026

DETAILS OF INSTRUMENT USED			
Instrument Name:	Sound level meter	Calibrated Date	19.06.2026
Make, Model &Sr. No.	Lutron SL-4033 SD Q694256	Calibration due Date	18.06.2027

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	Min	Max	NOISE LEVEL RESULTS IN LEQ dB (A)	KSPCB Standards (Commercial Area)	METHOD
1	At Chainage 0.00 km in Balligavi Village	42.6	49.1	45.9	65 dB (A) Leq Max	IS 9989:1981 (Reaffirmed-2020)

Note: - Max: Maximum
Remarks: The sample meets to KSPCB limit as per within tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3471
Product or Material	Ground Water	Report No	NAL/2026/20315
Particulars of Sample	Borewell Water	ULR No	TC1735426000022883F
Sampling Point	From Borewell Water Tap (At Chainage 0.00 km in Balligavi Village)	Date of sample Receipt	30.06.2026
Sample submitted by	Customer	Date of Analysis Started	30.06.2026
Sample collected by	Customer	Date of Completion	04.07.2026
Sample Qty	2Ltrs	Report Date	04.07.2026
Page No	1/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
01	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
02	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
03	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-07)-2017
04	pH value	---	7.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
05	Turbidity	NTU	1.0	1.0	5.0	IS:3025(Part-10)-2023
06	Conductivity	µS/cm	980.0	---	---	IS:3025(Part-14)-2013
07	Total Dissolved Solids	mg/L	630.0	500	2000	IS:3025(Part-16)-2023
08	Total Alkalinity as $CaCO_3$	mg/L	220.0	200	600	IS:3025(Part-23)-2023
09	Total Hardness as $CaCO_3$	mg/L	388.0	200	600	IS:3025(Part-21)-2009
10	Calcium as Ca	mg/L	84.0	75	200	IS:3025(Part-40)-1991
11	Magnesium as Mg	mg/L	43.0	30	100	IS:3025(Part-46)-2023
12	Chloride as Cl	mg/L	106.0	250	1000	IS:3025(Part-32)-1988
13	Sulphate as SO_4	mg/L	24.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
14	Nitrates as NO_3	mg/L	8.0	45	No relaxation	IS:3025(Part-34)-1988
15	Fluoride as F	mg/L	0.69	1.0	1.5	APHA 4500-F 24th Edtionn 2023
16	Iron as Fe	mg/L	0.06	1.0	No relaxation	APHA 24th edition3500Fe B: 2023
17	Residual free chlorine	mg/L	BDL (DL=0.2)	Min 0.2	Min 1.0	IS:3025(Part-26)-2021
18	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023

Note: Min: Minimum, BDL: Below detection Limit DL: Detection Limit.
Note: The Test Residual free Chlorine is applicable only when water is chlorinated.

NAL LABS LLP Bangalore-58

Verified By

Hanumantha Raju C K
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3471
Product or Material	Ground Water	Report No	NAL/2026/20315
Particulars of Sample	Borewell Water	ULR No	TC1735426000022883F
Sampling Point	From Borewell Water Tap (At Chainage 0.00 km in Balligavi Village)	Date of sample Receipt	30.06.2026
Sample submitted by	Customer	Date of Analysis Started	30.06.2026
Sample collected by	Customer	Date of Completion	04.07.2026
Sample Qty	2Ltrs	Report Date	04.07.2026
Page No	2/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
19	Aluminium (as Al)	mg/L	0.010	0.03	0.2	IS 3025 P-02: 2019
20	Barium (as Ba)	mg/L	0.070	0.7	No relaxation	IS 3025 P-02: 2019
21	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
22	Manganese (as Mn)	mg/L	0.021	0.1	0.3	IS 3025 P-02: 2019
23	Selenium (as Se)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
24	Zinc (as Zn)	mg/L	0.044	5.0	15.0	IS 3025 P-02: 2019
25	Lead (as Pb)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
26	Nickel (as Ni)	mg/L	BLQ (LOQ=0.01)	0.02	No relaxation	IS 3025 P-02: 2019
27	Total arsenic (as As)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
28	Total chromium (as Cr)	mg/L	BLQ (LOQ=0.01)	0.05	No relaxation	IS 3025 P-02: 2019
Note: BLQ; Below Limit of Quantification; LOQ: Limit of Quantification						
Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests						

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/3471
Product or Material	Ground Water	Report No	NAL/2026/20315
Particulars of Sample	Borewell Water	ULR No	TC1735426000022883F
Sampling Point	From Borewell Water Tap (At Chainage 0.00 km in Balligavi Village)	Date of sample Receipt	30.06.2026
Sample submitted by	Customer	Date of Analysis Started	30.06.2026
Sample collected by	Customer	Date of Completion	01.07.2026
Sample Qty	500 ml	Report Date	04.07.2026
Page No	3/3		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
29	Escherichia coli	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
30	Total Coliforms	CFU/100 ml	<1		IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests <1 Indicate Not Detected					

**** End of the Report*****

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr Microbiologist
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3472
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/20316
Particulars of Sample	Lake Water	ULR No	TC1735426000022884F
Sampling Point	At Chainage 0.100 km (Pond) in Mallenahalli Village	Date of sample Receipt	30.06.2026
Sample submitted by	Customer	Date of Analysis Started	30.06.2026
Sample collected by	Customer	Date of Completion	05.07.2026
Sample Qty	2Ltrs	Report Date	05.07.2026
Page No	1/2		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Color	Hazen Units	10.0	IS 3025(P-11) 2021
pH Value	--	7.5	IS 3025(P-17) 2022
Turbidity	NTU	10.0	IS 3025 (P-10)1984 RA 2017
Conductivity	µS/cm	640.0	IS 3025 (P-14)1984 RA 2019
Total Dissolved Solids	mg/L	410.0	IS 3025 (P-16)1984 RA 2017
Chloride as Cl	mg/L	102.0	IS 3025 (P-32)1988 RA 2019
Iron as Fe	mg/L	1.2	APHA 24th Edition **3500**-Fe B
Nitrate as NO_3	mg/L	6.0	APHA 24th Edition 4500NO3 B
Sulphate as SO_4	mg/L	20.0	APHA 24th Edition4500SO_4^{2-}E
Total Hardness as $CaCO_3$	mg/L	220.0	IS 3025 (P-21)2009 RA 2019
Chemical Oxygen Demand	mg/L	60.0	IS 3025(P-58) 2006 (RA-2017)
Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	10.0	APHA 24thEdition5210 BOD B

**** End of the Report*****

Verified By

NAL LABS LLP Bangalore-58

Hanumantha Raju C
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/3472
Particulars of Sample	Lake Water	Report No	NAL/2026/20316
Sampling Point	At Chainage 0.100 km (Pond) in Mallenahalli Village	ULR No	TC1735426000022884F
Sample submitted by	Customer	Date of sample Receipt	30.06.2026
Sample collected by	Customer	Date of Analysis Started	30.06.2026
Sample Qty	2Ltrs	Date of Completion	06.07.2026
Page No	2/2	Report Date	06.07.2026
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Result	Test Method
Faecal Coliform,	MPN/100ml	170	IS 1622-1981 RA 2019
Total coliform Bacteria	MPN/100ml	220	IS 1622-1981 RA 2019

Verified By

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr Microbiologist
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3472
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/20316
Particulars of Sample	Lake Water	Date of sample Receipt	30.06.2026
Sampling Point	At Chainage 0.100 km (Pond) in Mallenahalli Village	Date of Analysis Started	30.06.2026
Sample submitted by	Customer	Date of Completion	05.07.2026
Sample collected by	Customer	Report Date	05.07.2026
Sample Qty	2Ltrs		
Page No	1/1		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
Note: BDL: Below Detection Limit, DL: Detection Limit			

**** End of the Report*****

Verified By

NAL LABS LLP Bangalore-58

Hanumantha Raju C K
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/3092
Product or Material	Ambient Monitoring	Report No	NAL/2026/19936
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000022539F
Sampling Point	At Chainage 2.400 km in Purasagadde Village	Date of Monitoring	26.06.2026
		Date of sample Receipt	27.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	27.06.2026
Sampling Procedure	In House SOP	Date of Completion	01.07.2026
Page No	1/1	Report Date	01.07.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	46.0
Climate:	Clear Sky	Wind Flow:	Normal

DETAILS OF INSTRUMENT USED		
Instrument Name:	PM 2.5	PM 10
	Fine Particulate Sampler	Respirable Dust Sampler
Make & Model	(Ecotech Instruments)/16-l-627	ETCL/ APM-415 BL
Sl No	J16C804	141-DTF-2023
Calibrated Date	16.02.2026	15.02.2026
calibration due Date	15.02.2027	14.02.2027

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.2	100.0 Max	IS 5182: Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.6	60.0 Max	IS 5182: Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	6.0	80.0 Max	IS 5182: Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	14.0	80.0 Max	IS 5182: Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	Chemical	Sample ID	NAL/2026/06/3093
Product or Material	Noise monitoring	Report No	NAL/2026/19937
		ULR No	TC1735426000022540F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	26.06.2026
		Date of sample Receipt	27.06.2026
Sampling done by	Mr. Santosh& Team	Date of Analysis Started	27.06.2026
Sampling Procedure	In House SOP	Date of Completion	01.07.2026
Page No	1/1	Report Date	01.07.2026

DETAILS OF INSTRUMENT USED			
Instrument Name:	Sound level meter	Calibrated Date	19.06.2026
Make, Model &Sr. No.	Lutron SL-4033 SD Q694256	Calibration due Date	18.06.2027

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	Min	Max	NOISE LEVEL RESULTS IN LEQ dB (A)	KSPCB Standards (Commercial Area)	METHOD
1	At Chainage 2.400 km in Purasagadde Village	47.5	51.6	49.6	65 dB (A) Leq Max	IS 9989:1981 (Reaffirmed-2020)

Note: - Max: Maximum
Remarks: The sample meets to KSPCB limit as per within tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3094
Product or Material	Ground Water	Report No	NAL/2026/19938
Particulars of Sample	Borewell Water	ULR No	TC1735426000022541F
Sampling Point	From Borewell Water Tap (At Chainage 2.400 km in Purasagadde Village)	Date of sample Receipt	27.06.2026
Sample submitted by	Customer	Date of Analysis Started	27.06.2026
Sample collected by	Customer	Date of Completion	01.07.2026
Sample Qty	2Ltrs	Report Date	01.07.2026
Page No	1/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
01	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
02	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
03	Taste	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-07)-2017
04	pH value	---	7.5	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
05	Turbidity	NTU	1.0	1.0	5.0	IS:3025(Part-10)-2023
06	Conductivity	µS/cm	860.0	---	---	IS:3025(Part-14)-2013
07	Total Dissolved Solids	mg/L	560.0	500	2000	IS:3025(Part-16)-2023
08	Total Alkalinity as $CaCO_3$	mg/L	236.0	200	600	IS:3025(Part-23)-2023
09	Total Hardness as $CaCO_3$	mg/L	388.0	200	600	IS:3025(Part-21)-2009
10	Calcium as Ca	mg/L	84.0	75	200	IS:3025(Part-40)-1991
11	Magnesium as Mg	mg/L	43.0	30	100	IS:3025(Part-46)-2023
12	Chloride as Cl	mg/L	110.0	250	1000	IS:3025(Part-32)-1988
13	Sulphate as SO_4	mg/L	22.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
14	Nitrates as NO_3	mg/L	12.0	45	No relaxation	IS:3025(Part-34)-1988
15	Fluoride as F	mg/L	0.66	1.0	1.5	APHA 4500-F 24th Edtionn 2023
16	Iron as Fe	mg/L	0.08	1.0	No relaxation	APHA 24th edition3500Fe B: 2023
17	Residual free chlorine	mg/L	BDL (DL=0.2)	Min 0.2	Min 1.0	IS:3025(Part-26)-2021
18	Boron (as B)	mg/L	BDL (DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023

Note: Min: Minimum, BDL: Below detection Limit DL: Detection Limit
Note: The Test Residual free Chlorine is applicable only when water is chlorinated.

NAL LABS LLP Bangalore-58

Verified By

Hanumantha Raju C K
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3094
Product or Material	Ground Water	Report No	NAL/2026/19938
Particulars of Sample	Borewell Water	ULR No	TC1735426000022541F
Sampling Point	From Borewell Water Tap (At Chainage 2.400 km in Purasagadde Village)	Date of sample Receipt	27.06.2026
Sample submitted by	Customer	Date of Analysis Started	27.06.2026
Sample collected by	Customer	Date of Completion	01.07.2026
Sample Qty	2Ltrs	Report Date	01.07.2026
Page No	2/3		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
19	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
20	Barium (as Ba)	mg/L	0.042	0.7	No relaxation	IS 3025 P-02: 2019
21	Copper (as Cu)	mg/L	0.016	0.05	1.5	IS 3025 P-02: 2019
22	Manganese (as Mn)	mg/L	0.019	0.1	0.3	IS 3025 P-02: 2019
23	Selenium (as Se)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
24	Zinc (as Zn)	mg/L	0.040	5.0	15.0	IS 3025 P-02: 2019
25	Lead (as Pb)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
26	Nickel (as Ni)	mg/L	BLQ (LOQ=0.01)	0.02	No relaxation	IS 3025 P-02: 2019
27	Total arsenic (as As)	mg/L	BLQ (LOQ=0.01)	0.01	No relaxation	IS 3025 P-02: 2019
28	Total chromium (as Cr)	mg/L	BLQ (LOQ=0.01)	0.05	No relaxation	IS 3025 P-02: 2019
Note: BLQ; Below Limit of Quantification; LOQ: Limit of Quantification						
Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests						

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/3094
Product or Material	Ground Water	Report No	NAL/2026/19938
Particulars of Sample	Borewell Water	ULR No	TC1735426000022541F
Sampling Point	From Borewell Water Tap (At Chainage 2.400 km in Purasagadde Village)	Date of sample Receipt	27.06.2026
Sample submitted by	Customer	Date of Analysis Started	27.06.2026
Sample collected by	Customer	Date of Completion	01.07.2026
Sample Qty	500 ml	Report Date	01.07.2026
Page No	3/3		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
29	Escherichia coli	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
30	Total Coliforms	CFU/100 ml	<1		IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests
<1 Indicate Not Detected

**** End of the Report*****

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr Microbiologist
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3095
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/19939
Particulars of Sample	Lake Water	ULR No	TC1735426000022542F
Sampling Point	At Chainage 1.800 km (Pond) in Hiremagadi Village	Date of sample Receipt	27.06.2026
Sample submitted by	Customer	Date of Analysis Started	27.06.2026
Sample collected by	Customer	Date of Completion	02.07.2026
Sample Qty	2Ltrs	Report Date	02.07.2026
Page No	1/2		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Color	Hazen Units	10.0	IS 3025(P-11) 2021
pH Value	--	7.1	IS 3025(P-17) 2022
Turbidity	NTU	10.0	IS 3025 (P-10)1984 RA 2017
Conductivity	µS/cm	710.0	IS 3025 (P-14)1984 RA 2019
Total Dissolved Solids	mg/L	460.0	IS 3025 (P-16)1984 RA 2017
Chloride as Cl	mg/L	106.0	IS 3025 (P-32)1988 RA 2019
Iron as Fe	mg/L	1.4	APHA 24th Edition **3500**-Fe B
Nitrate as NO_3	mg/L	9.6	APHA 24th Edition 4500NO3 B
Sulphate as SO_4	mg/L	18.0	APHA 24th Edition4500SO_4^{2-}E
Total Hardness as $CaCO_3$	mg/L	140.0	IS 3025 (P-21)2009 RA 2019
Chemical Oxygen Demand	mg/L	92.0	IS 3025(P-58) 2006 (RA-2017)
Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	12.0	APHA 24thEdition5210 BOD B

**** End of the Report*****

Verified By

NAL LABS LLP Bangalore-58

Hanumantha Raju C K
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Biological**	Sample ID	NAL/2026/06/3095
Particulars of Sample	Lake Water	Report No	NAL/2026/19939
Sampling Point	At Chainage 1.800 km (Pond) in Hiremagadi Village	ULR No	TC1735426000022542F
Sample submitted by	Customer	Date of sample Receipt	27.06.2026
Sample collected by	Customer	Date of Analysis Started	27.06.2026
Sample Qty	2Ltrs	Date of Completion	03.07.2026
Page No	2/2	Report Date	03.07.2026
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Result	Test Method
Faecal Coliform,	MPN/100ml	110	IS 1622-1981 RA 2019
Total coliform Bacteria	MPN/100ml	140	IS 1622-1981 RA 2019

Verified By

NAL LABS LLP Bangalore-58

ANUSHA H.S
Sr Microbiologist
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Eletus Ventures Pvt Ltd** Little Hut, G-205, 10th Cross F/G Block Road, Sahakar Nagar, Byatarayanapur, Bangalore – 560092.		
Discipline	**Chemical**	Sample ID	NAL/2026/06/3095
Product or Material	Waste water (Effluents/Sewage)	Report No	NAL/2026/19939
Particulars of Sample	Lake Water	Date of sample Receipt	27.06.2026
Sampling Point	At Chainage 1.800 km (Pond) in Hiremagadi Village	Date of Analysis Started	27.06.2026
Sample submitted by	Customer	Date of Completion	02.07.2026
Sample collected by	Customer	Report Date	02.07.2026
Sample Qty	2Ltrs		
Page No	1/1		
Sample package	Water Sample Received in PET Bottle		
Description	Slightly whitish Colored liquid having unobjectionable odor.		

Parameters	Unit	Results	Test Method
Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
Note: BDL: Below Detection Limit, DL: Detection Limit			

**** End of the Report* ****

Verified By

NAL LABS LLP Bangalore-58

Hanumantha Raju C L
Sr. Analyst
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0152
Product or Material	Ambient Monitoring	Report No	NAL/2026/23261
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001566 8
Sampling Point	**Golibettu to Katgeri via Yederi road in Baindur Taluk, Udupi District Road ID 547**	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	76.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	39.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	20.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	26.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	15.2	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniManagement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0152
Product or Material	Ambient Monitoring	Report No	NAL/2026/23261
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.02.2026
Sampling Point	**Golibettu to Katgeri via Yederi road in Baindur Taluk, Udupi District Road ID 547**	Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0153
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23262
		ULR No	TC134272600001566 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Golibettu to Katgeri via Yederi road in Baindur Taluk, Udupi District Road ID 547**	40.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0154
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23263
		ULR No	TC134272600001567OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Golibettu to Katgeri via Yederi road in Baindur Taluk, Udupi District Road ID 547**	45.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-55

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0158
Product or Material	Ambient Monitoring	Report No	NAL/2026/23267
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015674F
Sampling Point	**Nada Sornakodlu to Badakere proper road in Baindur Taluk, Udupi District Road ID 1741**	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.0	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.0	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0158
Product or Material	Ambient Monitoring	Report No	NAL/2026/23267
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	10.02.2026
Sampling Point	**Nada Sornakodlu to Badakere proper road in Baindur Taluk, Udupi District Road ID 1741**	Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0159
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23268
		ULR No	TC134272600001567
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Nada Sornakodlu to Badakere proper road in Baindur Taluk, Udupi District Road ID 1741**	44.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0160
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23269
		ULR No	TC134272600001567GF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Nada Sornakodlu to Badakere proper road in Baindur Taluk, Udupi District Road ID 1741**	43.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0161
Product or Material	Ambient Monitoring	Report No	NAL/2026/23270
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015677F
Sampling Point	**Ulloor 11 proper to Halageri via UpprahalliInBaindur Taluk, Udupi District Road ID 3578**	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0161
Product or Material	Ambient Monitoring	Report No	NAL/2026/23270
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	10.02.2026
Sampling Point	**Ulloor 11 proper to Halageri via UpprahalliInBaindur Taluk, Udupi District Road ID 3578**	Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Balitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0162
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23271
		ULR No	TC134272600001567 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Ulloor 11 proper to Halageri via UpprahalliInBaindur Taluk, Udupi District Road ID 3578**	47.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0163
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23272
		ULR No	TC134272600001567 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	10.02.2026
		Date of sample Receipt	11.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	11.02.2026
Sampling Procedure	In House SOP	Date of Completion	13.02.2026
Page No	1/1	Report Date	13.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Ulloor 11 proper to Halageri via UpprahalliInBaindur Taluk, Udupi District Road ID 3578**	43.0	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0164
Product or Material	Ambient Monitoring	Report No	NAL/2026/23273
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001568OF
Sampling Point	**Aloorproper ,Selekodu to Kalikamba Nagara road in Baindur Taluk, Udupi District Road ID 3581**	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	75.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	32.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	11.4	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	25.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	11.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0164
Product or Material	Ambient Monitoring	Report No	NAL/2026/23273
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	12.02.2026
Sampling Point	**Aloorproper ,Selekodu to Kalikamba Nagara road in Baindur Taluk, Udupi District Road ID 3581**	Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0165
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23274
		ULR No	TC134272600001568 1F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Aloorproper ,Selekodu to Kalikamba Nagara road in Baindur Taluk, Udupi District Road ID 3581**	50.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0166
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23275
		ULR No	TC134272600001568 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Aloorproper ,Selekodu to Kalikamba Nagara road in Baindur Taluk, Udupi District Road ID 3581**	46.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0167
Product or Material	Ambient Monitoring	Report No	NAL/2026/23276
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001568 3F
Sampling Point	**Kollikere to Halligoli via Kambli road in Baindur Taluk, Udupi District Road ID-4983**	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.0	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	45.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	19.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	33.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0167
Product or Material	Ambient Monitoring	Report No	NAL/2026/23276
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	12.02.2026
Sampling Point	**Kollikere to Halligoli via Kambli road in Baindur Taluk, Udupi District Road ID-4983**	Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0168
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23277
		ULR No	TC134272600001568 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kollikere to Halligoli via Kambli road in Baindur Taluk, Udupi District Road ID-4983**	45.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0169
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23278
		ULR No	TC134272600001568 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	12.02.2026
		Date of sample Receipt	13.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	13.02.2026
Sampling Procedure	In House SOP	Date of Completion	15.02.2026
Page No	1/1	Report Date	15.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kollikere to Halligoli via Kambli road in Baindur Taluk, Udupi District Road ID-4983**	41.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0170
Product or Material	Ambient Monitoring	Report No	NAL/2026/23279
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001568 6F
Sampling Point	**Shirva to Thandrapura via Mutlupady road (ShirvaNinjoor - T10)In KAPU Taluk, Udupi District Road ID-519**	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	12.2	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0170
Product or Material	Ambient Monitoring	Report No	NAL/2026/23279
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	13.02.2026
Sampling Point	**Shirva to Thandrapura via Mutlupady road (ShirvaNinjoor - T10)In KAPU Taluk, Udupi District Road ID-519**	Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0171
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23280
		ULR No	TC134272600001568 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Shirva to Thandrapura via Mutlupady road (ShirvaNinjoor - T10)In KAPU Taluk, Udupi District Road ID-519**	55.0	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0172
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23281
		ULR No	TC134272600001568BF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Shirva to Thandrapura via Mutlupady road (ShirvaNinjoor - T10) In KAPU Taluk, Udupi District Road ID-519**	47.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0173
Product or Material	Ambient Monitoring	Report No	NAL/2026/23282
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001568 9F
Sampling Point	**Thakodibailu to Moodubettu via Moodubelleroad in KAPU Taluk, Udupi District Road ID-1231**	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	80.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.4	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	11.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0173
Product or Material	Ambient Monitoring	Report No	NAL/2026/23282
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	13.02.2026
Sampling Point	**Thakodibailu to Moodubettu via Moodubelleroad in KAPU Taluk, Udupi District Road ID-1231**	Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0174
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23283
		ULR No	TC134272600001569O
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Thakodibailu to Moodubettu via Moodubelleroad in KAPU Taluk, Udupi District Road ID-1231**	55.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0175
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23284
		ULR No	TC134272600001569
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Thakodibailu to Moodubettu via Moodubelleroad in KAPU Taluk, Udupi District Road ID-1231**	48.5	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0176
Product or Material	Ambient Monitoring	Report No	NAL/2026/23285
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001569?F
Sampling Point	**Pragathi Nagara Alevoorthanda to Karvaluroad in KAPU Taluk, Udupi District Road ID-2314**	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	29.4	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.3	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0176
Product or Material	Ambient Monitoring	Report No	NAL/2026/23285
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	13.02.2026
Sampling Point	**Pragathi Nagara Alevoorthanda to Karvaluroad in KAPU Taluk, Udupi District Road ID-2314**	Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0177
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23286
		ULR No	TC134272600001569
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Pragathi Nagara Alevoorthanda to Karvaluroad in KAPU Taluk, Udupi District Road ID-2314**	56.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0178
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23287
		ULR No	TC134272600001569 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	13.02.2026
		Date of sample Receipt	14.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	14.02.2026
Sampling Procedure	In House SOP	Date of Completion	16.02.2026
Page No	1/1	Report Date	16.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Pragathi Nagara Alevoorthanda to Karvaluroad in KAPU Taluk, Udupi District Road ID-2314**	46.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0179
Product or Material	Ambient Monitoring	Report No	NAL/2026/23288
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001569SF
Sampling Point	**AramaneKutyaru to Belpuroad in KAPU Taluk, Udupi District Road ID-3730**	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	74.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	32.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	10.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	16.0	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP * Bangalore-58 *

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0179
Product or Material	Ambient Monitoring	Report No	NAL/2026/23288
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	14.02.2026
Sampling Point	**AramaneKutyaru to Belpuroad in KAPU Taluk, Udupi District Road ID-3730**	Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0180
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23289
		ULR No	TC134272600001569
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**AramaneKutyaru to Belpuroad in KAPU Taluk, Udupi District Road ID-3730**	47.4	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0181
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23290
		ULR No	TC134272600001569 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**AramaneKutyaru to Belpuroad in KAPU Taluk, Udupi District Road ID-3730**	41.2	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0182
Product or Material	Ambient Monitoring	Report No	NAL/2026/23291
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001569 8
Sampling Point	**MudarangadiPilaruHalasinakatteBalegundiroad in KAPU Taluk, Udupi District Road ID-3731**	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	74.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	33.7	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	14.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	24.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	19.3	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0182
Product or Material	Ambient Monitoring	Report No	NAL/2026/23291
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	14.02.2026
Sampling Point	**MudarangadiPilaruHalasinakatte Balegundiroad in KAPU Taluk, Udupi District Road ID-3731**	Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0183
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23292
		ULR No	TC134272600001569
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**MudarangadiPilaruHalasinakatteBalegundiroad in KAPU Taluk. Udupi District Road ID-3731**	51.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0184
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23293
		ULR No	TC134272600001570OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**MudarangadiPilaruHalasinakatteBalegundiroad in KAPU Taluk, Udupi District Road ID-3731**	46.0	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0185
Product or Material	Ambient Monitoring	Report No	NAL/2026/23294
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001570I
Sampling Point	**Pernankila to Patla (On SH67) a id Moodubettu (on SH67)to Kudi road in KAPU Taluk, Udupi District Road ID-4760**	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	73.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	11.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	17.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0185
Product or Material	Ambient Monitoring	Report No	NAL/2026/23294
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	14.02.2026
Sampling Point	**Pernankila to Patla (On SH67) and Moodubettu (on SH67)to Kudi road in KAPU Taluk, Udupi District Road ID-4760**	Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

*Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0186
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23295
		ULR No	TC134272600001570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Pernankila to Patla (On SH67) and Moodubettu (on SH67)to Kudi road in KAPU Taluk, Udupi District Road ID-4760**	55.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0187
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23296
		ULR No	TC134272600001570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Pernankila to Patla (On SH67) and Moodubettu (on SH67)to Kudi road in KAPU Taluk, Udupi District Road ID-4760**	44.4	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0188
Product or Material	Ambient Monitoring	Report No	NAL/2026/23297
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001570 4F
Sampling Point	**Hiriadka to Muthururoad(paddhambailu road)In KAPU Taluk, Udupi District Road ID-4883**	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2015)
6	Ammonia (NH3)	$\mu g/m^3$	19.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0188
Product or Material	Ambient Monitoring	Report No	NAL/2026/23297
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	14.02.2026
Sampling Point	**Hiriadka to Muthururoad(paddhambailu road)In KAPU Taluk, Udupi District Road ID-4883**	Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0189
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23298
		ULR No	TC134272600001570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hiriadka to Muthururoad(paddhambailu road)In KAPU Taluk, Udupi District Road ID-4883**	55.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0190
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23299
		ULR No	TC134272600001570[illegible]
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	14.02.2026
		Date of sample Receipt	15.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	15.02.2026
Sampling Procedure	In House SOP	Date of Completion	17.02.2026
Page No	1/1	Report Date	17.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hiriadka to Muthururoad(paddhambailu road)In KAPU Taluk, Udupi District Road ID-4883**	43.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0191
Product or Material	Ambient Monitoring	Report No	NAL/2026/23300
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015707F
Sampling Point	**Manjarapalke Bola to JargekatteRoad in KARKALA Taluk, Udupi District Road ID-329**	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	39.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	20.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0191
Product or Material	Ambient Monitoring	Report No	NAL/2026/23300
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	15.02.2026
Sampling Point	**Manjarapalke Bola to JargekatteRoad in KARKALA Taluk, Udupi District Road ID-329**	Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0192
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23301
		ULR No	TC134272600001570 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Manjarapalke Bola to JargekatteRoad in KARKALA Taluk, Udupi District Road ID-329**	49.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0193
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23302
		ULR No	TC134272600001570
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Manjarapalke Bola to JargekatteRoad in KARKALA Taluk, Udupi District Road ID-329**	41.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0194
Product or Material	Ambient Monitoring	Report No	NAL/2026/23303
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001571O
Sampling Point	**HadimaneBelanje to Gardarbettu via Halekudluroad in KARKALA Taluk, Udupi District Road ID-1960**	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	79.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	16.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	29.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	21.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0194
Product or Material	Ambient Monitoring	Report No	NAL/2026/23303
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	15.02.2026
Sampling Point	**HadimaneBelanje to Gardarbettu via Halekudluroad in KARKALA Taluk, Udupi District Road ID-1960**	Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0195
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23304
		ULR No	TC134272600001571
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**HadimaneBelanje to Gardarbettu via Halekudluroad in KARKALA Taluk, Udupi District Road ID-1960**	42.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0196
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23305
		ULR No	TC134272600001571 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**HadimaneBelanje to Gardarbettu via Halekudluroad in KARKALA Taluk, Udupi District Road ID-1960**	40.4	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0197
Product or Material	Ambient Monitoring	Report No	NAL/2026/23306
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001571
Sampling Point	**Halekatte Kalya to Bajakalaroad in KARKALA Taluk, Udupi District Road ID-2253**	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	25.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	19.0	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0197
Product or Material	Ambient Monitoring	Report No	NAL/2026/23306
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	15.02.2026
Sampling Point	**Halekatte Kalya to Bajakalaroad in KARKALA Taluk, Udupi District Road ID-2253**	Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP * Bangalore-56

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0198
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23307
		ULR No	TC134272600001571
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Halekatte Kalya to Bajakalaroad in KARKALA Taluk, Udupi District Road ID-2253**	51.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0199
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23308
		ULR No	TC134272600001571[illegible]
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Halekatte Kalya to Bajakalaroad in KARKALA Taluk, Udupi District Road ID-2253**	43.4	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0200
Product or Material	Ambient Monitoring	Report No	NAL/2026/23309
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015716
Sampling Point	**Palli to Ranganapalke via Chitrabailroad in KARKALA Taluk, Udupi District Road ID-2892**	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	73.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0200
Product or Material	Ambient Monitoring	Report No	NAL/2026/23309
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	15.02.2026
Sampling Point	**Palli to Ranganapalke via Chitrabailroad in KARKALA Taluk, Udupi District Road ID-2892**	Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0201
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23310
		ULR No	TC134272600001571 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Palli to Ranganapalke via Chitrabailroad in KARKALA Taluk, Udupi District Road ID-2892**	52.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0202
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23311
		ULR No	TC134272600001571 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	15.02.2026
		Date of sample Receipt	16.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	16.02.2026
Sampling Procedure	In House SOP	Date of Completion	18.02.2026
Page No	1/1	Report Date	18.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Palli to Ranganapalke via Chitrabailroad in KARKALA Taluk, Udupi District Road ID-2892**	46.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0203
Product or Material	Ambient Monitoring	Report No	NAL/2026/23312
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001571
Sampling Point	**Kampana to Kepuliroad in KARKALA Taluk, Udupi District Road ID-2893**	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	37.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	18.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	26.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0203
Product or Material	Ambient Monitoring	Report No	NAL/2026/23312
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.02.2026
Sampling Point	**Kampana to Kepuliroad in KARKALA Taluk, Udupi District Road ID-2893**	Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0204
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/2331
		ULR No	TC134272600001572
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kampana to Kepuliroad in KARKALA Taluk, Udupi District Road ID-2893**	53.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0205
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23314
		ULR No	TC134272600001572IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kampana to Kepuliroad in KARKALA Taluk, Udupi District Road ID-2893**	45.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0206
Product or Material	Ambient Monitoring	Report No	NAL/2026/23315
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001572
Sampling Point	**DeputteAjekaru to Kurpadyroad in KARKALA Taluk, Udupi District Road ID-2910**	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari M
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0206
Product or Material	Ambient Monitoring	Report No	NAL/2026/23315
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.02.2026
Sampling Point	**DeputteAjekaru to Kurpadyroad in KARKALA Taluk, Udupi District Road ID-2910**	Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (R.A 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0207
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23316
		ULR No	TC134272600001572 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**DeputteAjekaru to Kurpadyroad in KARKALA Taluk, Udupi District Road ID-2910**	54.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0208
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23317
		ULR No	TC134272600001572 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**DeputteAjekaru to Kurpadyroad in KARKALA Taluk, Udupi District Road ID-2910**	43.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0209
Product or Material	Ambient Monitoring	Report No	NAL/2026/23318
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001572
Sampling Point	**Mudrady to Adka road (Mudradypete to BalladyKolapady Ch 0.00 to 4.05km and Eshwara nagara to Varanga Adka cross road @ Ch 1.30kmIn KARKALA Taluk. Udupi District Road ID-3424**	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP * Bangalore-58 *

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0209
Product or Material	Ambient Monitoring	Report No	NAL/2026/23318
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.02.2026
Sampling Point	**Mudrady to Adka road (Mudradypete to BalladyKolapady Ch 0.00 to 4.05km and Eshwara nagara to Varanga Adka cross road @ Ch 1.30kmIn KARKALA Taluk, Udupi District Road ID-3424**	Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0210
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23319
		ULR No	TC134272600001572G
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Mudrady to Adka road (Mudradypete to BalladyKolapady Ch 0.00 to 4.05km and Eshwara nagara to Varanga Adka cross road @ Ch 1.30kmIn KARKALA Taluk, Udupi District Road ID-3424**	53.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H.R
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0211
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23320
		ULR No	TC134272600001572
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.02.2026
		Date of sample Receipt	18.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.02.2026
Sampling Procedure	In House SOP	Date of Completion	20.02.2026
Page No	1/1	Report Date	20.02.2026

NOISE MONITORING TEST RESULT

Sl.. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Mudrady to Adka road (Mudradypete to BalladyKolapady Ch 0.00 to 4.05km and Eshwara nagara to Varanga Adka cross road @ Ch 1.30kmIn KARKALA Taluk, Udupi District Road ID-3424**	43.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0212
Product or Material	Ambient Monitoring	Report No	NAL/2026/23321
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001572 8F
Sampling Point	**Hirgana to Kanangiroad in KARKALA Taluk, Udupi District Road ID-3488**	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	22.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	23.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0212
Product or Material	Ambient Monitoring	Report No	NAL/2026/23321
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.02.2026
Sampling Point	**Hirgana to Kanangiroad in KARKALA Taluk, Udupi District Road ID-3488**	Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0213
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23322
		ULR No	TC134272600001572??
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Hirgana to Kanangiroad in KARKALA Taluk, Udupi District Road ID-3488**	53.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0214
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23323
		ULR No	TC134272600001573O7
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Hirgana to Kanangiroad in KARKALA Taluk, Udupi District Road ID-3488**	42.0	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0215
Product or Material	Ambient Monitoring	Report No	NAL/2026/23324
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001573
Sampling Point	**Borkalgudde to KalambadiPadavuroad in KARKALA Taluk, Udupi District Road ID-4872**	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	32.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0215
Product or Material	Ambient Monitoring	Report No	NAL/2026/23324
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.02.2026
Sampling Point	**Borkalgudde to KalambadiPadavuroad in KARKALA Taluk, Udupi District Road ID-4872**	Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0216
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23325
		ULR No	TC134272600001573 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Borkalgudde to KalambadiPadavuroad in KARKALA Taluk, Udupi District Road ID-4872**	50.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari
Technical Manag

Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0217
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23326
		ULR No	TC1342726000015733F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.02.2026
		Date of sample Receipt	19.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.02.2026
Sampling Procedure	In House SOP	Date of Completion	21.02.2026
Page No	1/1	Report Date	21.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Borkalgudde to KalambadiPadavuroad in KARKALA Taluk, Udupi District Road ID-4872**	42.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0218
Product or Material	Ambient Monitoring	Report No	NAL/2026/23327
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001573
Sampling Point	**Mudalkatte to Kalavara proper road in KUNDAPUR Taluk, Udupi District Road ID-174**	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	17.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	29.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0218
Product or Material	Ambient Monitoring	Report No	NAL/2026/23327
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.02.2026
Sampling Point	**Mudalkatte to Kalavara proper road in KUNDAPUR Taluk, Udupi District Road ID-174**	Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0219
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23328
		ULR No	TC134272600001573
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Mudalkatte to Kalavara proper road in KUNDAPUR Taluk, Udupi District Road ID-174**	53.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0220
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23329
		ULR No	TC134272600001573
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Mudalkatte to Kalavara proper road in KUNDAPUR Taluk, Udupi District Road ID-174**	44.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0221
Product or Material	Ambient Monitoring	Report No	NAL/2026/23330
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015737
Sampling Point	**Bidkalkatte to Hunsemakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1371**	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0221
Product or Material	Ambient Monitoring	Report No	NAL/2026/23330
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.02.2026
Sampling Point	**Bidkalkatte to Hunsemakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1371**	Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0222
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23331
		ULR No	TC134272600001573BF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bidkalkatte to Hunsemakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1371**	55.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0223
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23332
		ULR No	TC134272600001573 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bidkalkatte to Hunsemakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1371**	42.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0224
Product or Material	Ambient Monitoring	Report No	NAL/2026/23335
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001574O F
Sampling Point	**Shedimane proper to Thombottu link road in KUNDAPUR Taluk, Udupi District Road ID-1541**	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.9	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	19.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0224
Product or Material	Ambient Monitoring	Report No	NAL/2026/23333
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.02.2026
Sampling Point	**Shedimane proper to Thombottu link road in KUNDAPUR Taluk, Udupi District Road ID-1541**	Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0225
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23334
		ULR No	TC134272600001574IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Shedimane proper to Thombottu link road in KUNDAPUR Taluk, Udupi District Road ID-1541**	54.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0226
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23335
		ULR No	TC1342726000015742F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Shedimane proper to Thombottu link road in KUNDAPUR Taluk, Udupi District Road ID-1541**	44.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0227
Product or Material	Ambient Monitoring	Report No	NAL/2026/2333[illegible]
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000015743[illegible]
Sampling Point	**MolahalliKailkere cross to Maratthur school road in KUNDAPUR Taluk, Udupi District Road ID-1549**	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	15.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0227
Product or Material	Ambient Monitoring	Report No	NAL/2026/23336
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.02.2026
Sampling Point	**MolahalliKailkere cross to Maratthur school road in KUNDAPUR Taluk, Udupi District Road ID-1549**	Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0228
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23337
		ULR No	TC134272600001574
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**MolahalliKailkere cross to Maratthur school road in KUNDAPUR Taluk, Udupi District Road ID-1549**	50.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0229
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23338
		ULR No	TC134272600001574
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.02.2026
		Date of sample Receipt	20.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.02.2026
Sampling Procedure	In House SOP	Date of Completion	22.02.2026
Page No	1/1	Report Date	22.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**MolahalliKailkere cross to Maratthur school road in KUNDAPUR Taluk, Udupi District Road ID-1549**	44.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0230
Product or Material	Ambient Monitoring	Report No	NAL/2026/23339
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001574[illegible]
Sampling Point	**Shedimane to BepdeMadamakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1552**	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	79.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	35.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	24.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	18.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0230
Product or Material	Ambient Monitoring	Report No	NAL/2026/23539
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	20.02.2026
Sampling Point	**Shedimane to BepdeMadamakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1552**	Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0231
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23340
		ULR No	TC134272600001574
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Shedimane to BepdeMadamakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1552**	53.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0232
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23341
		ULR No	TC134272600001574[illegible]
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Shedimane to BepdeMadamakkiroad in KUNDAPUR Taluk, Udupi District Road ID-1552**	45.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0233
Product or Material	Ambient Monitoring	Report No	NAL/2026/23342
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001574 9
Sampling Point	**Amrakallu (Yelanthur)toSurgoliroad in KUNDAPUR Taluk, Udupi District Road ID-2554**	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	80.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	32.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	26.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	30.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0233
Product or Material	Ambient Monitoring	Report No	NAL/2026/23342
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	20.02.2026
Sampling Point	**Amrakallu (Yelanthur)toSurgoliroad in KUNDAPUR Taluk, Udupi District Road ID-2554**	Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0224
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/2334[illegible]
		ULR No	TC13427260000[illegible]
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Amrakallu (Yelanthur)toSurgoliroad in KUNDAPUR Taluk, Udupi District Road ID-2554**	44.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0235
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23344
		ULR No	TC134272600001575IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Amrakallu (Yelanthur)toSurgoliroad in KUNDAPUR Taluk, Udupi District Road ID-2554**	42.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0226
Product or Material	Ambient Monitoring	Report No	NAL/2026/23345
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001575
Sampling Point	**Naduru to Hanehalli house site (Kaduru)road in KUNDAPUR Taluk, Udupi District Road ID-2555**	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	29.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0236
Product or Material	Ambient Monitoring	Report No	NAL/2026/23345
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	20.02.2026
Sampling Point	**Naduru to Hanehalli house site (Kaduru)road in KUNDAPUR Taluk, Udupi District Road ID-2555**	Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0237
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23346
		ULR No	TC134272600001575 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Naduru to Hanehalli house site (Kaduru)road in KUNDAPUR Taluk, Udupi District Road ID-2555**	49.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0238
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23347
		ULR No	TC134272600001575 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.02.2026
		Date of sample Receipt	21.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.02.2026
Sampling Procedure	In House SOP	Date of Completion	23.02.2026
Page No	1/1	Report Date	23.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Naduru to Hanehalli house site (Kaduru)road in KUNDAPUR Taluk, Udupi District Road ID-2555**	44.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0239
Product or Material	Ambient Monitoring	Report No	NAL/2026/23348
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001575
Sampling Point	**Kallumargi to Shedimane proper and Konjadi via Thonaseroad in KUNDAPUR Taluk, Udupi District Road ID-4409**	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	80.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0239
Product or Material	Ambient Monitoring	Report No	NAL/2026/23348
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	21.02.2026
Sampling Point	**Kallumargi to Shedimane proper and Konjadi via Thonaseroad in KUNDAPUR Taluk, Udupi District Road ID-4409**	Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0240
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23349
		ULR No	TC134272600001575G
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kallumargi to Shedimane proper and Konjadi via Thonaseroad in KUNDAPUR Taluk, Udupi District Road ID-4409**	53.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0241
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23350
		ULR No	TC134272600001575
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kallumargi to Shedimane proper and Konjadi via Thonaseroad in KUNDAPUR Taluk, Udupi District Road ID-4409**	44.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Kumari H
Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/02-2
Product or Material	Ambient Monitoring	Report No	NAL/2026/23351
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001575[illegible]
Sampling Point	**Goddanakatte to Benegal road in UDUPI Taluk, Udupi District Road ID-309**	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	81.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0242
Product or Material	Ambient Monitoring	Report No	NAL/2026/23351
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	21.02.2026
Sampling Point	**Goddanakatte to Benegal road in UDUPI Taluk, Udupi District Road ID-309**	Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0243
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23352
		ULR No	TC134272600001575 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Goddanakatte to Benegal road in UDUPI Taluk, Udupi District Road ID-309**	45.1	65 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0244
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23353
		ULR No	TC134272600001576
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.02.2026
		Date of sample Receipt	22.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.02.2026
Sampling Procedure	In House SOP	Date of Completion	24.02.2026
Page No	1/1	Report Date	24.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Goddanakatte to Benegal road in UDUPI Taluk, Udupi District Road ID-309**	40.1	55 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0245
Product or Material	Ambient Monitoring	Report No	NAL/2026/23354
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001576I F
Sampling Point	**Surebettu to Munkinajedduroad in UDUPI Taluk, Udupi District Road ID-1330**	Date of Monitoring	22.02.2026
		Date of sample Receipt	23.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.02.2026
Sampling Procedure	In House SOP	Date of Completion	25.02.2026
Page No	1/1	Report Date	25.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	75.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	32.7	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	23.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	12.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0245
Product or Material	Ambient Monitoring	Report No	NAL/2026/23354
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	22.02.2026
Sampling Point	**Surebettu to Munkinajedduroad in UDUPI Taluk, Udupi District Road ID-1330**	Date of sample Receipt	23.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.02.2026
Sampling Procedure	In House SOP	Date of Completion	25.02.2026
Page No	1/1	Report Date	25.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0246
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23355
		ULR No	TC134272600001576 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.02.2026
		Date of sample Receipt	23.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.02.2026
Sampling Procedure	In House SOP	Date of Completion	25.02.2026
Page No	1/1	Report Date	25.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Surebettu to Munkinajedduroad in UDUPI Taluk, Udupi District Road ID-1330**	53.4	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0247
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23356
		ULR No	TC134272600001576 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.02.2026
		Date of sample Receipt	23.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.02.2026
Sampling Procedure	In House SOP	Date of Completion	25.02.2026
Page No	1/1	Report Date	25.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Surebettu to Munkinajedduroad in UDUPI Taluk, Udupi District Road ID-1330**	44.3	55 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0251
Product or Material	Ambient Monitoring	Report No	NAL/2026/23360
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001576
Sampling Point	**Kolalagiri to Havanje via Kilanjeroad in UDUPI Taluk, Udupi District Road ID-2861**	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.5	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0251
Product or Material	Ambient Monitoring	Report No	NAL/2026/23360
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	23.02.2026
Sampling Point	**Kolalagiri to Havanje via Kilanjeroad in UDUPI Taluk, Udupi District Road ID-2861**	Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/6252
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23361
		ULR No	TC134272600001576S
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kolalagiri to Havanje via Kilanjeroad in UDUPI Taluk, Udupi District Road ID-2861**	55.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed 2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0253
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23362
		ULR No	TC134272600001576
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kolalagiri to Havanje via Kilanjeroad in UDUPI Taluk, Udupi District Road ID-2861**	44.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0254
Product or Material	Ambient Monitoring	Report No	NAL/2026/23363
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001577O F
Sampling Point	**Cherkady H.C. to Alunjeroadroad in UDUPI Taluk, Udupi District Road ID-4312**	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	78.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	37.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	24.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	18.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19:2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit. DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0254
Product or Material	Ambient Monitoring	Report No	NAL/2026/23363
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	23.02.2026
Sampling Point	**Cherkady H.C. to Alunjeroadroad in UDUPI Taluk, Udupi District Road ID-4312**	Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0255
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23364
		ULR No	TC134272600001577
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Cherkady H.C. to Alunjeroadroad in UDUPI Taluk, Udupi District Road ID-4312**	53.1	65 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0256
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23365
		ULR No	TC134272600001577 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.02.2026
		Date of sample Receipt	24.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.02.2026
Sampling Procedure	In House SOP	Date of Completion	26.02.2026
Page No	1/1	Report Date	26.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Cherkady H.C. to Alunjeroadroad in UDUPi Taluk, Udupi District Road ID-4312**	41.9	55 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0257
Product or Material	Ambient Monitoring	Report No	NAL/2026/23366
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC134272600001577
Sampling Point	**Arbi to Kelakarje (KangibettuKadangodu) road in UDUPI Taluk, Udupi District Road ID-4784**	Date of Monitoring	24.02.2026
		Date of sample Receipt	25.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.02.2026
Sampling Procedure	In House SOP	Date of Completion	27.02.2026
Page No	1/1	Report Date	27.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	71.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	37.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	16.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	18.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/6257
Product or Material	Ambient Monitoring	Report No	NAL/2026/23366
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	24.02.2026
Sampling Point	**Arbi to Kelakarje (KangibettuKadangodu) road in UDUPI Taluk, Udupi District Road ID-4784**	Date of sample Receipt	25.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.02.2026
Sampling Procedure	In House SOP	Date of Completion	27.02.2026
Page No	1/1	Report Date	27.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries,
Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0258
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23367
		ULR No	TC134272600001577
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	24.02.2026
		Date of sample Receipt	25.02.2026
Sampling done by	EnviroMetries Labs PVT LTD & TEAM	Date of Analysis Started	25.02.2026
Sampling Procedure	In House SOP	Date of Completion	27.02.2026
Page No	1/1	Report Date	27.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Arbi to Kelakarje (KangibettuKadangodu) road in UDUPI Taluk, Udupi District Road ID-4784**	56.4	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
1064, 1st and 2nd Floor, Rajgopal Nagar Main Road, 2nd Stage, Peenya Small Industries, Bangalore, Karnataka, India, 560 058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info@nalrcindia.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-13427

TEST REPORT

Name & Address of the Customer:	**M/s.JalavahiniMangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/0259
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23368
		ULR No	TC134272600001577
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	24.02.2026
		Date of sample Receipt	25.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.02.2026
Sampling Procedure	In House SOP	Date of Completion	27.02.2026
Page No	1/1	Report Date	27.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Arbi to Kelakarje (KangibettuKadangodu) road in UDUPI Taluk, Udupi District Road ID-4784**	43	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1195
Product or Material	Ambient Monitoring	Report No	NAL/2026/04139
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000013773F
Sampling Point	**Kamblagadhe (Mortu)to Ajri roadIn Baindur Taluk, Udupi District Road ID 556**	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	21.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	12.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Ashwij Prabhu
Head of the Lab
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1195
Product or Material	Ambient Monitoring	Report No	NAL/2026/04139
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.02.2026
Sampling Point	**Kamblagadhe (Mortu)to Ajri roadIn Baindur Taluk, Udupi District Road ID 556**	Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bengalore-58

Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1196
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/04140
		ULR No	TC1342726000013774F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026.
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Kamblagadhe (Mortu)to Ajri road In Baindur Taluk, Udupi District Road ID 556**	54.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Ashwij Prabhu
Head of the Laboratory
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1197
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/04141
		ULR No	TC1342726000013775F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Kamblagadhe (Mortu)to Ajri road In Baindur Taluk, Udupi District Road ID 556**	43.2	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Ashwij Prabhu
Head of the Laboratory
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1198
Product or Material	Ambient Monitoring	Report No	NAL/2026/04142
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000013776F
Sampling Point	**Nandroli to Marana katte Hosur RoadInBaindur Taluk, Udupi District Road ID 1551**	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	73.0	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	23.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP * Bangalore-58 *

Ashwij Prabhu
Head of the Laboratory
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s.Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1198
Product or Material	Ambient Monitoring	Report No	NAL/2026/04142
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	09.02.2026
Sampling Point	**Nandroli to Marana katte Hosur RoadInBaindur Taluk, Udupi District Road ID 1551**	Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-56

Ashwij Prabhu
Heart of the Laboratory

Verified By

Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1199
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/04143
		ULR No	TC1342726000013777F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Nandroli to Marana katte Hosur RoadInBaindur Taluk, Udupi District Road ID 1551**	43.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-56

Ashwij Prabhu
Head of the Laboratory
Authorized Signatory

Verified By

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s.Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/02/1200
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/04144
		ULR No	TC1342726000013778F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	09.02.2026
		Date of sample Receipt	10.02.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	10.02.2026
Sampling Procedure	In House SOP	Date of Completion	12.02.2026
Page No	1/1	Report Date	12.02.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Nandroli to Marana katte Hosur RoadInBaindur Taluk, Udupi District Road ID 1551**	41.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Ashwini Patil
Head of the Laboratory
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/02/0158
		Report No: CRI/25-26/0021
		Group: Pollution & Environment
		Product: Soil
		Road: Varalahalli to Dashamapura road, HB Halli, Vijayanagar (D). (Road ID: 831)
		Sample Location: 4.993575, 76.271783
Date of sample Collection	07.02.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	09.02.2026	
Duration of Test	09.02.2026 – 16.02.2026	**Date of Report:** 16.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.92	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	375	IS 14767
3.	Potassium (as K) (mg/kg)	112	By AAS Method
4.	Calcium (as Ca) (mg/kg)	298	By EDTA Titration Method
5.	Magnesium (as Mg) (mg/kg)	136	By EDTA Titration Method
6.	Cation exchange capacity (meq/100g)	7.2	IS 2720 Part-24
7.	Moisture (%)	8.6	IS 2720 Part-2
8.	Sodium Absorption Ratio	0.68	By Calculation Method
9.	Sand, %	65	IS 2720 Part-4
10.	Silt, %	18	IS 2720 Part-4
11.	Clay, %	12	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/02/0159
		Report No: CRI/25-26/0022
		Group: Pollution & Environment
		Product: Soil
		Road: Marabbihal Thanda to Narayanadevanakere road, HB Halli, Vijayanagar (D). (Road ID: 3446)
		Sample Location: 15.147532, 76.27936
Date of sample Collection	07.02.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	09.02.2026	
Duration of Test	09.02.2026 – 16.02.2026	**Date of Report:** 16.02.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.74	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	328	IS 14767
3.	Potassium (as K) (mg/kg)	96	By AAS Method
4.	Calcium (as Ca) (mg/kg)	252	By EDTA Titration Method
5.	Magnesium (as Mg) (mg/kg)	122	By EDTA Titration Method
6.	Cation exchange capacity (meq/100g)	6	IS 2720 Part-24
7.	Moisture (%)	10.2	IS 2720 Part-2
8.	Sodium Absorption Ratio	0.45	By Calculation Method
9.	Sand, %	60	IS 2720 Part-4
10.	Silt, %	18	IS 2720 Part-4
11.	Clay, %	20	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the samples is/are not drawn by our institute. the samples is/are given by you 6.Results shown in this certificate refer to the tests done on the samples for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2025-26/01/0044
		Report No: CRI/25-26/0007
		Group: Pollution & Environment
		Product: Soil
		Road: Dombarahalli to Kuruvatti plot road, Huvina Hadagali, Vijayanagar (D). (Road ID: 4799)
		Sample Location: 14.792329, 75.730401
Date of sample Collection	05.01.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	06.01.2026	
Duration of Test	06.01.2026 – 13.01.2026	**Date of Report:** 13.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.82	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	364	IS 14767
3.	Potassium (as K) (mg/kg)	88	By AAS Method
4.	Calcium (as Ca) (mg/kg)	240	By EDTA Titration Method
5.	Magnesium (as Mg) (mg/kg)	98	By EDTA Titration Method
6.	Cation exchange capacity (meq/100g)	5.8	IS 2720 Part-24
7.	Moisture (%)	9.3	IS 2720 Part-2
8.	Sodium Absorption Ratio	0.54	By Calculation Method
9.	Sand, %	65	IS 2720 Part-4
10.	Silt, %	20	IS 2720 Part-4
11.	Clay, %	12	IS 2720 Part-4

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

Authorized Signatory
V. Chandrasekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0354
		Report No: CRI/26-27/0170
		Group: Water
		Product: Surface Water
		Road: MDR to Kitnur Cross road, HB Halli, Vijayanagar (D). (Road ID: 838)
		Sample Location: Surface Water -Kitanur Village Thungabhdra Back Water
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 3025 Paart-01
Date of Sample Receipt	24.04.2026	**Method:** Grab Sample
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.22	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	4.6	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	396	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	27.6	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	72	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	42.0	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	4.8	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0355
		Report No: CRI/26-27/0171
		Group: Pollution & Environment
		Product: Soil
		Road: MDR to Kitnur Cross road, HB Halli, Vijayanagar (D). (Road ID: 838)
		Sample Location: 5.186895, 76.195218
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.92	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	358	IS 14767
3.	Potassium (as K) (mg/kg)	99.8	By AAS Method
4.	Moisture (%)	9.4	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0355
		Report No: CRI/26-27/0171
		Group: Pollution & Environment
		Product: Soil
		Road: MDR to Kitnur Cross road, HB Halli, Vijayanagar (D). (Road ID: 838)
		Sample Location: 5.186895, 76.195218
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	286	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	106	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.2	IS 2720 Part-24
	Sodium Absorption Ratio	0.63	By Calculation Method
4.	Sand, %	71	IS 2720 Part-4
5.	Silt, %	16	IS 2720 Part-4
6.	Clay, %	11	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0356
		Report No: CRI/26-27/0172
		Group: Water
		Product: Surface Water
		Road: SH to SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sample Location: Surface water- In Natural valley located at Ch 3.40 Km Right side (at Upstream side)
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 3025 Paart-01
Date of Sample Receipt	24.04.2026	**Method**: Grab Sample
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25^{0}C	7.98	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.1	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27^{0}C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	482	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.6	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	96	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	45.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	7.36	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are collected by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0357
		Report No: CRI/26-27/0173
		Group: Pollution & Environment
		Product: Soil
		Road: SH to SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sample Location: 14.939448, 75.881732
Date of sample Collection	23.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	7.12	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	396	IS 14767
3.	Potassium (as K) (mg/kg)	86.5	By AAS Method
4.	Moisture (%)	9.8	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0357
		Report No: CRI/26-27/0173
		Group: Pollution & Environment
		Product: Soil
		Road: SH to SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sample Location: 14.939448, 75.881732
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	256	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	138	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	6.5	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.72	By Calculation Method
5.	Sand, %	78	IS 2720 Part-4
6.	Silt, %	13	IS 2720 Part-4
7.	Clay, %	9	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0346
		Report No: CRI/26-27/0162
		Group: Pollution & Environment
		Product: Soil
		Road: MB Ayyanahalli to Bhisnahalli cross road, Kudligi, Vijayanagar (D). (Road ID: 3434)
		Sample Location: 14.710037, 76.450048
Date of sample Collection	22.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.04.2026	
Duration of Test	23.04.2026 – 29.04.2026	**Date of Report**: 29.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.28	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	396	IS 14767
3.	Potassium (as K) (mg/kg)	120	By AAS Method
4.	Moisture (%)	9.6	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0346
		Report No: CRI/26-27/0162
		Group: Pollution & Environment
		Product: Soil
		Road: MB Ayyanahalli to Bhisnahalli cross road, Kudligi, Vijayanagar (D). (Road ID: 3434)
		Sample Location: 14.710037, 76.450048
Date of sample Collection	22.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.04.2026	
Duration of Test	23.04.2026 – 29.04.2026	**Date of Report**: 29.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	320	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	150	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	8	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.9	By Calculation Method
5.	Sand, %	71	IS 2720 Part-4
6.	Silt, %	15	IS 2720 Part-4
7.	Clay, %	12	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0350
		Report No: CRI/26-27/0166
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Sanklapura to chiratagundu - Koracharahatti road, Kudligi Taluk, Vijayanagar (D). (Road ID: 4870)
		Sampling Location: At Ch. 0.00 km (30 mtr Distance from Road Centerline) in Sanklapura Village premesis.
Date of sample Collection	22.04.2026 to 23.04.2026	**Date of Report:** 30.04.2026
Date of Sample Receipt	23.04.2026	**Sample Condition:** Good
Duration of Test	23.04.2026 – 30.04.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

SI. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	54.69	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.34	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.2	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.3	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0350
		Report No: CRI/26-27/0166
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Sanklapura to chiratagundu - Koracharahatti road, Kudligi Taluk, Vijayanagar (D). (Road ID: 4870)
		Sampling Location: At Ch. 0.00 km (30 mtr Distance from Road Centerline) in Sanklapura Village premesis.
Date of sample Collection	22.04.2026 to 23.04.2026	**Date of Report**: 30.04.2026
Date of Sample Receipt	23.04.2026	**Sample Condition:** Good
Duration of Test	23.04.2026 – 30.04.2026	**Instruments Used**: RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
2	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
3	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
4	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
5	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bangaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0351 **Report No:** CRI/26-27/0167 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	22.04.2026 to 23.04.2026	**Date of Report:** 30.04.2026
Date of Sample Receipt	23.04.2026	**Sample Condition:** NA
Date of Evaluation	23.04.2026 – 30.04.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Avg. Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.00 km (30 mtr Distance from Road Centerline) in Sanklapura Village premesis.	06:00 – 22:00 (4 hrs Interval)	53.2	IS 9989
		Night Time		
1.	At Ch. 0.00 km (30 mtr Distance from Road Centerline) in Sanklapura Village premesis.	22:00 – 06:00 (4 hrs Interval)	43.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Authorized Signatory
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

---End of Report---

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0352 **Report No:** CRI/26-27/0168 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water - Saklapura Village premesis Inside Bore water
Date of sample Collection	22.04.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	23.04.2026	**Date of Report:** 30.04.2026
Duration of Test	23.04.2026 – 30.04.2026	**Sample Condition:** Satisfactory
Sample Collected by	CRI Representative	

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.74	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	491	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	929	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
5.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
6.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
7.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
8.	Sulphate as SO4, mg/l	38.6	200	400	4 of IS:3025(Part-24)
9.	Total Hardness as CaCO3, mg/l	340	200	600	5 of IS:3025(Part-21)
10.	Calcium as Ca, mg/l	81.6	75	200	5 of IS:3025(Part-40)
11.	Magnesium as Mg, mg/l	33.05	30	100	6 of IS:3025(Part-46)
12.	Chloride as Cl, mg/l	69	250	1000	2 of IS:3025(Part-32)
13.	Alkalinity as CaCO3, mg/l	328	200	600	IS:3025(Part-23)
14.	Nitrate as NO3, mg/l	0.85	45	No Relaxation	3 of IS:3025(Part-34)
15.	Fluoride as F, mg/l	0.72	1	1.5	7 of IS 3025 (Part 60/Sec 1)
16.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part-05)
17.	Manganese, mg/l	BDL (<0.1)	0.1	0.3	IS 3025 (Part-59)
18.	Copper, mg/l	BDL (<0.01)	0.05	1.5	IS 3025 (Part-42)
19.	Faecal Coliform, MPN/100ml	Absent	Not Specified	Not Specified	IS 1622
20.	E. Coli, per 100ml	Absent	Absent	---	IS 15185

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0352
		Report No: CRI/26-27/0168
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Saklapura Village premesis Inside Bore water
Date of sample Collection	22.04.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	23.04.2026	
Duration of Test	23.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	Temperature, ^{0}C	27.3	Not Specified	Not Specified	IS 3025 (Part-09)
2.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
3.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
4.	Colour, Hazen	2.5	5	15	IS 3025 (Part-04)
5.	Aluminium, mg/l	BDL (<0.03)	0.03	0.2	IS 3025 (Part-55)
6.	Cadmium, mg/l	BDL (<0.003)	0.003	No Relaxation	IS 3025 (Part-41)
7.	Chromium, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-52)
8.	Mercury, mg/l	BDL (<0.001)	0.001	No Relaxation	IS 3025 (Part-48)
9.	Nickel, mg/l	BDL (<0.02)	0.02	No Relaxation	IS 3025 (Part-54)
10.	Selenium, mg/l	BDL (<0.01)	0.01	No Relaxation	IS 3025 (Part-56)
11.	Cyanide, mg/l	BDL (<0.05)	0.05	No Relaxation	IS 3025 (Part-27)

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TC-9735

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No:** CRIPL2026-27/04/0353
		Report No: CRI/26-27/0169
		Group: Pollution & Environment
		Product: Soil
		Road: Sanklapura to chiratagundu -Koracharahatti road, Kudligi, Vijayanagar (D). (Road ID: 4870)
		Sample Location: 14.735313, 76.582995
Date of sample Collection	22.04.2026	**Sampling Details** **Method:** IS 2720
Date of Sample Receipt	23.04.2026	
Duration of Test	23.04.2026 – 30.04.2026	**Date of Report:** 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Test Method
1.	pH	6.96	IS 2720 Part-26
2.	Electrical Conductivity (µs/cm)	402	IS 14767
3.	Potassium (as K) (mg/kg)	106	By AAS Method
4.	Moisture (%)	8.3	IS 2720 Part-2

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0353
		Report No: CRI/26-27/0169
		Group: Pollution & Environment
		Product: Soil
		Road: Sanklapura to chiratagundu -Koracharahatti road, Kudligi, Vijayanagar (D). (Road ID: 4870)
		Sample Location: 14.735313, 76.582995
Date of sample Collection	22.04.2026	**Sampling Details** **Method**: IS 2720
Date of Sample Receipt	23.04.2026	
Duration of Test	23.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Test Method
1.	Calcium (as Ca) (mg/kg)	288	By EDTA Titration Method
2.	Magnesium (as Mg) (mg/kg)	140	By EDTA Titration Method
3.	Cation exchange capacity (meq/100g)	7.2	IS 2720 Part-24
4.	Sodium Absorption Ratio	0.5	By Calculation Method
5.	Sand, %	70	IS 2720 Part-4
6.	Silt, %	18	IS 2720 Part-4
7.	Clay, %	10	IS 2720 Part-4

Authorized Signatory
V. Chandrasekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute. the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0358
		Report No: CRI/26-27/0174
		Group: Water
		Product: Surface Water
		Road: SH to Thumbinakere Sanna Thanda road, Huvina Hadagali, Vijayanagar (D). (Road ID: 4911)
		Sample Location: Surface Water -at Ch. 0.200 km Hirehadagali Lake Water 100 mtr away From Road Center
Date of sample Collection	23.04.2026	**Sampling Details** **Method**: IS 3025 Paart-01 **Method**: Grab Sample
Date of Sample Receipt	24.04.2026	
Duration of Test	24.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.63	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	5.2	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	524	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.3	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	88	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	40.9	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	8.68	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

------End of report------

TERMS AND CONDITIONS:

1. The results listed above pertain only to the sample tested and applicable parameters. 2. Perishable samples will be disposed off after issue of test report. Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of product. 7 For any legal issues the courts at Bangaluru have exclusive jurisdiction.8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No**: CRIPL2026-27/04/0402
		Report No: CRI/26-27/0211
		Group: Water
		Product: Surface Water
		Road: SH to Navali road, Huvina Hadagali, Vijayanagar (D). (Road ID: 4912)
		Sample Location: Surface Water -at Ch. 2.925 km thungabhadra River Water 1500 mtr away From Road Center
Date of sample Collection	24.04.2026	**Sampling Details** **Method**: IS 3025 Paart-01 **Method**: Grab Sample
Date of Sample Receipt	25.04.2026	
Duration of Test	25.04.2026 – 30.04.2026	**Date of Report**: 30.04.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	CPCB Limits	Test Method
1.	pH @ 25°C	7.36	5.5-9.0	IS: 3025 (Part 11)
2.	Dissolved Oxygen (DO) mg/L	4.9	Not Specified	IS: 3025 (Part 38)
3.	BOD at 27°C for 3days (mg/L)	<4	Max 30	IS: 3025 (Part 44)
4.	Chemical Oxygen Demand (COD) mg/L	<10	Max 250	IS: 3025 (Part 58)
5.	Total Suspended Solids (TSS) mg/L	<2	Max 100	IS: 3025 (Part 17)
6.	Total Dissolved Solids (TDS) mg/L	498	Not Specified	IS: 3025 (Part 16)
7.	Temperature °C	28.1	Not Specified	IS: 3025 (Part 09)
8.	Turbidity NTU	<1	Not Specified	IS: 3025 (Part 10)
9.	Chloride mg/L	102	Not Specified	IS: 3025 (Part 32)
10.	Sulphate mg/L	60.8	Not Specified	IS: 3025 (Part 24)
11.	Nitrate mg/L	7.9	Max 10	IS: 3025 (Part 34)
12.	Phosphate mg/L	<0.1	Max 5	IS: 3025 (Part 31)
13.	Ammonia mg/L	<0.1	Max 5	IS: 3025 (Part 34)
14.	Oil & Grease mg/L	<2.0	Max 10	IS: 3025 (Part 39)
15.	Phenolic Compounds mg/L	<0.001	Max 1	IS: 3025 (Part 43)
16.	Arsenic (As) mg/l	<0.01	Max 0.2	IS:3025(Part-37)
17.	Lead (Pb) mg/l	<0.01	Max 0.1	IS:3025(Part-47)
18.	Mercury (Hg) mg/l	<0.001	Max 0.02	IS:3025(Part-48)
19.	Cadmium (Cd) mg/l	<0.003	Max 2	IS:3025(Part-41)
20.	Chromium (Cr) mg/l	<0.05	Max 2	IS:3025(Part-52)
21.	Nickel (Ni) mg/l	<0.02	Max 3	IS:3025(Part-54)
22.	Zinc (Zn) mg/l	<0.1	Max 5	IS:3025(Part-49)
23.	Copper (Cu) mg/l	<0.05	Max 3	IS:3025(Part-42)
24.	Total Coliform MPN/100 mL	Present	Not Specified	IS 1622
25.	Faecal Coliform MPN/100 mL	Present	Not Specified	IS 1622

Authorized Signatory-Biological
Veena M S
Technical Manager

Authorized Signatory-Chemical
V. Chandra Sekhar
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

------End of report------

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0053 **Report No.:** CRI/25-26/0015 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Varalahalli to Dashamapura road, HB Halli, Vijayanagar (D). (Road ID: 831) **Sampling Location:** At Ch. 7.38 km (40 mtr from Road edge) Government lowerPrimary School, Dasamapura Village **Meteorological Data:** Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 21 km/hr
Date of sample Collection	07.01.2026 to 08.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	09.01.2026	**Sample Condition:** Good
Duration of Test	09.01.2026 to 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	60.2	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	25.4	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.9	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	19.0	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

-----End of report-----

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0054 **Report No.:** CRI/25-26/0016 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	07.01.2026 to 08.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	09.01.2026	**Sample Condition:** NA
Date of Evaluation	12.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 7.38 km (40 mtr from Road edge) Government lowerPrimary School, Dasamapura Village	06:00 – 22:00 (4 hrs Interval)	54.9	IS 9989
		Night Time		
1.	At Ch. 7.38 km (40 mtr from Road edge) Government lowerPrimary School, Dasamapura Village	22:00 – 06:00 (4 hrs Interval)	34.5	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3. Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0055
		Report No.: CRI/25-26/0017
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Upparghatta Village premesis Inside Hand Pump
Date of sample Collection	07.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	09.01.2026	
Duration of Test	09.01.2026 to 16.01.2026	**Date of Report:** 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.11	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	506	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	1021	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.3	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	38.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	296	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	71.04	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	28.77	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	96	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	332	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.87	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.72	1	1.5	7 of IS 3025 (Part 60/Sec 1)

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0070
		Report No.: CRI/25-26/0035
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Badaleduku to Kottur-kudligi Road, Kudligi Taluk, Vijayanagar (D). (Road ID: 2228)
		Sampling Location: At Ch. 0.58 km (60 mtr Distance from Road Centerline) Doddagollarahatti Village premesis.
		Meteorological Data: Temperature: 30°C Humidity: 37% Wind Direction/Speed: ENE 25 km/hr
Date of sample Collection	08.01.2026 to 09.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	10.01.2026	**Sample Condition:** Good
Duration of Test	10.01.2026 to 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	60.78	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	24.36	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.7	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	19.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

Kumar.A 16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0071 **Report No.:** CRI/25-26/0036 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	08.01.2026 to 09.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	10.01.2026	**Sample Condition:** NA
Date of Evaluation	12.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.58 km (60 mtr Distance from Road Centerline) Doddagollarahatti Village premesis.	06:00 – 22:00 (4 hrs Interval)	53.2	IS 9989
		Night Time		
1.	At Ch. 0.58 km (60 mtr Distance from Road Centerline) Doddagollarahatti Village premesis.	22:00 – 06:00 (4 hrs Interval)	41.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel. 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0072
		Report No.: CRI/25-26/0037
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Doddagollarahatti Village premesis Inside Hand Pump
Date of sample Collection	08.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	10.01.2026	
Duration of Test	10.01.2026 to 16.01.2026	**Date of Report**: 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.25	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	507	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	998	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.9	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	41.2	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	324	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	77.76	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	31.49	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	78	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	344	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	3.24	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.75	1	1.5	7 of IS 3025 (Part 60/Sec 1)

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0070 **Report No.:** CRI/25-26/0023 **Group**: Water **Product**: Ground Water **Sample Type/Source**: Ground Water - Well Near Residential Settlements.
Date of sample Collection	09.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	12.01.2026	
Duration of Test	12.01.2026 – 21.01.2026	**Date of Report**: 21.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.93	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	326	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	658	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	25.8	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	20.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	121	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	32.2	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	9.8	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	54	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	193	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.3	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.1	1	1.5	7 of IS 3025 (Part 60/Sec 1)

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0068
		Report No.: CRI/25-26/0021
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Haleyangadi Kadike Bandaramane to Hoigegudde Padupanamburu, Moodabidri (Road ID: 1392)
		Sampling Location: At near Anjaneya Temple Shasihithlu (3.285km)
		Meteorological Data: Temperature: 30°C Humidity: 60% Wind Direction/Speed: ENE 14 km/hr
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** Good
Duration of Test	12.01.2026 – 21.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	48.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	19.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.6	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0069 **Report No.:** CRI/25-26/0022 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	09.01.2026 to 10.01.2026	**Date of Report:** 21.01.2026
Date of Sample Receipt	12.01.2026	**Sample Condition:** NA
Date of Evaluation	19.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	06:00 – 22:00 (4 hrs Interval)	47.2	IS 9989
		Night Time		
1.	At near Anjaneya Temple Shasihithlu (3.285km)	22:00 – 06:00 (4 hrs Interval)	38.6	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

21/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount. 4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0056 **Report No.:** CRI/25-26/0018 **Group:** Atmospheric Pollution **Product:** Ambient Air Quality **Road:** Marabbihal Thanda to Narayanadevanakere road, HB Halli, Vijayanagar (D). (Road ID: 3446) **Sampling Location:** At Ch. 0.10 km Right Side Government Higher Primary School, Marabbihal Village **Meteorological Data:** Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 21 km/hr
Date of sample Collection	07.01.2026 to 08.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	09.01.2026	**Sample Condition:** Good
Duration of Test	09.01.2026 to 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	58.96	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.5	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	18.2	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-I
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-I
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel: 080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0057 **Report No.:** CRI/25-26/0019 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	07.01.2026 to 08.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	09.01.2026	**Sample Condition:** NA
Date of Evaluation	12.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.10 km Right Side Government Higher Primary School, Marabbihal Village	06:00 – 22:00 (4 hrs Interval)	52.6	IS 9989
		Night Time		
1.	At Ch. 0.10 km Right Side Government Higher Primary School, Marabbihal Village	22:00 – 06:00 (4 hrs Interval)	39.3	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0058 **Report No.:** CRI/25-26/0020 **Group:** Water **Product:** Drinking Water **Sample Type/Source:** Ground Water - Marabbihal Village premesis Inside Hand Pump
Date of sample Collection	07.01.2026	**Sampling Details** **Method:** IS 3025 (Part-01) **Type:** Grab Sample
Date of Sample Receipt	09.01.2026	
Duration of Test	09.01.2026 to 16.01.2026	**Date of Report:** 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition:** Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.88	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	452	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	891	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.1	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	27.9	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	284	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	68.16	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	27.60	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	51	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	342	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.36	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.65	1	1.5	7 of IS 3025 (Part 60/Sec 1)

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0043
		Report No.: CRI/25-26/0003
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: Dombarahalli to Kuruvatti plot road, Huvina Hadagali, Vijayanagar (D). (Road ID: 4799)
		Sampling Location: At Ch. 0.00 km inside Village premises (60 mtr School Near to Road End Point Dombarahalli Village)
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 22 km/hr
Date of sample Collection	05.01.2026 to 06.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	07.01.2026	**Sample Condition:** Good
Duration of Test	07.01.2026 to 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	51.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	20.3	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.1	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.5	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are drawn by the institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@chantonindia.com

Tel :080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0044 **Report No.:** CRI/25-26/0004 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	05.01.2026 to 06.01.2026	**Date of Report:** 12.01.2026
Date of Sample Receipt	07.01.2026	**Sample Condition:** NA
Date of Evaluation	09.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 0.00 km inside Village premises (60 mtr School Near to Road End Point Dombarahalli Village)	06:00 – 22:00 (4 hrs Interval)	52.5	IS 9989
		Night Time		
1.	At Ch. 0.00 km inside Village premises (60 mtr School Near to Road End Point Dombarahalli Village)	22:00 – 06:00 (4 hrs Interval)	39.1	IS 9989

Limits: Noise limits stipulated by KSPCB for Silence Zone is 50dB(A) for day time and 40dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel..080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No 67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0045
		Report No.: CRI/25-26/0005
		Group: Water
		Product: Drinking Water
		Sample Type/Source: Ground Water - Dombarahalli Village Inside Hand Pump
Date of sample Collection	05.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	07.01.2026	
Duration of Test	07.01.2026 to 16.01.2026	**Date of Report**: 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	6.98	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	461	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	891	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	32.6	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	296	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	71.04	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	28.77	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	63	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	322	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	1.36	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.54	1	1.5	7 of IS 3025 (Part 60/Sec 1)

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED ★ BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount 4 This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022. INDIA

AMBIENT AIR QUALITY TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0050
		Report No.: CRI/25-26/0011
		Group: Atmospheric Pollution
		Product: Ambient Air Quality
		Road: SH to Manyara Musalavada via Basarkod thanda cross road, Huvina Hadagali, Vijayanagar (D). (Road ID: 3366)
		Sampling Location: At Ch. 2.970 km inside Basarkodu Thanda Village premises 450 mtr from Road center (Post Office)
		Meteorological Data: Temperature: 32°C Humidity: 37% Wind Direction/Speed: ENE 22 km/hr
Date of sample Collection	06.01.2026 to 07.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	08.01.2026	**Sample Condition:** Good
Duration of Test	08.01.2026 to 16.01.2026	**Instruments Used:** RDS, PM2.5 Sampler & CO Meter
Sampling Done by	CRI Representative	

Sl. No.	Parameters	Units	Results	Sampling Duration	Limits as per NAAQS	Sampling & Test method
1	Particulate Matter (PM_{10})	µg/m3	54.9	24 hrs	Max 100	IS 5182 (Part23)
2	Particulate Matter ($PM_{2.5}$)	µg/m3	22.8	24 hrs	Max 60	IS 5182 (Part24)
3	Sulphur Dioxide as SO_2	µg/m3	10.8	24 hrs	Max 80	IS 5182 (Part02)
4	Oxides of Nitrogen as NO_2	µg/m3	17.9	24 hrs	Max 80	IS 5182 (Part6)
5	Carbon Monoxide as CO	mg/m3	BDL (<1.0)	01 hr	Max 4	IS 5182 (Part10)
6	Ozone as O_3	µg/m3	BDL (<5)	01 hr	Max 180	IS 5182 (Part09)
7	Ammonia as NH_3	µg/m3	BDL (<20)	24 hrs	Max 400	IS 5182 (Part26)
8	Benzene as C_6H_6	µg/m3	BDL (<3)	24 hrs	Max 5.0	IS 5182 (Part11)
9	Benz (a) Pyrene (BaP)	ng/m3	BDL (<1)	24 hrs	Max 1.0	IS 5182 (Part12)
10	Arsenic as As	ng/m3	BDL (<2)	24 hrs	Max 6.0	CPCB Manual Vol-1
11	Nickel as Ni	ng/m3	BDL (<5)	24 hrs	Max 20.0	CPCB Manual Vol-1
12	Lead as Pb	µg/m3	BDL (<0.2)	24 hrs	Max 1.0	IS 5182 (Part22)

Statement of Conformity: The Above results are within the tolerance limits for above tested parameters and the results relate to the sample tested.

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

-----End of report-----

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1.The results listed above pertain only to the sample tested and applicable parameters. 2.Perishable samples will be disposed off after issue of test report and non-perishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3.Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6.Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction.8.Any query to the content of this report can be mailed to kumar@charitonindia.com

Tel.:080-23479296 Mob : 9448000637 E-mail : marketing@charitonindia.com Web : www.charitonindia.com

CIN: U73200KA2020PTC134050 GST NO: 29AAICC7110N1ZC PAN NO: AAICC7110N1ZC

NOISE TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0051 **Report No.:** CRI/25-26/0012 **Group:** Atmospheric Pollution **Product:** Ambient Noise **Sample Type:** Noise Measurement
Date of sample Collection	06.01.2026 to 07.01.2026	**Date of Report:** 16.01.2026
Date of Sample Receipt	08.01.2026	**Sample Condition:** NA
Date of Evaluation	10.01.2026	**Instruments Used:** Sound Level Meter
Sampling Done by	CRI Representative	

S. No.	Name of the location	Duration of Sampling	Results, dB(A)	Test Method
		Day Time		
1.	At Ch. 2.970 km inside Basarkodu Thanda Village premises 450 mtr from Road center (Post Office)	06:00 – 22:00 (4 hrs Interval)	51.9	IS 9989
		Night Time		
1.	At Ch. 2.970 km inside Basarkodu Thanda Village premises 450 mtr from Road center (Post Office)	22:00 – 06:00 (4 hrs Interval)	41.8	IS 9989

Limits: Noise limits stipulated by KSPCB for Residential Area is 55dB(A) for day time and 45dB(A) for night time.

Statement of Conformity: The Above results are within the tolerance limits and the results relate to the sample tested.

Kumar.A 16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

---End of Report---

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5 Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters. this does not imply the endorsement of products. 7 For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED

NABL, MOEF & CC, ISO 9001, ISO 14001 & ISO 45001 CERTIFIED LABORATORY

No.67/3, 1st Floor, Industrial Suburb, Yeshwanthpur, BANGALORE - 560 022 INDIA

TEST REPORT

FORMAT NO: CRI/7.8/F/01

Name & Address of the Customer	**M/S. KOUSHIK CONSULTANTS** #1169/A, 2nd Floor, Tk Layout, 4th Stage, Ramakrishna Nagar, Mysuru – 570023.	**Job Order No.:** CRIPL2025-26/01/0052 **Report No.:** CRI/25-26/0013 **Group**: Water **Product**: Surface Water **Sample Type/Source**: Surface water- In Natural valley located at Ch 3.40 Km Right side (at Upstream side)
Date of sample Collection	06.01.2026	**Sampling Details** **Method**: IS 3025 (Part-01) **Type**: Grab Sample
Date of Sample Receipt	08.01.2026	
Duration of Test	08.01.2026 to 16.01.2026	**Date of Report**: 16.01.2026
Sample Collected by	CRI Representative	**Sample Condition**: Satisfactory

S. No	Parameters	Results	Limits as per IS 10500		Test Method
			Acceptable Limits	Permissible Limits	
1.	pH @ 25°C	7.12	6.5-8.5	No Relaxation	IS:3025(Part-11)
2.	Total Dissolved Solids, mg/l	458	500	2000	IS 3025 (Part-16)
3.	Conductivity@25°C, µs/cm	886	Not Specified	Not Specified	IS 3025 (Part-14)
4.	Temperature, °C	26.5	Not Specified	Not Specified	IS 3025 (Part-09)
5.	Turbidity, NTU	<1.0	1	5	IS 3025 (Part-10)
6.	Iron as Fe, mg/l	<0.01	1.0	No Relaxation	7 of IS-3025 (Part-53)
7.	Zinc as Zn, mg/l	<0.1	5	15	5 of IS 3025 (Part-49)
8.	Lead as Pb, mg/l	<0.01	0.01	No Relaxation	7 of IS 3025 (Part-47)
9.	Sulphate as SO4, mg/l	48.8	200	400	4 of IS:3025(Part-24)
10.	Total Hardness as CaCO3, mg/l	268	200	600	5 of IS:3025(Part-21)
11.	Calcium as Ca, mg/l	64.32	75	200	5 of IS:3025(Part-40)
12.	Magnesium as Mg, mg/l	26.05	30	100	6 of IS:3025(Part-46)
13.	Chloride as Cl, mg/l	74	250	1000	2 of IS:3025(Part-32)
14.	Alkalinity as CaCO3, mg/l	288	200	600	IS:3025(Part-23)
15.	Total Arsenic as As, mg/l	<0.01	0.01	No Relaxation	4 of IS 3025 (Part-37)
16.	Nitrate as NO3, mg/l	2.74	45	No Relaxation	3 of IS:3025(Part-34)
17.	Fluoride as F, mg/l	0.66	1	1.5	7 of IS 3025 (Part 60/Sec 1)
18.	BOD at 27°C for 3days, mg/l	<4.0	Not Specified	Not Specified	IS 3025 (Part-44)
19.	Dissolved Oxygen, mg/l	4.9	Not Specified	Not Specified	IS 3025 (Part-38)
20.	Coliforms, per 100ml	Present	Absent	---	IS 15185

16/01/2026

Authorized Signatory
Dr Kumar. A
Technical Manager

------End of report------

CHARITON RESEARCH INSTITUTE PRIVATE LIMITED BANGALORE 560022

TERMS AND CONDITIONS:

1 The results listed above pertain only to the sample tested and applicable parameters. 2 Perishable samples will be disposed off after issue of test report and Nonperishable samples will be disposed after 15 days from the date of issue of test report unless otherwise specified. 3 Total liability of our laboratory is limited to the invoice amount.4. This report is not to be reproduced either wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without written approval of the laboratory. 5.Unless otherwise specified, the sample/s is/are not drawn by our institute, the sample/s is/are given by you. 6 Results shown in this certificate refer to the tests done on the sample/s for the listed parameters, this does not imply the endorsement of products. 7.For any legal issues the courts at Bengaluru have exclusive jurisdiction 8 Any query to the content of this report can be mailed to kumar@charitonindia.com

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1715
Product or Material	Ambient Monitoring	Report No	NAL/2026/01715
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011582F
Sampling Point	**Takkalaki LT2 Circle Near Flag Post**	Date of Monitoring	19.01.2026
		Date of sample Receipt	20.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	20.01.2026
Sampling Procedure	In House SOP	Date of Completion	22.01.2026
Page No	1/1	Report Date	22.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	31.0	Humidity (%):	47.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	79.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.5	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	12.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1716
Product or Material	Noise monitoring	Report No	NAL/2026/01716
		ULR No	TC1342726000011583F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.01.2026
		Date of sample Receipt	20.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	20.01.2026
Sampling Procedure	In House SOP	Date of Completion	22.01.2026
Page No	1/1	Report Date	22.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Takkalaki LT2 Circle Near Flag Post**	71.8	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1717
Product or Material	Ambient Monitoring	Report No	NAL/2026/01717
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1342726000011584F
Sampling Point	**Manenadaddi – Near Govt Primary School**	Date of Monitoring	19.01.2026
		Date of sample Receipt	20.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	20.01.2026
Sampling Procedure	In House SOP	Date of Completion	22.01.2026
Page No	1/1	Report Date	22.01.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{o}C)	30.0	Humidity (%):	49.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.4	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Carbon Monoxide	mg/m^3	BDL(DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)

Note Max: Maximum, BDL: Below detection Limit, DL: Detection Limit
Remarks: The Sample meets to NAAQS limits as per above tested parameters

*** * * * End of the Report* * * * ***

Name & Address of the Customer:	**M/s. Jalavahini**		
Discipline	Chemical	Sample ID	NAL/2026/01/1718
Product or Material	Noise monitoring	Report No	NAL/2026/01718
		ULR No	TC1342726000011585F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.01.2026
		Date of sample Receipt	20.01.2026
Sampling done by	Mr. Basavaraj & Team	Date of Analysis Started	20.01.2026
Sampling Procedure	In House SOP	Date of Completion	22.01.2026
Page No	1/1	Report Date	22.01.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	METHOD
1	**Manenadaddi – Near Govt Primary School**	70.9	IS 9989:1981 (Reaffirmed-2020)

*** * * * End of the Report* * * * ***

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1681
Product or Material	Ground Water	Report No	NAL/2026/01681
Particulars of Sample	Borewell Water	ULR No	TC1342726000011548F
Sampling Point	From Bhisenahalli	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1244.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	746.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	105.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	85.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.28	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.015	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.088	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1681
Product or Material	Ground Water	Report No	NAL/2026/01681
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Bhisenahalli	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1681
Product or Material	Ground Water	Report No	NAL/2026/01681
Particulars of Sample	Borewell Water	Date of Sample Collection	19.01.2026
Sampling Point	From Bhisenahalli	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	0.81	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1682
Product or Material	Surface Water	Report No	NAL/2026/01682
Particulars of Sample	Surface Water	ULR No	TC1342726000011549F
Sampling Point	From Takkalaki L T2	Date of Sample Collection	19.01.2026
Sample submitted by	Customer	Date of sample Receipt	20.01.2026
Sample collected by	Our Representative	Date of Analysis Started	20.01.2026
Sample Qty	2Ltrs	Date of Completion	26.01.2026
Page No	1/1	Report Date	26.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.5	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1432.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	859.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	158.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	72.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.30	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LOQ=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.069	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.2	Not Specified	Not Specified	IS 3025 (part 38):1989

Note:, BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1682
Product or Material	Surface Water	Report No	NAL/2026/01682
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Takkalaki L T2	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Simple collected by	Our Representative	Date of Completion	21.01.2026
Sample Qty	500 ml	Report Date	26.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BABALESHWAR Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1682
Product or Material	Surface Water	Report No	NAL/2026/01682
Particulars of Sample	Surface Water	Date of Sample Collection	19.01.2026
Sampling Point	From Takkalaki L T2	Date of sample Receipt	20.01.2026
Sample submitted by	Customer	Date of Analysis Started	20.01.2026
Sample collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	2Ltrs	Report Date	26.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.59	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021
BDL: Below detection Limit DL: Detection Limit.				

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1830
Product or Material	Ground Water	Report No	NAL/2026/01830
Particulars of Sample	Borewell Water	ULR No	TC1342726000011677F
Sampling Point	From (Managuli) Islampur LT 2	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Customer	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.3	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2900.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1740.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	336.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	99.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.66	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.1	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.021	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.015	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.074	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1830
Product or Material	Ground Water	Report No	NAL/2026/01830
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From (Managuli) Islampur LT 2	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Customer	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Received in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1830
Product or Material	Ground Water	Report No	NAL/2026/01830
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From (Managuli) Islampur LT 2	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Customer	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Received in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.1	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1831
Product or Material	Ground Water	Report No	NAL/2026/01831
Particulars of Sample	Borewell Water	ULR No	TC1342726000011678F
Sampling Point	From Ballawur	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	3500.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2100.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	428.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	194.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.0	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.46	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	2.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.046	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.3	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1831
Product or Material	Ground Water	Report No	NAL/2026/01831
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ballawur	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1831
Product or Material	Ground Water	Report No	NAL/2026/01831
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ballawur	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.3	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1832
Product or Material	Ground Water	Report No	NAL/2026/01832
Particulars of Sample	Borewell Water	ULR No	TC1342726000011679F
Sampling Point	From Nandihal PU	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	3400.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	2040.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	339.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	241.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.64	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.32	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	2.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.013	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.048	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1832
Product or Material	Ground Water	Report No	NAL/2026/01832
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Nandihal PU	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016

Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1832
Product or Material	Ground Water	Report No	NAL/2026/01832
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Nandihal PU	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.05	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1833
Product or Material	Ground Water	Report No	NAL/2026/01833
Particulars of Sample	Borewell Water	ULR No	TC1342726000011680F
Sampling Point	From Ingaleshwara	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2600.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1560.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	428.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	164.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.84	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.31	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.010	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.032	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1833
Product or Material	Ground Water	Report No	NAL/2026/01833
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ingaleshwara	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1833
Product or Material	Ground Water	Report No	NAL/2026/01833
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ingaleshwara	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.37	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1834
Product or Material	Surface Water	Report No	NAL/2026/01834
Particulars of Sample	Surface Water	ULR No	TC1342726000011681F
Sampling Point	From Ingaleshwara	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.5	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	7600.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	4560.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	1391.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	145.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.76	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	1.3	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	8.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	3.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.026	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.021	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.088	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	5.8	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1834
Product or Material	Surface Water	Report No	NAL/2026/01834
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ingaleshwara	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE BASAVAN BAGEVADI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1834
Product or Material	Surface Water	Report No	NAL/2026/01834
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Ingaleshwara	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.0	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1835
Product or Material	Ground Water	Report No	NAL/2026/01835
Particulars of Sample	Borewell Water	ULR No	TC1342726000011682F
Sampling Point	From Hadalageri	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL (DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.5	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	2500.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1500.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	198.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	100.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.0	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.22	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.028	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.5	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above Sample **meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1835
Product or Material	Ground Water	Report No	NAL/2026/01835
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Hadalageri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	<1	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1835
Product or Material	Ground Water	Report No	NAL/2026/01835
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Hadalageri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	4.19	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1836
Product or Material	Surface Water	Report No	NAL/2026/01836
Particulars of Sample	Surface Water	ULR No	TC1342726000011683F
Sampling Point	From Hadalageri	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly Greyish Colored, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	30.0	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	9.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	970.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	582.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	100.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	59.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	1.0	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	9.4	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	54.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	68.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LQO=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LQO=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.038	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	5.1	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: Min: Minimum, BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample does not meet to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1836
Product or Material	Surface Water	Report No	NAL/2026/01836
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Hadalageri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Slightly Greyish Colored, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	>100	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE MUDDEBIHAL Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1836
Product or Material	Surface Water	Report No	NAL/2026/01836
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Hadalageri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Slightly Greyish Colored, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	3.67	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE SINDAGI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1837
Product or Material	Ground Water	Report No	NAL/2026/01837
Particulars of Sample	Borewell Water	ULR No	TC1342726000011684F
Sampling Point	From Golgeri	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	7.9	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1755.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1053.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	212.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	97.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.96	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	BDL(DL=2.0)	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	BDL(DL=4.0)			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	BDL(DL=1.0)			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	BLQ(LQO=0.01)	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	BLQ(LQO=0.01)	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.049	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.6	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE SINDAGI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1837
Product or Material	Ground Water	Report No	NAL/2026/01837
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Golgeri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	<2	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample meets the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE SINDAGI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1837
Product or Material	Ground Water	Report No	NAL/2026/01837
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Golgeri	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	2.15	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1838
Product or Material	Ground Water	Report No	NAL/2026/01838
Particulars of Sample	Borewell Water	ULR No	TC1342726000011685F
Sampling Point	From Baradol	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.2	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1822.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1093.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	242.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	91.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.43	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	BDL(DL=0.1)	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.6	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	16.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	13.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.012	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.010	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.069	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.1	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1838
Product or Material	Ground Water	Report No	NAL/2026/01838
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Baradol	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012	Test method
1	Total Coliforms	CFU/100 ml	12	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1838
Product or Material	Ground Water	Report No	NAL/2026/01838
Particulars of Sample	Borewell Water	Date of Sample Collection	20.01.2026
Sampling Point	From Baradol	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.90	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1839
Product or Material	Surface Water	Report No	NAL/2026/01839
Particulars of Sample	Surface Water	ULR No	TC1342726000011686F
Sampling Point	From Baradol	Date of Sample Collection	20.01.2026
Sample submitted by	Customer	Date of sample Receipt	21.01.2026
Sample collected by	Our Representative	Date of Analysis Started	21.01.2026
Sample Qty	2Ltrs	Date of Completion	27.01.2026
Page No	1/1	Report Date	27.01.2026
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Test parameter	Unit	Result	Maximum Acceptable Limit	Maximum Permissible Limits in The Absence of Alternate Source	Test method
				As per IS:10500-2012		
1	Color	Hz	BDL(DL=1.0)	5.0	15.0	IS 3025 (part 04): 2021
2	Odor	---	Agreeable	Agreeable	Agreeable	IS:3025(Part-05)-2018
3	pH value	---	8.1	6.5 - 8.5	No relaxation	IS:3025(Part-11)-2022
4	Conductivity	µS/cm	1778.0	---	---	IS:3025(Part-14)-2013
5	Total Dissolved Solids	mg/L	1066.0	500	2000	IS:3025(Part-16)-2023
6	Chloride as Cl	mg/L	244.0	250	1000	IS:3025(Part-32)-1988
7	Sulphate as SO_4	mg/L	90.0	200	400	APHA 4500 SO_4-F 24th Edition 2023
8	Fluoride as F	mg/L	0.51	1.0	1.5	APHA 4500-F 24th Edition 2023
9	Boron (as B)	mg/L	0.12	0.5	2.4	APHA 24th Edition4500 B B:2023
10	Cyanide (as CN)	mg/L	BDL (DL=0.02)	0.05	No relaxation	IS 3025 (part 27: Sec 1) :2021
11	Bio-Chemical Oxygen Demand (5days @ 20°C)	mg/L	2.2	Not Specified	Not Specified	APHA 24th EDITION5210 BOD B:2023
12	Chemical Oxygen Demand	mg/L	14.0			IS 3025(P-58) 2023
13	Total Suspended Solids	mg/L	4.0			IS 3025(P-17) 2022
14	Aluminium (as Al)	mg/L	0.014	0.03	0.2	IS 3025 P-02: 2019
15	Copper (as Cu)	mg/L	0.012	0.05	1.5	IS 3025 P-02: 2019
16	Zinc (as Zn)	mg/L	0.072	5.0	15.0	IS 3025 P-02: 2019
17	Dissolved Oxygen	mg/L	6.2	Not Specified	Not Specified	IS 3025 (part 38):1989

Note: BDL: Below detection Limit DL: Detection Limit; BLQ; Below Limit of Quantification ; LOQ: Limit of Quantification

Remarks: The Above **Sample meets to Permissible Limits as** Per IS 10500:2012 for the above Physico- chemical tests. Except for the parameters For which limits are not specified in the standard.

**** End of the Report*****

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Biological**	Sample ID	NAL/2026/01/1839
Product or Material	Surface Water	Report No	NAL/2026/01839
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Baradol	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Simple collected by	Our Representative	Date of Completion	22.01.2026
Sample Qty	500 ml	Report Date	27.01.2026
Page No	1/2		
Sample package	Water Sample Collected in Sterilized Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	**Test parameter**	**Unit**	**Result**	**Maximum Permissible Limits in The Absence of Alternate Source As per IS:10500-2012**	**Test method**
1	Total Coliforms	CFU/100 ml	14	Shall not be detectable in 100 ml sample	IS : 15185 :2016
Remarks: The Above **sample does not meet the permissible limits** as per IS 10500:2012 for the above microbiological tests					

Name & Address of the Customer	**M/s. VIJAYAPURA DISTRIC PROJECT SITE ZALKI Taluk.**		
Discipline	**Chemical**	Sample ID	NAL/2026/01/1839
Product or Material	Surface Water	Report No	NAL/2026/01839
Particulars of Sample	Surface Water	Date of Sample Collection	20.01.2026
Sampling Point	From Baradol	Date of sample Receipt	21.01.2026
Sample submitted by	Customer	Date of Analysis Started	21.01.2026
Sample collected by	Our Representative	Date of Completion	23.01.2026
Sample Qty	2Ltrs	Report Date	27.01.2026
Page No	2/2		
Sample package	Water Sample Collected in PET Bottle		
Description	Colorless, Odorless, transparent liquid		

Sl. No	Parameters	Unit	Result	Test Method
2	Free Ammonia	mg/L	BDL(DL=0.5)	NALRC/SOP/W-46:2022
3	Sodium Absorption Ratio	mg/L	1.92	IS:11624: 2019
4	Oil & Grease	mg/L	BDL(DL=2.0)	IS 3025(P-39) 2021

BDL: Below detection Limit DL: Detection Limit.

* * * * End of the Report* * * * *

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0410
Product or Material	Ambient Monitoring	Report No	NAL/2026/23475
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002579 7F
Sampling Point	**Sangapur H to Katral Road In Babaleshwar Taluk, Vijayapur District Road ID 2308**	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0410
Product or Material	Ambient Monitoring	Report No	NAL/2026/23475
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	16.04.2026
Sampling Point	**Sangapur H to Katral Road In Babaleshwar Taluk, Vijayapur District Road ID 2308**	Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0411
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23476
		ULR No	TC173542600002579BF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Sangapur H to Katral Road In Babaleshwar Taluk, Vijayapur District Road ID 2308**	45.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0412
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23477
		ULR No	TC173542600002579 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Sangapur H to Katral Road In Babaleshwar Taluk, Vijayapur District Road ID 2308**	41.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0413
Product or Material	Ambient Monitoring	Report No	NAL/2026/23478
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002580O1
Sampling Point	**Mamadapur to Kodabagi In Babaleshwar Taluk, Vijayapur District Road ID 4960**	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	77.5	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	35.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	14.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	21.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	12.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0413
Product or Material	Ambient Monitoring	Report No	NAL/2026/23478
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	16.04.2026
Sampling Point	**Mamadapur to Kodabagi In Babaleshwar Taluk, Vijayapur District Road ID 4960**	Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0414
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23479
		ULR No	TC173542600002580IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Mamadapur to Kodabagi In Babaleshwar Taluk, Vijayapur District Road ID 4960**	48.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0415
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23480
		ULR No	TC173542600002580
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Mamadapur to Kodabagi In Babaleshwar Taluk. Vijayapur District Road ID 4960**	43.2	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0416
Product or Material	Ambient Monitoring	Report No	NAL/2026/23481
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002580 3F
Sampling Point	**Devapur to Kambagi In Babaleshwar Taluk, Vijayapur District Road ID 4995**	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	73.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0416
Product or Material	Ambient Monitoring	Report No	NAL/2026/23481
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	16.04.2026
Sampling Point	**Devapur to Kambagi In Babaleshwar Taluk, Vijayapur District Road ID 4995**	Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0417
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23482
		ULR No	TC173542600002580 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Devapur to Kambagi In Babaleshwar Taluk, Vijayapur District Road ID 4995**	48.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0418
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23483
		ULR No	TC173542600002580 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	16.04.2026
		Date of sample Receipt	17.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	17.04.2026
Sampling Procedure	In House SOP	Date of Completion	19.04.2026
Page No	1/1	Report Date	19.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Devapur to Kambagi In Babaleshwar Taluk, Vijayapur District Road ID 4995**	41.3	55 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0419
Product or Material	Ambient Monitoring	Report No	NAL/2026/23484
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002580 6F
Sampling Point	**Yarzeri-Handaragal Cross-Nagaral In Muddebhihal Taluk, Vijayapur District Road ID 4909**	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.0	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0419
Product or Material	Ambient Monitoring	Report No	NAL/2026/23484
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.04.2026
Sampling Point	**Yarzeri-Handaragal Cross-Nagaral In Muddebhihal Taluk, Vijayapur District Road ID 4909**	Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	60.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0420
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23485
		ULR No	TC1735426000025807F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Yarzeri-Handaragal Cross-Nagaral In Muddebhihal Taluk, Vijayapur District Road ID 4909**	48.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0421
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23486
		ULR No	TC173542600002580SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Yarzeri-Handaragal Cross-Nagaral In Muddebhihal Taluk, Vijayapur District Road ID 4909**	43.1	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2021)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0422
Product or Material	Ambient Monitoring	Report No	NAL/2026/23487
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002580 9F
Sampling Point	**Bidarakundi to Hadalageri In Muddebhihal Taluk, Vijayapur District Road ID 4910**	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetries Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	16.3	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.2	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0422
Product or Material	Ambient Monitoring	Report No	NAL/2026/23487
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.04.2026
Sampling Point	**Bidarakundi to Hadalageri In Muddebhihal Taluk, Vijayapur District Road ID 4910**	Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0423
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23488
		ULR No	TC173542600002581O7
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bidarakundi to Hadalageri In Muddebhihal Taluk, Vijayapur District Road ID 4910**	46.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0424
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23489
		ULR No	TC173542600002581 1F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bidarakundi to Hadalageri In Muddebihal Taluk, Vijayapur District Road ID 4910**	43.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0425
Product or Material	Ambient Monitoring	Report No	NAL/2026/23490
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002581 2F
Sampling Point	**Nalatawad to Kapanur In Muddebhihal Taluk, Vijayapur District Road ID 1620**	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	77.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	33.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	11.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	27.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	12.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0425
Product or Material	Ambient Monitoring	Report No	NAL/2026/23490
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	17.04.2026
Sampling Point	**Nalatawad to Kapanur In Muddebhihal Taluk, Vijayapur District Road ID 1620**	Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	59.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0426
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23491
		ULR No	TC173542600002581 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Nalatawad to Kapanur In Muddebihal Taluk, Vijayapur District Road ID 1620**	50.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0427
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23492
		ULR No	TC173542600002581 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	17.04.2026
		Date of sample Receipt	18.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	18.04.2026
Sampling Procedure	In House SOP	Date of Completion	20.04.2026
Page No	1/1	Report Date	20.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Nalatawad to Kapanur In Muddebhihal Taluk, Vijayapur District Road ID 1620**	46.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0428
Product or Material	Ambient Monitoring	Report No	NAL/2026/23493
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002581SF
Sampling Point	**Amaragol-Hadagali-Bailakur-Madari In Muddebhihal Taluk, Vijayapur District Road ID 4906**	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	45.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	12.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0428
Product or Material	Ambient Monitoring	Report No	NAL/2026/23493
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.04.2026
Sampling Point	**Amaragol-Hadagali-Bailakur-Madari In Muddebhihal Taluk, Vijayapur District Road ID 4906**	Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	55.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0429
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23494
		ULR No	TC173542600000258 16F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Amaragol-Hadagali-Bailakur-Madari In Muddebhihal Taluk, Vijayapur District Road ID 4906**	45.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Authorized Signatory
Technical Manager

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Management Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0430
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23495
		ULR No	TC173542600002581
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Amaragol-Hadagali-Bailakur-Madari In Muddebhihal Taluk, Vijayapur District Road ID 4906**	41.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0431
Product or Material	Ambient Monitoring	Report No	NAL/2026/23496
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002581BF
Sampling Point	**Shivanagi to Shivanagi LT In Nagthan Taluk, Vijayapur District Road ID 5054**	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	76.2	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	35.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	13.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	26.0	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	12.5	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0431
Product or Material	Ambient Monitoring	Report No	NAL/2026/23496
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.04.2026
Sampling Point	**Shivanagi to Shivanagi LT In Nagthan Taluk, Vijayapur District Road ID 5054**	Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	56.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0432
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23497
		ULR No	TC173542600002581 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Shivanagi to Shivanagi LT In Nagthan Taluk, Vijayapur District Road ID 5054**	56.1	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari T.
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0433
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23498
		ULR No	TC173542600002582
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Shivanagi to Shivanagi LT. In Nagthan Taluk, Vijayapur District Road ID 5054**	45.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0434
Product or Material	Ambient Monitoring	Report No	NAL/2026/23499
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002582 1F
Sampling Point	**Chadchan to MH Border In Nagthan Taluk, Vijayapur District Road ID 5300**	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	79.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	38.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	14.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	28.5	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	12.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0434
Product or Material	Ambient Monitoring	Report No	NAL/2026/23499
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.04.2026
Sampling Point	**Chadchan to MH Border In Nagthan Taluk, Vijayapur District Road ID 5300**	Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0435
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23500
		ULR No	TC173542600002582 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Chadchan to MH Border In Nagthan Taluk, Vijayapur District Road ID 5300**	55.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0436
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23501
		ULR No	TC173542600002582
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Chadchan to MH Border. In Nagthan Taluk, Vijayapur District Road ID 5300**	47.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2023)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58 *

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0437
Product or Material	Ambient Monitoring	Report No	NAL/2026/23502
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002582 4F
Sampling Point	**Old Sankha to Nivaragi In Nagthan Taluk, Vijayapur District Road ID 5327**	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	38.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0437
Product or Material	Ambient Monitoring	Report No	NAL/2026/23502
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	18.04.2026
Sampling Point	**Old Sankha to Nivaragi In Nagthan Taluk, Vijayapur District Road ID 5327**	Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	58.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0438
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23503
		ULR No	TC173542600002582SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Old Sankha to Nivaragi In Nagthan Taluk, Vijayapur District Road ID 5327**	55.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0439
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23504
		ULR No	TC173542600002582 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	18.04.2026
		Date of sample Receipt	19.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	19.04.2026
Sampling Procedure	In House SOP	Date of Completion	21.04.2026
Page No	1/1	Report Date	21.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Old Sankha to Nivaragi In Nagthan Taluk, Vijayapur District Road ID 5327**	46.3	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0440
Product or Material	Ambient Monitoring	Report No	NAL/2026/23505
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002582 7F
Sampling Point	**Umarja to Bandarakoti in Nagthan Taluk, Vijayapur District Road ID**	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	74.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	32.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	14.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0440
Product or Material	Ambient Monitoring	Report No	NAL/2026/23505
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.04.2026
Sampling Point	**Umarja to Bandarakoti in Nagthan Taluk, Vijayapur District Road ID**	Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	31.0	Humidity (%):	54.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0441
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23506
		ULR No	TC173542600002582 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Umarja to Bandarakoti in Nagthan Taluk, Vijayapur District Road ID**	48.9	65 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0442
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23507
		ULR No	TC173542600002582 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Umarja to Bandarakoti in Nagthan Taluk, Vijayapur District Road ID**	41.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0443
Product or Material	Ambient Monitoring	Report No	NAL/2026/23508
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002583O
Sampling Point	**Chattaraki to Banthanal Via Vidyapeetha in Sindagi Taluka of Vijayapur District Road ID 254**	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.3	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	15.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.3	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19:2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0443
Product or Material	Ambient Monitoring	Report No	NAL/2026/23508
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.04.2026
Sampling Point	**Chattaraki to Banthanal Via Vidyapeetha in Sindagi Taluka of Vijayapur District Road ID 254**	Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0444
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23509
		ULR No	TC173542600002583 1F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Chattaraki to Banthanal Via Vidyapeetha in Sindagi Taluka of Vijayapur District Road ID 254**	52.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0445
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23510
		ULR No	TC173542600002583 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Chattaraki to Banthanal Via Vidyapeetha in Sindagi Taluka of Vijayapur District Road ID 254**	46.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0446
Product or Material	Ambient Monitoring	Report No	NAL/2026/23511
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002583
Sampling Point	**Bommanahalli to Kumasagi in Sindagi Taluka of Vijayapur District Road ID 5277**	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	77.4	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NALRC LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0146
Product or Material	Ambient Monitoring	Report No	NAL/2026/23511
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	19.04.2026
Sampling Point	**Bommanahalli to Kumasagi in Sindagi Taluka of Vijayapur District Road ID 5277**	Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^{3}	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0447
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23512
		ULR No	TC173542600002583 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Bommanahalli to Kumasagi in Sindagi Taluka of Vijayapur District Road ID 5277**	54.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0448
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23513
		ULR No	TC173542600002583SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	19.04.2026
		Date of sample Receipt	20.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	20.04.2026
Sampling Procedure	In House SOP	Date of Completion	22.04.2026
Page No	1/1	Report Date	22.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Bommanahalli to Kumasagi in Sindagi Taluka of Vijayapur District Road ID 5277**	44.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0449
Product or Material	Ambient Monitoring	Report No	NAL/2026/23514
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002583 6F
Sampling Point	**Sungthan to Simisiddeshwar cross in Sindagi Vijaypur District Road ID 5285**	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.7	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	28.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0449
Product or Material	Ambient Monitoring	Report No	NAL/2026/23514
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	20.04.2026
Sampling Point	**Sungthan to Simisiddeshwar cross in Sindagi Vijaypur District Road ID 5285**	Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0450
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23515
		ULR No	TC173542600002583 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Sungthan to Simisiddeshwar cross in Sindagi Vijaypur District Road ID 5285**	57.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0451
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23516
		ULR No	TC173542600002583BF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Sungthan to Simisiddeshwar cross in Sindagi Vijaypur District Road ID 5285**	47.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0452
Product or Material	Ambient Monitoring	Report No	NAL/2026/23517
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002583
Sampling Point	**Tonashyal Approach Road In Babaleshwar Vijaypur District Road ID 841**	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	77.7	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	39.8	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	17.8	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	28.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	15.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0452
Product or Material	Ambient Monitoring	Report No	NAL/2026/23517
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	20.04.2026
Sampling Point	**Tonashyal Approach Road In Babaleshwar Vijaypur District Road ID 841**	Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0453
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23518
		ULR No	TC173542600002584OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Tonashyal Approach Road In Babaleshwar Vijaypur District Road ID 841**	49.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

NAL LABS LLP Bang

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0454
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23519
		ULR No	TC173542600002384IF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	20.04.2026
		Date of sample Receipt	21.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	21.04.2026
Sampling Procedure	In House SOP	Date of Completion	23.04.2026
Page No	1/1	Report Date	23.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Tonashyal Approach Road In Babaleshwar Vijaypur District Road ID 841**	42.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0455
Product or Material	Ambient Monitoring	Report No	NAL/2026/23520
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002584
Sampling Point	**Golasangi to Nagawadin Basavan Bagewadi Vijaypur District Road ID 5239**	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.5	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	19.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0455
Product or Material	Ambient Monitoring	Report No	NAL/2026/23520
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	21.04.2026
Sampling Point	**Golasangi to Nagawadin Basavan Bagewadi Vijaypur District Road ID 5239**	Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0456
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23521
		ULR No	TC173542600002584 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Golasangi to Nagawadin Basavan Bagewadi Vijaypur District Road ID 5239**	48.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bengaluru

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0457
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23522
		ULR No	TC173542600002584
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Golasangi to Nagawadin Basavan Bagewadi Vijaypur District Road ID 5239**	40.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0458
Product or Material	Ambient Monitoring	Report No	NAL/2026/23523
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002584SF
Sampling Point	**NH 52 to Halladagennur Road In Basavan Bagewadi Vijaypur District Road ID 5240**	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m^3	79.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m^3	32.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m^3	17.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m^3	27.8	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m^3	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m^3	18.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m^3	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m^3	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m^3	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0458
Product or Material	Ambient Monitoring	Report No	NAL/2026/23523
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	21.04.2026
Sampling Point	**NH 52 to Halladagennur Road In Basavan Bagewadi Vijaypur District Road ID 5240**	Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0459
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23524
		ULR No	TC173542600002584 6F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**NH 52 to Halladagennur Road In Basavan Bagewadi Vijaypur District Road ID 5240**	53.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0460
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23525
		ULR No	TC173542600002584 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**NH 52 to Halladagennur Road In Basavan Bagewadi Vijaypur District Road ID 5240**	44.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0461
Product or Material	Ambient Monitoring	Report No	NAL/2026/23526
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002584
Sampling Point	**Ronihal to Mulawad LT Road In BasavanBagewadi Vijaypur District Road ID 5242**	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	µg/m³	73.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	µg/m³	35.9	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	µg/m³	16.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	µg/m³	26.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	µg/m³	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	µg/m³	18.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m³	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	µg/m³	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	µg/m³	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m³	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	µg/m³	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0461
Product or Material	Ambient Monitoring	Report No	NAL/2026/23526
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	21.04.2026
Sampling Point	**Ronihal to Mulawad LT Road In BasavanBagewadi Vijaypur District Road ID 5242**	Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0462
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23527
		ULR No	TC1735426000025849F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Ronihal to Mulawad LT Road In BasavanBagewadi Vijaypur District Road ID 5242**	53.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0463
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23528
		ULR No	TC173542600002585O
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	21.04.2026
		Date of sample Receipt	22.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	22.04.2026
Sampling Procedure	In House SOP	Date of Completion	24.04.2026
Page No	1/1	Report Date	24.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Ronihal to Mulawad LT Road In BasavanBagewadi Vijaypur District Road ID 5242**	46.7	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP * Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0464
Product or Material	Ambient Monitoring	Report No	NAL/2026/23529
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002585
Sampling Point	**SH to Asangi BK Road In BasavanBagewadi Vijaypur District Road ID 5243**	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	37.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bang

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0464
Product or Material	Ambient Monitoring	Report No	NAL/2026/23529
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	22.04.2026
Sampling Point	**SH to Asangi BK Road In BasavanBagewadi Vijaypur District Road ID 5243**	Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0465
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23530
		ULR No	TC173542600002585 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**SH to Asangi BK Road In BasavanBagewadi Vijaypur District Road ID 5243**	53.3	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0466
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23531
		ULR No	TC173542600002585 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**SH to Asangi BK Road In BasavanBagewadi Vijaypur District Road ID 5243**	48.9	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0467
Product or Material	Ambient Monitoring	Report No	NAL/2026/23532
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC1735426000025854F
Sampling Point	**SH to Nagaradinni Road In BasavanBagewadi Vijaypur District Road ID 5244**	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0467
Product or Material	Ambient Monitoring	Report No	NAL/2026/23532
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	22.04.2026
Sampling Point	**SH to Nagaradinni Road In BasavanBagewadi Vijaypur District Road ID 5244**	Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0468
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23533
		ULR No	TC173542600002585 5F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**SH to Nagaradinni Road In BasavanBagewadi Vijaypur District Road ID 5244**	55.9	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0469
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23534
		ULR No	TC173542600002585G7
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	22.04.2026
		Date of sample Receipt	23.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	23.04.2026
Sampling Procedure	In House SOP	Date of Completion	25.04.2026
Page No	1/1	Report Date	25.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**SH to Nagaradinni Road In BasavanBagewadi Vijaypur District Road ID 5244**	47.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0470
Product or Material	Ambient Monitoring	Report No	NAL/2026/23535
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002585 7F
Sampling Point	**Muddebihal Talikoti SH to Hokrani Approch Road In Muddebihal Vijaypur District Road ID 1618**	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.4	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	11.9	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.3	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP

Verified By

Lalithe Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0470
Product or Material	Ambient Monitoring	Report No	NAL/2026/23535
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	23.04.2026
Sampling Point	**Muddebihal Talikoti SH to Hokrani Approch Road In Muddebihal Vijaypur District Road ID 1618**	Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0471
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23536
		ULR No	TC173542600002585 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Muddebihal Talikoti SH to Hokrani Approch Road In Muddebihal Vijaypur District Road ID 1618**	57.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0472
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23537
		ULR No	TC17354260000258591F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Muddebihal Talikoti SH to Hokrani Approch Road In Muddebihal Vijaypur District Road ID 1618**	46.5	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0473
Product or Material	Ambient Monitoring	Report No	NAL/2026/23538
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002586OF
Sampling Point	**Muddebihal Talikoti SH to Jakkeral via Jammaldinni Road In Muddebihal Vijaypur District Road ID 1619**	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.6	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.3	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	17.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	27.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	23.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

NAL LABS LLP

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0473
Product or Material	Ambient Monitoring	Report No	NAL/2026/23538
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	23.04.2026
Sampling Point	**Muddebihal Talikoti SH to Jakkeral via Jammaldinni Road In Muddebihal Vijaypur District Road ID 1619**	Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/6474
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23539
		ULR No	TC173542600002586 15
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Muddebihal Talikoti SH to Jakkeral via Jammaldinni Road In Muddebihal Vijaypur District Road ID 1619**	56.8	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0475
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23540
		ULR No	TC173542600002586 2F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	23.04.2026
		Date of sample Receipt	24.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	24.04.2026
Sampling Procedure	In House SOP	Date of Completion	26.04.2026
Page No	1/1	Report Date	26.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Muddebihal Talikoti SH to Jakkeral via Jammaldinni Road In Muddebihal Vijaypur District Road ID 1619**	43.7	55 dB (A)Leq Max (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Signatory Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0476
Product or Material	Ambient Monitoring	Report No	NAL/2026/2354
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002586
Sampling Point	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	Date of Monitoring	24.04.2026
		Date of sample Receipt	25.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.04.2026
Sampling Procedure	In House SOP	Date of Completion	27.04.2026
Page No	1/1	Report Date	27.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	74.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	35.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.6	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	15.7	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0476
Product or Material	Ambient Monitoring	Report No	NAL/2026/23541
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	24.04.2026
Sampling Point	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	Date of sample Receipt	25.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.04.2026
Sampling Procedure	In House SOP	Date of Completion	27.04.2026
Page No	1/1	Report Date	27.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0477
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23542
		ULR No	TC173542600002586
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	24.04.2026
		Date of sample Receipt	25.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.04.2026
Sampling Procedure	In House SOP	Date of Completion	27.04.2026
Page No	1/1	Report Date	27.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	54.4	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0478
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23543
		ULR No	TC173542600002586SF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	24.04.2026
		Date of sample Receipt	25.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	25.04.2026
Sampling Procedure	In House SOP	Date of Completion	27.04.2026
Page No	1/1	Report Date	27.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	45.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0479
Product or Material	Ambient Monitoring	Report No	NAL/2026/23544
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002586G
Sampling Point	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.0	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.9	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	14.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0479
Product or Material	Ambient Monitoring	Report No	NAL/2026/23544
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	25.04.2026
Sampling Point	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^{3}	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0480
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23545
		ULR No	TC173542600002586 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	55.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0481
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23546
		ULR No	TC173542600002586 8F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Tangadagi Nalatawad MDR To Hunakunti via Old Kapanurin Muddebihal Vijaypur District Road ID 1622**	46.6	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0482
Product or Material	Ambient Monitoring	Report No	NAL/2026/23547
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002586
Sampling Point	**Baradol to Shignapurin Nagathan Taluk vijaypur District Road ID 4252**	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	75.1	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	33.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.1	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	18.8	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0482
Product or Material	Ambient Monitoring	Report No	NAL/2026/23547
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	25.04.2026
Sampling Point	**Baradol to Shignapurin Nagathan Taluk vijaypur District Road ID 4252**	Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(^{0}C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0483
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23548
		ULR No	TC173542600002587OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Baradol to Shignapurin Nagathan Taluk vijaypur District Road ID 4252**	54.5	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Authorized Signatory
Technical Manager

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0484
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23549
		ULR No	TC173542600002587 1F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	25.04.2026
		Date of sample Receipt	26.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	26.04.2026
Sampling Procedure	In House SOP	Date of Completion	28.04.2026
Page No	1/1	Report Date	28.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Baradol to Shignapurin Nagathan Taluk vijaypur District Road ID 4252**	44.5	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0485
Product or Material	Ambient Monitoring	Report No	NAL/2026/23550
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002587
Sampling Point	**Huvinalli Uchitanavadagi to Alahalli in Sindagi Taluka of Vijayapur District Road ID 4695**	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.2	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	14.7	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	26.6	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	13.1	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0485
Product or Material	Ambient Monitoring	Report No	NAL/2026/23550
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	26.04.2026
Sampling Point	**Huvinalli Uchitanavadagi to Alahalli in Sindagi Taluka of Vijayapur District Road ID 4695**	Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0486
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23551
		ULR No	TC173542600002587 3F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Huvinalli Uchitanavadagi to Alahalli in Sindagi Taluka of Vijayapur District Road ID 4695**	51.7	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H.
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0487
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23552
		ULR No	TC173542600002587 4F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Huvinalli Uchitanavadagi to Alahalli in Sindagi Taluka of Vijayapur District Road ID 4695**	43.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0488
Product or Material	Ambient Monitoring	Report No	NAL/2026/23553
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002587F
Sampling Point	**Sungathan to Nagavi B K in Sindagi Taluka of Vijayapur District Road ID 4696**	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	76.8	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	36.6	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	13.2	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	24.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	16.6	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19 2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0488
Product or Material	Ambient Monitoring	Report No	NAL/2026/23553
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	26.04.2026
Sampling Point	**Sungathan to Nagavi B K in Sindagi Taluka of Vijayapur District Road ID 4696**	Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0489
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23554
		ULR No	TC173542600002587GF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Sungathan to Nagavi B K in Sindagi Taluka of Vijayapur District Road ID 4696**	52.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0490
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23555
		ULR No	TC173542600002587 7F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	26.04.2026
		Date of sample Receipt	27.04.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	27.04.2026
Sampling Procedure	In House SOP	Date of Completion	29.04.2026
Page No	1/1	Report Date	29.04.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Sungathan to Nagavi B K in Sindagi Taluka of Vijayapur District Road ID 4696**	45.5	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-56

Lalitha Kumari H
Technical Manage
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0491
Product or Material	Ambient Monitoring	Report No	NAL/2026/23556
Particulars of Sample	Ambient Air Quality Monitoring	ULR No	TC173542600002587F
Sampling Point	**Tontapur to Vibhutihalli in Sindagi Taluka of Vijayapur District Road ID 4697**	Date of Monitoring	30.04.2026
		Date of sample Receipt	01.05.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	01.05.2026
Sampling Procedure	In House SOP	Date of Completion	03.05.2026
Page No	1/1	Report Date	03.05.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Particulate Matter (PM10)	$\mu g/m^3$	78.9	100.0 Max	IS 5182 : Part 23: 2006 (RA 2022)
2	Particulate matter (PM2.5)	$\mu g/m^3$	34.1	60.0 Max	IS 5182 : Part 24: 2019 (RA 2024)
3	Sulphur Dioxide (SO2)	$\mu g/m^3$	18.1	80.0 Max	IS 5182 : Part 2: 2001 (RA 2022)
4	Nitrogen Dioxide (NO2)	$\mu g/m^3$	25.7	80.0 Max	IS 5182 : Part 6: 2006 (RA 2022)
5	Lead as Pb	$\mu g/m^3$	BDL (DL=0.01)	1.0 Max	IS 5182 : Part 22: 2004 (RA 2019)
6	Ammonia (NH3)	$\mu g/m^3$	17.9	400.0 Max	IS 5182: Part 25: 2018
7	Arsenic as As	ng/m^3	BDL (DL=1.0)	6.0 Max	NALRC/SOP/AIR-19:2022
8	Nickel as Ni	$\mu g/m^3$	BDL (DL=0.01)	0.02Max	IS 5182: Part 26: 2020
9	Ozone as O3	$\mu g/m^3$	BDL (DL=2.0)	100.0 Max	IS 5182: Part 9: 1974 (RA 2019)
10	Carbon Monoxide	mg/m^3	BDL (DL=0.0)	4.0 Max	IS 5182: Part 10: 1999 (RA 2019)
11	Benzene (C6H6)	$\mu g/m^3$	BDL (DL=5.0)	5.0 Max	IS 5182: Part 11: 2006 (RA 2022)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

NAL LABS LLP Bangalore-58

Verified By

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 | M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0491
Product or Material	Ambient Monitoring	Report No	NAL/2026/23556
Particulars of Sample	Ambient Air Quality Monitoring	Date of Monitoring	30.04.2026
Sampling Point	**Tontapur to Vibhutihalli in Sindagi Taluka of Vijayapur District Road ID 4697**	Date of sample Receipt	01.05.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	01.05.2026
Sampling Procedure	In House SOP	Date of Completion	03.05.2026
Page No	1/1	Report Date	03.05.2026

ENVIRONMENTAL CONDITIONS			
Ambient Temperature(°C)	30.0	Humidity (%):	57.0
Climate:	Clear Sky	Wind Flow:	Normal

AMBIENT MONITORING TEST RESULTS

SL. NO	PARAMETER	UNIT	RESULTS	LIMITS AS PER NAAQS STANDARD	METHOD
1	Benzo (a) Pyrene	ng/m^3	BDL (DL=1.0)	1.0 Max	IS 5182: Part 12: 2004 (RA 2019)

Note: Max: Maximum, BDL: Below Detection Limit, DL: Detection Limit.
Remarks: The sample meets to NAAQS limit as per above tested parameters.

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com

TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0492
Product or Material	Noise monitoring (Day Time)	Report No	NAL/2026/23557
		ULR No	TC173542600002587 9F
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	30.04.2026
		Date of sample Receipt	01.05.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	01.05.2026
Sampling Procedure	In House SOP	Date of Completion	03.05.2026
Page No	1/1	Report Date	03.05.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN DAY TIME	METHOD
1	**Tontapur to Vibhutihalli in Sindagi Taluka of Vijayapur District Road ID 4697**	52.6	**65 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.

NAL LABS LLP
Formerly - **NATIONAL ANALYTICAL LABORATORIES AND RESEARCH CENTER**
#1064, 1st, 2nd and 3rd floor, Rajgopal Nagar Main Road, 2nd Stage,
Peenya Industrial Area, Bengaluru, Karnataka, India- 560058.
T : 080 41214555 I M : +91 70901 54555 / 95383 24580
E-mail : info.nalrc15@gmail.com / patil.hrb@gmail.com Web : www.nalrcindia.com
TC-17354

TEST REPORT

Name & Address of the Customer:	**M/s. Jalavahini Mangement Service Private Limited**		
Discipline	Chemical	Sample ID	NAL/2026/04/0493
Product or Material	Noise monitoring (Night Time)	Report No	NAL/2026/23558
		ULR No	TC173542600002588OF
Particulars of Sample	Ambient Noise monitoring	Date of Monitoring	30.04.2026
		Date of sample Receipt	01.05.2026
Sampling done by	EnviroMetrics Labs PVT LTD & TEAM	Date of Analysis Started	01.05.2026
Sampling Procedure	In House SOP	Date of Completion	03.05.2026
Page No	1/1	Report Date	03.05.2026

NOISE MONITORING TEST RESULT

SL. NO	SAMPLE LOCATION	NOISE LEVEL RESULTS IN LEQ dB (A)	LIMITS AS PER KSPCB IN NIGHT TIME	METHOD
1	**Tontapur to Vibhutihalli in Sindagi Taluka of Vijayapur District Road ID 4697**	44.8	**55 dB (A)Leq Max** (Commercial Area)	IS 9989:1981 (Reaffirmed-2020)

Note:- Max: Maximum
Remarks: The sample meets to kspcb limit as per above tested parameters

*** * * * End of the Report* * * * ***

Verified By

NAL LABS LLP Bangalore-58

Lalitha Kumari H
Technical Manager
Authorized Signatory

Note: 1. The results listed above pertain only to the tested samples and applicable parameters. 2. Samples will be stored for a period of 15 days. 3. Sampling not done by us unless specified. 4. This report is not to be reproduced either wholly or in part and can not be used evidence in the court of law and should not be used in any advertising media without prior written permission.